Index

IEE Proceedings

Vol. 140, 1993

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Abbas, H.M., and Fahmy, M.M. Neural model of Karhunen–Loéve transform with application to adaptive image compression **I** p135
Abbosh, A.A., and Sayidmarie, K.H. see Sayidmarie, K.H.
Abdel-Motaleb, I.M., and Yu, D.C. see Yu, D.C.
Abdel-Salam, M., and Al-Shehri, A. Combined method based on inversion and charge simulation for calculating electric stresses in three-core belted cables **C** p357
Abdullah, F., and Khan, S.H. see Khan, S.H.
Acarnley, P.P. Current measurement in three-phase brushless DC drives **B** p71
Adachi, F., and Tjhung, T.T. Phase distributions of Rayleigh faded signal with selection diversity reception **I** p308
Adamides, E.D., Iliades, P., Argyrakis, I., Tsalides, Ph., and Thanailakis, A. Cellular logic bus arbitration **E** p289
Adams, A.R., Jones, G., Ghiti, A., Silver, M., and O'Reilly, E.P. see Jones, G.
Adams, M.J., Kendall, P.C., Roberts, D.A., Robson, P.N., and Robertson, M.J. see Kendall, P.C.
Adams, M.J., and Atkin, D.M. see Atkin, D.M.
Aeyels, D., and Willems, J.L. see Willems, J.L.
Agathoklis, P., and Sreeram, V. see Sreeram, V.
Aggarwal, R.K., Daniel, J.S., and Johns, A.T. see Daniel, J.S.
Aggoun, A., and Ibrahim, M.K. Digital filters implementation using DPCM video signal processing **G** p453
Agoris, D.P., and Hatziargyriou, N.D. Approach to partial discharge development in closely coupled cavities embedded in solid dielectrics by the lumped capacitance model **A** p131
Ahmad, I., and Chen, C.Y.R. Datapath synthesis using onchip multiport memories **E** p227
Ahmadi, J., and Marvin, A.C. see Marvin, A.C.
Ahmed, M.S. Self-tuning control using the right-matrix-fraction innovation description **D** p399
Ahmed, M.S. State space based adaptive control with pole restriction **D** p380
Aizawa, K., Komatsu, T., Igarashi, T., and Saito, T. see Komatsu, T.
Ajjarapu, V., and Lee, B. see Lee, B.
Al-Bahrani, A.H., and Malik, N.H. Selection of the excitation capacitor for dynamic braking of induction machines **B** p1
Al-Bahrani, A.H., and Malik, N.H. Steady-state analysis of parallel-operated self-excited induction generators **C** p49
Al-Khoury, A.H.N., Stoll, R.L., and Bodner, B. see Stoll, R.L.
Al-Ohaly, A.A., and Elrazaz, Z. see Elrazaz, Z.
Al-Saggaf, U.M., and Bettayeb, M. Minimum sensitivity IIR filter design using principal component approach (correspondence) **G** p312
Al-Shehri, A., and Abdel-Salam, M. see Abdel-Salam, M.
Aldeen, M., and Trinh, H. see Trinh, H.
Alhaider, M.A., and Ali, A.A. see Ali, A.A.
Ali, A.A., and Alhaider, M.A. Effect of multipath fading on millimetre wave propagation: a field study **H** p343
Ali Ahmad, M., and Sharif-Bakhtiar, M. see Sharif-Bakhtiar, M.
Allan, D.M. Practical life-assessment technique for aged transformer insulation **A** p404
Allan, J., Hill, R.J., Carpenter, D.C., Mellitt, B., and Brown, J.C. see Hill, R.J.
Allnutt, J.E., Witternigg, N., Kubista, E., Randeu, W.L., Riedler, W., and Arbesser-Rastburg, B. see Witternigg, N.
Almaini, A.E.A., Xu, L., Miller, J.F., and McKenzie, L. see Xu, L.
Alsaka, Y.A., Young, L.A., and Hamid, M. Non-biased geometric centroid for high resolution radar angle tracking **F** p297
Alves da Silva, A.P., Scharcanski, J., and Shen, H.C. see Scharcanski, J.
Amalric, J-L., Cavalli, C., and Baudrand, H. see Cavalli, C.
Amaratunga, G.A.J., and Huang, Q. see Huang, Q.
Amaratunga, G.A.J., and Panda, S.K. see Panda, S.K.
Amin, A.A.M. Design and analysis of a high-speed sense amplifier for single-transistor nonvolatile memory cells **G** p117
Amin, A.A.M. Speed optimised array architecture for flash EEPROMs **G** p177
Anastassiadou, A., Sphicopoulos, T., Orfanos, I., and Caroubalos, C. see Sphicopoulos, T.
Anderson, D.K., Purvis, W.R., Tozer, R.C., and Freeston, I.L. see Purvis, W.R.
Andonovic, I., Hunter, D.K., and Legg, P.J. see Hunter, D.K.
Ansbro, A.P., and Montrosset, I. Vectorial finite difference scheme for isotropic dielectric waveguides: transverse electric field representation **J** p253
Antoniou, A., Diniz, P.S.R., and Cousseau, J.E. see Diniz, P.S.R.
Antoniou, A., Sunder, S., and El-Guibaly, F. see Sunder, S.
Antoniou, G.E., Mentzelopoulou, S.E., and Theodorou, N.J. see Mentzelopoulou, S.E.
Antonopoulos, C.S., Liotopoulos, Th.K., and Kriezis, E.E. see Liotopoulos, Th.K.
Aoki, K., Makino, S., Katagi, T., and Kagoshima, K. Design method for an offset dual-shaped reflector antenna with high efficiency and an elliptical beam **H** p121
Aoki, T., Yuminaka, Y., and Higuchi, T. Design of frequency-mode set-valued logic networks **G** p191
Arambepola, B., and Choomchuay, S. see Choomchuay, S.
Araujo, A.E.A., Soudack, A.C., and Marti, J.R. Ferroresonance in power systems: chaotic behaviour **C** p237
Arbesser-Rastburg, B., Witternigg, N., Kubista, E., Randeu, W.L., Riedler, W., and Allnutt, J.E. see Witternigg, N.
Argyrakis, I., Adamides, E.D., Iliades, P., Tsalides, Ph., and Thanailakis, A. see Adamides, E.D.
Arnold, C.P., Arrillaga, J., Camacho, J.R., and MacDonald, S.J. see Arrillaga, J.
Arnold, J.M. Soliton pulse-position modulation **J** p359
Arora, K., and Harrison, T.J. Effect of phase noise on the evaluation of coherence of laser beam propagating through turbid medium **J** p172
Arrillaga, J., Camacho, J.R., MacDonald, S.J., and Arnold, C.P. Operating characteristics of unit and group connected generator-HVDC converter schemes **C** p503
Arrillaga, J., MacDonald, S., Watson, N.R., and Watson, S. Series self-excited HVDC generation **C** p141
Arrillaga, J., Wood, A.R., and Saavedra, A.R. see Wood, A.R.
Arrillaga, J., Yonghe, L., Crimp, C.S., and Villablanca, M. Harmonic elimination by DC ripple reinjection in generator–convertor units operating at variable speeds **C** p57
Arvas, E., and Sadigh, A. see Sadigh, A.
Arya, L.D., Bijwe, P.R., and Kothari, D.P. see Bijwe, P.R.
Asher, G.M., and Sumner, M. see Sumner, M.
Atherton, D.P., and Zhuang, M. see Zhuang, M.
Atkin, D.M., and Adams, M.J. Optical switching in the twin-guide travelling-wave laser amplifier **J** p296
Atten, P., and Saker, A. see Saker, A.
Atungsiri, S.A., Kondoz, A.M., and Evans, B.G. Error control for low-bit-rate speech communication systems **I** p97
Au, P.W.B., Parker, E.A., and Langley, R.J. Wideband filters employing multilayer gratings **H** p292
Auckland, D.W., Kabir, S.M.F., and Varlow, B.R. Charge deposition in gas filled channels with insulating walls **A** p509
Avramis, S.K., Dimakis, C.E., and Kouris, S.S. see Dimakis, C.E.
Avrutin, E.A. Analysis of spontaneous emission and noise in self-pulsing laser diodes **J** p16

B

Boifot, A.M. Compact broadband TE_{01}-mode generator **H** p339
Babic, B., Djukanovic, M., Sobajic, D.J., and Pao, Y.-H. see Djukanovic, M.
Bachl, R., and Ko, C.C. see Ko, C.C.
Bai, D.-Y., Jeng, L.-G., and Chen, L.-G. see Jeng, L.-G.
Bain, R.J.P., Cochran, A., Donaldson, G.B., and Evanson, S. see Cochran, A.
Bakardjiev, V., Spencer, J.W., Jones, G.R., and Djakov, B.E. see Spencer, J.W.
Baker, K.R., Currie, A.J., and Nichols, K.G. Multiple objective optimisation in a behavioural synthesis system **G** p253
Baldomir, D., and Hammond, P. Geometrical approach to eddy-current systems **A** p166
Baldomir, D., and Hammond, P. Global geometry of electromagnetic systems **A** p142
Ball, D.J. Comparative health risks of electricity generating systems **A** p81
Ball, N.R., and Warwick, K. Using self-organising feature maps for the control of artificial organisms **D** p176
Banks, D. Localisation and separation of simultaneous voices with two microphones **I** p229
Bao, Y.L., Shieh, L.S., and Gu, J. see Shieh, L.S.
Barkat, M., and Cho, C.-M. see Cho, C.-M.
Barnard, A.D., Silvester, J.R., and Chambers, W.G. Guaranteeing the period of linear recurring sequences (mod 2^e) **E** p243
Barnsley, P. All-optical clock extraction using two-contact devices **J** p325
Barr, R., Ireland, W., and Smith, M.J. ELF, VLF and LF radiation from a very large loop antenna with a mountain core **H** p129
Barr, R., and Ireland, W. Low-frequency input impedance of a very large loop antenna with a mountain core **H** p84
Batchelor, B.G., and Wilson, G.R. see Wilson, G.R.
Baudrand, H., Cavalli, C., and Amalric, J-L. see Cavalli, C.
Bauer, J.G., Lauterbach, C., Römer, D., Emeis, N., Hoffmann, L., and Ebbinghaus, G. Monolithic integration of a waveguide InGaAs/InP pin photodiode with a locally ion implanted JFET for receiver OEIC applications **J** p66
Baumann, A.E., and Hill, R. see Hill, R.
Beaujean, D.A., Newbery, P.G., and Jayne, M.G. Long-time operation of high breaking capacity fuses **A** p331
Beaulieu, N.C., Biglieri, E., and Lai, M. Sample rejection and importance sampling in the simulation of multidimensional signalling systems **I** p445
Becker, E.B., Chang, J.H., and Driga, M.D. see Chang, J.H.
Bellini, S., and Molinari, C. Efficient simulation of multilevel and coded transmission systems **I** p365
Belmont, M.R. Nonuniform sampling specifically for finite-length data **F** p55
Benedetto, S., and Olmo, G. Analysis of an optical code division multiple access scheme employing Gold sequences **I** p211
Benelli, G., and Garzelli, A. Type-II hybrid ARQ protocol using concatenated codes **I** p346
Bennegueouche, J., Damiano, J.P., and Papiernik, A. Original multilayer microstrip disc antenna for dual-frequency band operation: theory and experiment **H** p441
Benson, T.M., Kendall, P.C., Matin, M.A., and Stern, M.S. Highly accurate vector correction for optical waveguide propagation constants **J** p93
Benson, T.M., Smartt, C.J., and Kendall, P.C. see Smartt, C.J.
Benson, T.M., and Kendall, P.C. Equipartition method for the analysis of two nonidentical closely separated rib waveguides **J** p62
Bergman, R.S., and Parham, T.G. Applications of thin film reflecting coating technology to tungsten filament lamps **A** p418
Bergmann, N., Murtagh, P., and Tsoi, A.C. see Murtagh, P.
Bernot, F., Kauffmann, J.M., and Guichet, M.T. Computation of magnetic flux density and iron losses by Fourier-Bessel and Fourier-Laurent series in an electromagnetic vibration damper **B** p18
Berry, T., Dale, L.A., Daniels, A.R., and Dunn, R.W. Real time modelling of multimachine power systems **C** p241
Bersiner, L., and Hempelmann, U. see Hempelmann, U.
Bettayeb, M., and Al-Saggaf, U.M. see Al-Saggaf, U.M.
Beyer, A., Köther, D., and Borkes, J. see Köther, D.
Bhargava, V.K., Chen, Q., Wang, Q., and Mason,

L.J. see Chen, Q.
Bhat, I., and Ojo, O. see Ojo, O.
Bhattacharya, K., Kothari, M.L., and Nanda, J. see Kothari, M.L.
Bhattacharya, M., Chattopadhyay, T., and Nakajima, M. see Chattopadhyay, T.
Bhattacharya, S., Choi, Y.-H., and Tsai, W.-T. Unidirectional cube connected cycles **E** p191
Bian, Y., and Last, D. see Last, D.
Biglieri, E., Beaulieu, N.C., and Lai, M. see Beaulieu, N.C.
Bijwe, P.R., Kothari, D.P., and Arya, L.D. Alleviation of line overloads and voltage violations by corrective rescheduling **C** p249
Billinton, R., and Gan, L. Monte Carlo simulation model for multiarea generation system reliability studies **C** p532
Billinton, R., and Khan, M.E. see Khan, M.E.
Billinton, R., and Lian, G. Monte Carlo approach to substation reliability evaluation **C** p147
Binns, K.J., Chaaban, F.B., and Hameed, A.A.K. Major design parameters of a solid canned permanent magnet motor with skewed magnets **B** p161
Bîrca-Galateanu, Ş., Ivaşcu, A., and Kazimierczuk, M.K. see Ivaşcu, A.
Bisset, D.L., de Carvalho, A., and Fairhurst, M.C. see de Carvalho, A.
Blachman, N.M. Gaussian noise: prediction based on its value and *N* derivatives **F** p98
Blachman, N.M. Optimum memoryless bandpass nonlinearities **I** p436
Blood, P., Rees, P., Hamilton, R.A.H., and Burke, S.V. see Rees, P.
Boashash, B., and Kenny, O.P. see Kenny, O.P.
Bodner, B., Stoll, R.L., and Al-Khoury, A.H.N. see Stoll, R.L.
Boechat, A.A.B., Su, D., and Jones, J.D.C. see Su, D.
Bogner, R.E., He, M.-Y., and Wen, C. see He, M.-Y.
Boldea, I., Fu, Z.X., and Nasar, S.A. High-performance reluctance generator **B** p124
Bolle, D.M. Utilisation of surface magnetoplasmons in the millimetre wavelength range **H** p173
Bolle, D.M., Mohsenian, N., and Delph, T.J. see Mohsenian, N.
Bollen, M.H.J. Method for reliability analysis of industrial distribution systems **C** p497
Bollen, M.H.J. Travelling-wave-based protection of double-circuit lines **C** p37
Bolton, A., and Ledwich, G.F. see Ledwich, G.F.
Bolton, H.R., and Chan, S. see Chan, S.
Bolton, H.R., and Chikwanda, H.S. see Chikwanda, H.S.
Bonnedal, D., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Bononi, A., Forghieri, F., and Prucnal, P.R. Soliton ultrafast all-optical mesh networks **J** p285
Bor, S.-S., Liu, J.-C., Ho, S.-S., and Lu, P.-C. see Liu, J.-C.
Borkes, J., Köther, D., and Beyer, A. see Köther, D.
Bosse, E., Wong, T., Lo, T., Leung, H., and Litva, J. see Wong, T.
Botha, L., Ferreira, H.C., and Broere, I. Multilevel sequences and line codes **I** p255
Bourkas, P.D., Dervos, C.T., Karagiannopoulos, C.G., and Kagarakis, C.A. see Dervos, C.T.
Boys, J.T. Theoretical spectra for narrow-band random PWM waveforms **B** p393
Boys, J.T., Colby, R.S., and Otto, M.D. see Colby, R.S.
Bradley, R., Leith, D.J., and Murray-Smith, D.J. see Leith, D.J.
Brennan, P.V. Residual current device with high immunity to nuisance tripping **G** p140
Bridges, M.M., Dawson, D.M., and Qu, Z. see Dawson, D.M.
Brillinger, D.R. Distributions of particle displacements via higher-order moment functions **F** p390
Brini, J., Roux-dit-Buisson, O., and Ghibaudo, G. see Roux-dit-Buisson, O.
Broere, I., Botha, L., and Ferreira, H.C. see Botha, L.
Broome, D.R., Wang, Q., and Greig, A.R. Adaptive compliant control for an inspection robot system **D** p191
Brown, J.C., Hill, R.J., Carpenter, D.C., Mellitt, B., and Allan, J. see Hill, R.J.
Brown-Goebeler, K.F., Kiely, P.A., Taylor, G.W., Docter, D.P., Evaldsson, P.A., Vang, T.A., and Tell, B. see Kiely, P.A.
Brucoli, M., la Scala, M., Sbrizzai, R., and Trovato, M. Voltage stability analysis of electric power systems with frequency dependent loads **C** p1
Budišin, P.B., Vukelja, P.I., Naumov, R.M., and Vučinić, M.M. see Vukelja, P.I.
Bumby, J.R., and Safi, S.K. see Safi, S.K.
Burgett, S., and Das, M. Predictive image coding using multiresolution multiplicative autoregressive models **I** p127
Burgmeijer, J.W., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Burke, S.V., Rees, P., Hamilton, R.A.H., and Blood, P. see Rees, P.
Burns, R.W. Early history of the proximity fuze (1937–1940) **A** p224
Burton, A.W., and Malinowski, K. Concurrent simulation of reactor core dynamics **D** p205
Buydens, L., Vermaerke, F., Moerman, I., Vermeire, G., Van Daele, P., and Demeester, P. see Vermaerke, F.

C

Çaliskan, V.A., Siri, K., and Lee, C.Q. see Siri, K.
Čalović, M.S., and Levi, V.A. see Levi, V.A.
Camacho, J.R., Arrillaga, J., MacDonald, S.J., and Arnold, C.P. see Arrillaga, J.
Campbell, L.C., and Tekletsadik, K. see Tekletsadik, K.
Capsalis, C.N., Frangos, P.V., and Frantzeskakis, D.J. see Frangos, P.V.
Capstick, M.H., O'Reilly, J.J., Lane, P.M., Salgado, H.M., Heidemann, R., Hofstetter, R., and Schmuck, H. see O'Reilly, J.J.
Cardoso, J.F., and Souloumiac, A. Blind beamforming for non-Gaussian signals **F** p362
Caroubalos, C., Sphicopoulos, T., Anastassiadou, A., and Orfanos, I. see Sphicopoulos, T.
Carpenter, D.C., Hill, R.J., Mellitt, B., Allan, J., and Brown, J.C. see Hill, R.J.
Carpinelli, G., Gagliardi, F., Sturchio, A., and Russo, M. Steady-state mathematical models of convertors with biparametric regulation **C** p105
Carroll, J.E., Yu, S.F., Zhang, L.M., and Plumb, R.G.S. see Yu, S.F.
Carroll, J.E., and Marcenac, D.D. see Marcenac, D.D.
Carter, C.N. Arc control devices for use on all-dielectric self-supporting, optical cables **A** p357
Casavola, A., and Mosca, E. Innovations system representation in the optimal LQG regulation problem **D** p79
Castilla, M., Montaño, J.-C., López, A., and Gutierrez, J. see Montaño, J.-C.
Cavalli, C., Amalric, J-L., and Baudrand, H. Various aspects of nonreciprocal devices using magnetised semiconductors **H** p165
Chaaban, F.B., Binns, K.J., and Hameed, A.A.K. see Binns, K.J.
Chaaraoui, J., Liu, W.D., Wood, J.K., Spencer, J.W., and Jones, G.R. see Liu, W.D.
Chakraborty, A., Datta, A., and Das, B.N. see Datta, A.
Cham, W-K., and Lo, K-T. see Lo, K-T.
Chambers, W.G., Barnard, A.D., and Silvester, J.R. see Barnard, A.D.
Chan, C.F., and Law, K.W. see Law, K.W.
Chan, E.K.C., and Williamson, S. see Williamson, S.
Chan, S., and Bolton, H.R. Performance enhancement of single-phase switched-reluctance motor by DC link voltage boosting **B** p316
Chan, T.T., Chang, C.S., Ho, S.L., and Lee, K.K. see Chang, C.S.
Chan, Y.T., and Couture, F. Manoeuvre detection and track correction by input estimation **F** p21
Chandrasekaran, A., Sudha, S.A., and Rajagopalan, V. see Sudha, S.A.
Chandrasekharaiah, H.S., and Narendra, K.G. see Narendra, K.G.
Chandrasekharam, R., Subhramanian, S., and Chaudhury, S. Genetic algorithm for node partitioning problem and applications in VLSI design **E** p255
Chang, A.O.T., Kouvaritakis, B., and Rossiter, J.A. see Kouvaritakis, B.
Chang, A.O.T., Kouvaritakis, B., and Rossiter, J.A. Use of kernels of bicausal operators in scalar gain-phase predictive control **D** p127
Chang, C.N., and Cheng, J.F. Hybrid quasistatic analysis of multilayer microstrip lines **H** p79
Chang, C.S. AC train emergency fuzzy logic control using an event driven approach **B** p307
Chang, C.S. Online transient stability evaluation of interconnected power systems using pattern recognition strategy **C** p115
Chang, C.S., Chan, T.T., Ho, S.L., and Lee, K.K. AI applications and solution techniques for AC-railway-system control and simulation **B** p166
Chang, C.S., Ho, S.L., Chan, T.T., and Lee, K.K. Fast AC train emergency rescheduling using an event driven approach **B** p281
Chang, F.-Y., Chen, C.-L., and Chen, W.-C. see Chen, C.-L.
Chang, H.H., and Perng, M.H. see Perng, M.H.
Chang, J.H., Becker, E.B., and Driga, M.D. Numerical simulation for induction coil launcher using FE–BE method with hybrid potentials **A** p501
Chang, M., Wang, J.J.H., and Feng, W.S. see Wang, J.J.H.
Chao, L. Effect of laser diode characteristics on the performance of an SCM–OFDM direct detection system **J** p392
Chattopadhyay, T., Bhattacharya, M., and Nakajima, M. Novel broadband travelling wave light intensity modulator **J** p189
Chaudhuri, B.B., Sarkar, N., and Kundu, P. Improved fractal geometry based texture segmentation technique **E** p233
Chaudhury, S., Chandrasekharam, R., and Subhramanian, S. see Chandrasekharam, R.
Chaumette, E., Comon, P., and Muller, D. ICA-based technique for radiating sources estimation: application to airport surveillance **F** p395
Chedid, R., Freris, L.L., and Meisel, J. see Freris, L.L.
Chen, B.M., and Saberi, A. Noniterative computation of infimum in H_∞ optimisation for plants with invariant zeros on the $j\omega$-axis **D** p298
Chen, C., and Stouraitis, T. see Stouraitis, T.
Chen, C.-C., Wei, C.-H., and Liu, G.-S. see Wei, C.-H.
Chen, C.-L., Chen, W.-C., and Chang, F.-Y. Hybrid learning algorithm for Gaussian potential function networks **D** p442
Chen, C.S., Yuan, J., and Ma, S. see Yuan, J.
Chen, C.Y.R., and Ahmad, I. see Ahmad, I.
Chen, F.-K., Yang, J.-F., and Wu, H.-T. see Yang, J.-F.
Chen, G.P., Malik, O.P., and Hope, G.S. Control limits consideration in discrete control system design **D** p413
Chen, H., Wong, W.C., and Ko, C.C. Comparison of pitch prediction and adaptation algorithms in forward and backward adaptive CELP systems **I** p240
Chen, J., Luo, B., Wu, L., and Lu, Y. Instrumental effects on spectrum measurement from a semiconductor diode biased below threshold **J** p243
Chen, J.-J., Liu, S.-I., Tsao, H.-W., and Tsay, J.-H. see Liu, S.-I.
Chen, L.-G., Jeng, L.-G., and Bai, D.-Y. see Jeng, L.-G.
Chen, M.-J., Huang, C.-Y., and Tseng, P.-N. Analytical design formulation for minority-carrier well-type guard rings in CMOS circuits **G** p182
Chen, Q., Lotfi, A.W., and Lee, F.C. see Lotfi, A.W.
Chen, Q., Wang, Q., Bhargava, V.K., and Mason, L.J. Error performance of coded SFH/DPSK in tone interference and AWGN **I** p262
Chen, S.L., and Huang, S.R. Improvement on state formulation, stratification and estimation in Monte Carlo production cost simulation **C** p439
Chen, T.-C., and Pan, C.-T. see Pan, C.-T.
Chen, T.H., Liaw, C.M., Chiang, S.J., Lee, C.M., and Wang, C.T. see Liaw, C.M.
Chen, W.-C., Chen, C.-L., and Chang, F.-Y. see Chen, C.-L.
Chen, Y.-M., Lee, J.-H., and Yeh, C.-C. Two-dimensional angle-of-arrival estimation for uniform planar arrays with sensor position errors **F** p37
Cheng, C.-P., and Liu, T.-H. see Liu, T.-H.
Cheng, C.L., Lu, C.N., Leou, R.C., and Rai, T.S. see Lu, C.N.
Cheng, J.F., and Chang, C.N. see Chang, C.N.
Cheng, Y., Wong, K.C., and Kittler, J. see Wong, K.C.
Chern, T.-L., and Wu, Y.-C. Design of brushless DC position servo systems using integral variable structure approach **B** p27
Chesshire, J. Environmental impacts of electricity generation: some public policy dimensions **A** p47
Cheung, P.Y.K., and Koskinen, T. see Koskinen, T.
Chew, W.C., and Lu, C.C. see Lu, C.C.
Chiang, S.J., Liaw, C.M., Chen, T.H., Lee, C.M., and Wang, C.T. see Liaw, C.M.
Chikwanda, H.S., and Bolton, H.R. Analysis of the naturally commutated, convertor-fed induction motor drive system using a flux vector method **B** p401
Chiou, S.-H., Jou, S.-J., Tao, Y.-S., and Shen, W.-Z. see Jou, S.-J.
Cho, C.-M., and Barkat, M. Moving ordered statistics CFAR detection for nonhomogeneous backgrounds **F** p284
Cho, G.H., and Kwon, W.H. see Kwon, W.H.
Choate, D.B., and Tsui, J.B.Y. Note on Prony's method **F** p103
Choi, Y.-H., Bhattacharya, S., and Tsai, W.-T. see Bhattacharya, S.
Choi, Y.-K., Sanagi, M., and Nakajima, M. Measurement of low frequency electric field using Ti : $LiNbO_3$ optical modulator **J** p137
Choomchuay, S., and Arambepola, B. Time domain algorithms and architectures for Reed–Solomon decoding **I** p189
Chou, C., Lu, S.-T., Lee, M.-C., and Wu, Y.-P. see Lu, S.-T.
Chow, Y.L., Safavi-Naeini, S., and Faraji-Dana, R. see Safavi-Naeini, S.
Christopoulos, C., Hui, S.Y.R., Fung, K.K., and Zhang, M.Q. see Hui, S.Y.R.
Chuang, H.Y.H., and Pan, Y. see Pan, Y.
Chung, P.-C., Tsai, C.-T., and Sun, Y.-N. see Tsai, C.-T.
Civera, P., Masera, G., Piccinini, G., and Zamboni, M. Algorithms for operation scheduling in VLSI circuit design **G** p339
Claeys, C., and Simoen, E. see Simoen, E.
Clarke, D.W., and Demircioğlu, H. see Demircioğlu, H.
Clinkinbeard, D.R., Menon, S.M., Jayasumana, A.P., and Malaiya, Y.K. see Menon, S.M.
Coccioli, R., Pelosi, G., and Freni, A. see Pelosi, G.
Cochran, A., Donaldson, G.B., Evanson, S., and Bain, R.J.P. First-generation SQUID-based non-destructive testing system **A** p113
Cockbaine, D.R. Ion mobility scanning ion chamber **A** p155
Colby, R.S., Otto, M.D., and Boys, J.T. Analysis of LCI synchronous motor drives with finite DC

link inductance **B** p379
Colet, P., Mirasso, C.R., and Miguel, M. San see Mirasso, C.R.
Colet, P., Valle, A., Pesquera, L., and San Miguel, M. see Valle, A.
Comon, P., Chaumette, E., and Muller, D. see Chaumette, E.
Conner, P.N., Vaseghi, S.V., and Milner, B.P. see Vaseghi, S.V.
Constantinides, A.G., and Vlachos, T. see Vlachos, T.
Cook, G.G., and Khamas, S.K. Temperature control of radar cross-section using electrically small high T_c superconducting antenna elements for stealth applications **H** p326
Cooper, D.C., and Howland, P.E. see Howland, P.E.
Čorda, J., Mašić, S., and Stephenson, J.M. Computation and experimental determination of running torque waveforms in switched-reluctance motors **B** p387
Cordero, N., McCarthy, K., Lyden, C., and Kelly, W.M. Electron drift velocity model for simulation of InGaAs JFETs **G** p261
Cosgrave, J.A., Vourdas, A., Jones, G.R., Spencer, J.W., Murphy, M.M., and Wilson, A. Acoustic monitoring of partial discharges in gas insulated substations using optical sensors **A** p369
Cottis, P.G. Propagation in eccentrically cladded anisotropic guides **J** p119
Cousseau, J.E., Diniz, P.S.R., and Antoniou, A. see Diniz, P.S.R.
Couture, F., and Chan, Y.T. see Chan, Y.T.
Cowan, C.F.N., and Siu, S. see Siu, S.
Cox, J.W.R. Corroboration of a moment-method calculation of the maximum mutual coupling between two HF antennas mounted on a helicopter **H** p113
Cremer, C., Emeis, N., Schier, M., Heise, G., and Ebbinghaus, G. Monolithically integrated DWDM receiver **J** p71
Crimp, C.S., Arrillaga, J., Yonghe, L., and Villablanca, M. see Arrillaga, J.
Crimp, C.S., Watson, D.B., and Williams, M.R. see Watson, D.B.
Crine, J.-P., Vincent, C., and Olivier, R.G. see Vincent, C.
Cronin, N.J., and Wells, J.A. see Wells, J.A.
Croq, F., Kossiavas, G., and Papiernik, A. Stacked resonators for bandwidth enhancement: a comparison of two feeding techniques **H** p303
Cryan, R.A., and Unwin, R.T. Optimal and suboptimal detection of optical fibre digital PPM **J** p367
Csanky, L., Perkowski, M.A., and Schäfer, I. Canonical restricted mixed-polarity exclusive-OR sums of products and the efficient algorithm for their minimisation **E** p69
Cuhaci, M., Reddy, C.J., and Ittipiboon, A. see Reddy, C.J.
Culshaw, B., and Jin, W. see Jin, W.
Currie, A.J., Baker, K.R., and Nichols, K.G. see Baker, K.R.

D

Da Silva Souza sobrinho, C.L., and Giarola, A.J. Analysis of biaxially anisotropic dielectric waveguides with Gaussian–Gaussian index of refraction profiles by the finite-difference method **H** p224
Dalay, B.S., and Parkin, R.M. see Parkin, R.M.
Dale, L.A., Berry, T., Daniels, A.R., and Dunn, R.W. see Berry, T.
Damiano, J.P. Analysis of triangular patch antennas including radome effects (correspondence) **H** p144
Damiano, J.P., Bennegueouche, J., and Papiernik, A. see Bennegueouche, J.
Dandawaté, A.V., and Giannakis, G.B. Differential delay-Doppler estimation using second- and higher-order ambiguity functions **F** p410
Daniel, J.S., Aggarwal, R.K., and Johns, A.T. Three terminal line protection based on a superimposed component impedance relay **C** p447
Daniels, A.R., Berry, T., Dale, L.A., and Dunn, R.W. see Berry, T.
Daoud, N.S., and Raut, R. see Raut, R.
Darnell, M., Honary, B., Kaya, L., and Markarian, G.S. see Honary, B.
Darwazeh, I.Z., Moreira, P.M.R.S., and O'Reilly, J.J. see Moreira, P.M.R.S.
Das, B.N., Datta, A., and Chakraborty, A. see Datta, A.
Das, B.N., Narasimha Sarma, N.V.S., and Sinha, B.K. Shielding of field produced by lightning type current pulse through metallic cylinders **A** p517
Das, B.N., and Das, S.K. see Das, S.K.
Das, M., and Burgett, S. see Burgett, S.
Das, S.K., and Das, B.N. Analysis of the effects of septum thickness on impedance and fields of TEM mode inside an asymmetric TEM cell **H** p347
Das, S.K., and Rajagopalan, P.K. Characteristic equation and parametric behaviour of single-pumping periodic systems **D** p283
Datta, A., Chakraborty, A., and Das, B.N. Analysis of a strip loaded resonant longitudinal slot in the broad wall of a rectangular waveguide **H** p135
David, A.K. Competitive bidding in electricity supply **C** p421
David, A.K., and Li, Y.Z. see Li, Y.Z.
Davis, L.E., Sloan, R., and Paul, D.K. TM_{on} modes in transversely magnetised semiconductor-filled coaxial waveguide and parallel plates **H** p211
Dawson, D.M., Qu, Z., and Bridges, M.M. Hybrid adaptive control for tracking of rigid-link flexible-joint robots **D** p155
Dawson, E., Goldburg, B., and Sridharan, S. see Goldburg, B.
De Freitas, J.M., and Player, M.A. Synthesis of the general linear stationary stochastic process **F** p187
De groot, D.J. Dimensional analysis of the linear induction motor **B** p273
De toledo, A.F., and Turkmani, A.M.D. see Turkmani, A.M.D.
de Carvalho, A., Fairhurst, M.C., and Bisset, D.L. Classifying images using goal-seeking neural network architectures **I** p12
de Souza, C.E., Xie, L., and Shi, P. see Xie, L.
Del Re, E., and Fantacci, R. Efficient fast packet switch fabric with shared input buffers **I** p372
Delph, T.J., Mohsenian, N., and Bolle, D.M. see Mohsenian, N.
Demeester, P., Vermaerke, F., Moerman, I., Vermeire, G., Buydens, L., and Van Daele, P. see Vermaerke, F.
Demircioğlu, H., and Clarke, D.W. Generalised predictive control with end-point state weighting **D** p275
Deng, R.H. New parity retransmission system using product codes **I** p351
Dervos, C.T., Karagiannopoulos, C.G., Bourkas, P.D., and Kagarakis, C.A. Measurements on stationary metal contacts under high charge injection rates **C** p167
Detry, R.J., and Jayasumana, A.P. Three-layer router for channels with constrained terminals **E** p333
Dey, S., and Varshney, P.K. Flow control methodology for virtual-circuit networks **I** p494
Di Cataldo, G., and Palumbo, G. Double and triple charge pump for power IC: ideal dynamical models to an optimised design **G** p33
Dias, M.F., and ElKateb, M.M. see ElKateb, M.M.
Dias, V.F., and Liberali, V. Cascade pseudomultibit noise shaping modulators **G** p237
Dimakis, C.E., Kouris, S.S., and Avramis, S.K. Performance evaluation of concatenated coding schemes on multilevel QAM signalling in non-Gaussian products environment **I** p269
Ding, H., and Fahmy, M.M. Performance of output-modulator-structured linear almost periodically time-varying adaptive filter **I** p114
Ding, K., and Zhang, X. see Zhang, X.
Ding, Z., and Hung, J.Y. see Hung, J.Y.
Diniz, P.S.R., Cousseau, J.E., and Antoniou, A. Improved parallel realisation of IIR adaptive filters **G** p322
Dissado, L.A., Fothergill, J.C., Eccles, A., and Houlgreave, J.A. see Fothergill, J.C.
Djakov, B.E., Spencer, J.W., Jones, G.R., and Bakardjiev, V. see Spencer, J.W.
Djukanovic, M., Babic, B., Sobajic, D.J., and Pao, Y.-H. Unsupervised/supervised learning concept for 24-hour load forecasting **C** p311
Djukanovic, M.B., Popovic, D.P., Sobajic, D.J., and Pao, Y.-H. Prediction of power system frequency response after generator outages using neural nets **C** p389
Djurich, B.M. Chebyshev phase of IIR networks for pulse expanding **G** p285
Dlay, S.S., Tahir, J.M., Gorgui-Naguib, R.N., and Hinton, O.R. see Tahir, J.M.
Dobrowolski, J.A. CAD oriented method for noise analysis of microwave circuits described by the nodal admittance matrix **H** p321
Docter, D.P., Kiely, P.A., Taylor, G.W., Evaldsson, P.A., Vang, T.A., Tell, B., and Brown-Goebeler, K.F. see Kiely, P.A.
Doğan, M.C., and Mendel, J.M. Single sensor detection and classification of multiple sources by higher-order spectra **F** p350
Dokuchaev, N.G. Explicit formulas for currents at branching long lines and for maximum of current amplitudes **A** p249
Dolan, J.E. Effect of transient demagnetisation fields on coherent magnetic switching in ferrites **A** p294
Dommermuth, F.M. Estimation of fundamental frequencies **F** p162
Donaldson, G.B., Cochran, A., Evanson, S., and Bain, R.J.P. see Cochran, A.
Dong, Y., and Pota, H.R. Transient stability margin prediction using equal-area criterion **C** p96
Donoghue, B.J., and Goodall, R.M. see Goodall, R.M.
Dordević, V., and Nahman, J. see Nahman, J.
Driga, M.D., Chang, J.H., and Becker, E.B. see Chang, J.H.
Duggan, E., and Morrison, R.E. Prediction of harmonic voltage distortion when a nonlinear load is connected to an already distorted supply **C** p161
Dunn, R.W., Berry, T., Dale, L.A., and Daniels, A.R. see Berry, T.
Duplaix, J., Enea, G., and Franceschi, M. see Enea, G.
Durham, A.M., and Redman-White, W. Very high linearity tunable OTA in 5 V CMOS **G** p207
Dwivedi, R., Vishnoi, A., Gopal, R., and Srivastava, S.K. see Vishnoi, A.

E

Easthope, F., and Rowland, S.M. see Rowland, S.M.
Ebbinghaus, G., Bauer, J.G., Lauterbach, C., Römer, D., Emeis, N., and Hoffmann, L. see Bauer, J.G.
Ebbinghaus, G., Cremer, C., Emeis, N., Schier, M., and Heise, G. see Cremer, C.
Eccles, A., Fothergill, J.C., Houlgreave, J.A., and Dissado, L.A. see Fothergill, J.C.
Eichhorn, K.Fr., Łobos, T., and Ruczewski, P. Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals **C** p477
El Sheikh, A.N.A., Parker, E.A., and Lima, A.C. de C. see Parker, E.A.
El-Arini, M.M.M. Decoupled power flow solution method for well-conditioned and ill-conditioned power systems **C** p7
El-Guibaly, F., Sunder, S., and Antoniou, A. see Sunder, S.
El-Hajj, A., Kabalan, K.Y., and Harrington, R.F. Characteristic mode analysis of electromagnetic coupling through multiple slots in a connecting plane **H** p421
ElKateb, M.M., and Dias, M.F. New technique for adaptive-frequency load shedding suitable for industry with private generation **C** p411
Eliades, D.E. Alternative derivation of the cascaded cylinder diffraction model **H** p279
Eliades, D.E. Terrain simulation for the cascaded cylinder diffraction model **H** p285
Elrazaz, Z., and Al-Ohaly, A.A. Optimal coordination of shunt reactors to enhance system performance at light load operation **C** p293
Emeis, N., Bauer, J.G., Lauterbach, C., Römer, D., Hoffmann, L., and Ebbinghaus, G. see Bauer, J.G.
Emeis, N., Cremer, C., Schier, M., Heise, G., and Ebbinghaus, G. see Cremer, C.
Emnett, F., and Wang, C.-J. see Wang, C.-J.
Endean, V.G. Spinning electric dipole model of ball lightning **A** p474
Enea, G., Duplaix, J., and Franceschi, M. Discrete optimal control with aggregative pole placement **D** p309
Eom, H.J., and Park, T.J. see Park, T.J.
Eriksson, A., Stoica, P., and Söderström, T. Second-order properties of MUSIC and ESPRIT estimates of sinusoidal frequencies in high SNR scenarios **F** p266
Eriksson, S., and Tan, N. see Tan, N.
Erman, M., Vinchant, J.-F., Renaud, M., Peyre, J.L., Jarry, P., and Pagnod-Rossiaux, P. see Vinchant, J.-F.
Eschermann, B., Saul, J., and Froessl, J. see Saul, J.
Evaldsson, P.A., Kiely, P.A., Taylor, G.W., Docter, D.P., Vang, T.A., Tell, B., and Brown-Goebeler, K.F. see Kiely, P.A.
Evans, B.G., Atungsiri, S.A., and Kondoz, A.M. see Atungsiri, S.A.
Evans, G.D., James, J.R., and Fray, A. see James, J.R.
Evanson, S., Cochran, A., Donaldson, G.B., and Bain, R.J.P. see Cochran, A.
Excell, P.S., Jackson, N.N., and Wong, K.T. Compact electromagnetic test range using an array of log-periodic antennas **H** p101

F

Fabre, A. Insensitive voltage-mode and current-mode filters from commercially available transimpedance opamps **G** p319
Facheris, L., Giuli, D., and Fossi, M. see Giuli, D.
Facheris, L., Giuli, D., and Freni, A. see Giuli, D.
Fahmi, N.R., and Johnson, R.C. Phase co-ordinate model for analysis of isolated power systems **C** p123
Fahmy, M.M., and Abbas, H.M. see Abbas, H.M.
Fahmy, M.M., and Ding, H. see Ding, H.
Fairhurst, M.C. Image processing and its applications **I** p1
Fairhurst, M.C., de Carvalho, A., and Bisset, D.L. see de Carvalho, A.
Fallside, F., and Wright, M.W. see Wright, M.W.
Fantacci, R., and Del Re, E. see Del Re, E.
Fapojuwo, A.O. Radio capacity of direct sequence code division multiple access mobile radio systems **I** p402
Faraji-Dana, R., Safavi-Naeini, S., and Chow, Y.L. see Safavi-Naeini, S.
Faremo, H., and Ildstad, E. Water treeing and dielectric loss of WTR-XLPE cable insulation **A** p393
Faulkner, D.W., Senior, J.M., and Lambert, D.T. see Senior, J.M.
Felhauer, T. Digital signal processing for optimum wideband channel estimation in the presence of noise **F** p179
Feng, W.S., Wang, J.J.H., and Chang, M. see Wang, J.J.H.
Ferreira, H.C., Botha, L., and Broere, I. see Botha, L.
Finney, S.J., Green, T.C., and Williams, B.W.

Review of resonant link topologies for inverters **B** p103
Fisher, A.J. New algorithms for hyperbolic radionavigation **F** p145
Fisher, P.D., Shieh, M.-D., and Wey, C.-L. see Shieh, M.-D.
Fitzpatrick, P., and Murphy, C.C. Solution of linear systems of equations in the presence of two transient hardware faults **E** p247
Flaherty, M.J., and Roe, D.B. Orthogonal transformations of stacked feature vectors applied to HMM speech recognition **I** p121
Forghieri, F., Bononi, A., and Prucnal, P.R. see Bononi, A.
Forooraghi, K., and Kildal, P.-S. Transverse radiation pattern of a slotted waveguide array radiating between finite height baffles in terms of a spectrum of two-dimensional solutions **H** p52
Fossi, M., Giuli, D., and Facheris, L. see Giuli, D.
Fothergill, J.C., Eccles, A., Houlgreave, J.A., and Dissado, L.A. Water tree inception and its dependence upon electric field, voltage and frequency **A** p397
Fourikis, N., Lioutas, N., and Shuley, N.V. Parametric study of the co- and crosspolarisation characteristics of tapered planar and antipodal slotline antennas **H** p17
Franceschi, M., Enea, G., and Duplaix, J. see Enea, G.
Frangos, P.V., Frantzeskakis, D.J., and Capsalis, C.N. Pulse propagation in a nonlinear optical fibre of parabolic index profile by direct numerical solution of the Gel'fand–Levitan integral equations **J** p141
Franklin, M., Ramanathan, P., and Saluja, K.K. see Ramanathan, P.
Frantzeskakis, D.J., Frangos, P.V., and Capsalis, C.N. see Frangos, P.V.
Fray, A., James, J.R., and Evans, G.D. see James, J.R.
Freeston, I.L., Purvis, W.R., Tozer, R.C., and Anderson, D.K. see Purvis, W.R.
Freni, A., Giuli, D., and Facheris, L. see Giuli, D.
Freni, A., Pelosi, G., and Coccioli, R. see Pelosi, G.
Freris, L.L., Meisel, J., and Chedid, R. Cascaded harmonic synchronous machine **C** p131
Frey, D.R. Log-domain filtering: an approach to current-mode filtering **G** p406
Froessl, J., Saul, J., and Eschermann, B. see Saul, J.
Fry, M.R. Environmental impacts of electricity generation: fuel cells **A** p40
Fu, Z.X., Boldea, I., and Nasar, S.A. see Boldea, I.
Fujii, T., and Funabiki, S. see Funabiki, S.
Fukuhara, T., and Murakami, T. 3-D motion estimation of human head for model-based image coding **I** p26
Funabiki, S., and Fujii, T. Fuzzy control of SMES for levelling load power fluctuation based on Lukasiewicz logic **C** p91
Funabiki, S., and Mechi, A. see Mechi, A.
Fung, C.C., and Wong, K.P. see Wong, K.P.
Fung, K.K., Hui, S.Y.R., Zhang, M.Q., and Christopoulos, C. see Hui, S.Y.R.
Fusco, V.F., Hu, Z.R., Yang, Z.M., and Stewart, J.A.C. see Hu, Z.R.
Fusco, V.F., and Linden, P.A. see Linden, P.A.

G

Gagliardi, F., Carpinelli, G., Sturchio, A., and Russo, M. see Carpinelli, G.
Gan, L., and Billinton, R. see Billinton, R.
Ganesh, R., and Pahlavan, K. Statistics of short time and spatial variations measured in wideband indoor radio channels **H** p297
Gardiner, J.G., Jones, A.E., and Wilkinson, T.A.H. see Jones, A.E.
Garzelli, A., and Benelli, G. see Benelli, G.
Gault, M., Mawby, P.A., and Towers, M.S. Solution to the wave equation in the numerical simulation of buried heterostructure lasers **J** p44
Gautam, D.K., and Ishida, K. Carrier-induced MESFET optical switches for photonic integration **J** p317
Gavish, M., and Weiss, A.J. Performance analysis of the VIA-ESPRIT algorithm **F** p123
Geens, R., and Wyner, E. Progress in high pressure sodium lamp technology **A** p450
Ghanbari, M., and Sampson, D. see Sampson, D.
Ghassemlooy, Z., and Wilson, B. see Wilson, B.
Ghibaudo, G., Roux-dit-Buisson, O., and Brini, J. see Roux-dit-Buisson, O.
Ghiti, A., Jones, G., Silver, M., O'Reilly, E.P., and Adams, A.R. see Jones, G.
Giannakis, G.B., and Dandawaté, A.V. see Dandawaté, A.V.
Giarola, A.J., and da Silva Souza Sobrinho, C.L. see Da Silva Souza sobrinho, C.L.
Gibson, C., Zhu, Z., Samuel, A.H., and Matthews, I.P. see Zhu, Z.
Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. Measurements on birefringent fibres: COST 217 interlaboratory measurement campaign **A** p479
Gillner, L. Properties of optical switching networks with passive or active space switches **J** p309
Gisin, N., Gilgen, H.H., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Giuli, D., Facheris, L., and Freni, A. Integrated model for simulation of dual linear polarisation radar measurement fields **F** p223
Giuli, D., Fossi, M., and Facheris, L. Radar target scattering matrix measurement through orthogonal signals **F** p233
Glendenning, I., Maul, P.R., and Turner, W. see Maul, P.R.
Goh, C.-H. Robust low-order control design of a generic flexible test structure **D** p167
Goldberg, M., Zhang, L., and Panchanathan, S. see Zhang, L.
Goldburg, B., Sridharan, S., and Dawson, E. Cryptanalysis of frequency domain analogue speech scramblers **I** p235
Goodall, R.M., and Donoghue, B.J. Very high sample rate digital filters using the δ operator **G** p199
Gopal, R., Vishnoi, A., Dwivedi, R., and Srivastava, S.K. see Vishnoi, A.
Gordon, N.J., Salmond, D.J., and Smith, A.F.M. Novel approach to nonlinear/non-Gaussian Bayesian state estimation **F** p107
Gorgui-Naguib, R.N., Tahir, J.M., Dlay, S.S., and Hinton, O.R. see Tahir, J.M.
Gottfried, N.H. Low complexity Viterbi detector for magnetic disc drives **E** p78
Goubin, M., Van Cutsem, T., Wehenkel, L., Pavella, M., and Heilbronn, B. see Van Cutsem, T.
Govaerts, H.J.F.G., and van Dooren, G.A.J. see Van dooren, G.A.J.
Gowar, J., Williams, R., and Grant, D.A. see Williams, R.
Granestrand, P. Novel approaches to polarisation-independent switches **J** p291
Grant, D.A., Williams, R., and Gowar, J. see Williams, R.
Grant, P.M., Thompson, J.S., Mulgrew, B., and Rajagopal, R. see Thompson, J.S.
Grebel, H., and Jimenez, M. Conditional artificial dielectrics: phase and amplitude response at microwave frequencies **J** p232
Green, A.W. Modelling a push–pull parallel resonant convertor using generalised state-space averaging **B** p350
Green, T.C., Finney, S.J., and Williams, B.W. see Finney, S.J.
Gregory, C.E., and Wheldon, A.E. see Wheldon, A.E.
Greig, A.R., Broome, D.R., and Wang, Q. see Broome, D.R.
Grimble, M.J. H_∞ multivariable-control-law synthesis **D** p353
Grimble, M.J. LQG predictive optimal controller for continuous-time systems **D** p181
Grimbleby, J.B. New approach to automatic symbolic analysis of electric circuits (correspondence) **G** p230
Grindle, R.J., and Midwinter, J.E. Greatly enhanced logical functionality of the S-SEED for use in optical switching systems **J** p98
Grzegorzewski, J., Marciniak, M., and Szustakowski, M. see Marciniak, M.
Gschwendtner, B.E., Stocker, K.E., and Landstorfer, F.M. see Stocker, K.E.
Gu, J., Shieh, L.S., and Bao, Y.L. see Shieh, L.S.
Gu, X.Y., and Shao, C. Robust adaptive control of time-varying linear plants using polynomial approximation **D** p111
Gufflet, D., and Malkin, P. Solid-state medium voltage contactor **B** p147
Guichet, M.T., Bernot, F., and Kauffmann, J.M. see Bernot, F.
Guitart, J., and Ruiz-Moreno, S. see Ruiz-Moreno, S.
Guo, D.-F., Liu, W.-C., Sun, C.-Y., and Liu, R.-C. see Liu, W.-C.
Gupta, H., Shandilya, A., and Sharma, J. see Shandilya, A.
Gupta, M.M., Jin, L., and Nikiforuk, P.N. see Jin, L.
Gururaj, B.I., and Satish, L. see Satish, L.
Gutierrez, J., Montaño, J.-C., López, A., and Castilla, M. see Montaño, J.-C.
Gyurkovics, É. Robust control design for discrete time linear uncertain systems with delayed control **D** p423

H

Haddad, G.I., Mohan, S., Mazumder, P., Mains, R.K., and Sun, J.P. see Mohan, S.
Halliday, J.A. Wind energy: an option for the UK? **A** p53
Hamdi, E.S., Licariao-Nogueira, A.F., and Silvester, P.P. Torque computation by mean and difference potentials **A** p151
Hameed, A.A.K., Binns, K.J., and Chaaban, F.B. see Binns, K.J.
Hames, T.K., and Nixon, M.S. see Nixon, M.S.
Hamid, M., Alsaka, Y.A., and Young, L.A. see Alsaka, Y.A.
Hamilton, R.A.H., Rees, P., Blood, P., and Burke, S.V. see Rees, P.
Hammond, P., and Baldomir, D. see Baldomir, D.
Hanmandlu, M., and Suryanarayana, N.V. High gain decentralised control **D** p255
Hanmandlu, M., and Suryanarayana, N.V. High-gain stabiliser for a multimachine power system **D** p293
Haque, M.H. Novel decoupled load flow method **C** p199
Harrington, R.F., El-Hajj, A., and Kabalan, K.Y. see El-Hajj, A.
Harrison, T.J., and Arora, K. see Arora, K.
Hassanein, H.S., and Kamal, A.E. Study of the behaviour of Hubnet **E** p134
Hatziargyriou, N.D., Prousalidis, J.M., and Papadias, B.C. Generalised transformer model based on the analysis of its magnetic core circuit **C** p269
Hatziargyriou, N.D., and Agoris, D.P. see Agoris, D.P.
Hatzinakos, D. Analysis of floating point roundoff errors in the estimation of higher-order statistics **F** p371
Haubrich, H.-J., and Machczyński, W. On simulation of the cathodic protection of extended buried conductor networks **B** p337
Hawkins, D.C., and Thompson, F. Modifications to the theory of waveguide horns **H** p381
Haykin, S., Lo, T., Leung, H., and Litva, J. see Lo, T.
Haykin, S., and Macikunas, A. see Macikunas, A.
He, M.-Y., Wen, C., and Bogner, R.E. Electronically tunable filtering networks: theory, analysis and simulation **G** p367
Heal, B.W., and Page, R.M.R. SIMD matrix methods for detecting hazards in logic circuits **E** p201
Heidemann, A., Hien, S., Panofski, E., and Roll, U. Compact fluorescent lamps **A** p429
Heidemann, R., O'Reilly, J.J., Lane, P.M., Capstick, M.H., Salgado, H.M., Hofstetter, R., and Schmuck, H. see O'Reilly, J.J.
Heilbronn, B., Van Cutsem, T., Wehenkel, L., Pavella, M., and Goubin, M. see Van Cutsem, T.
Heise, G., Cremer, C., Emeis, N., Schier, M., and Ebbinghaus, G. see Cremer, C.
Helszajn, J., and Levy, R. see Levy, R.
Hempelmann, U., and Bersiner, L. Wave propagation in integrated acoustooptical anisotropic waveguides **J** p193
Hempstead, C.A. Telpherage and problems of innovation **A** p197
Henderson, I.A., and McGhee, J. Classical taxonomy: An holistic perspective of temperature measuring systems and instruments **A** p263
Hiasat, A. New designs for a sign detector and a residue to binary convertor **G** p247
Hien, S., Heidemann, A., Panofski, E., and Roll, U. see Heidemann, A.
Higuchi, T., Aoki, T., and Yuminaka, Y. see Aoki, T.
Hill, G.J. Traceable dielectric measurements by resonance methods in the frequency range 1–30 MHz **A** p382
Hill, R., and Baumann, A.E. Environmental costs of photovoltaics **A** p76
Hill, R.J., Carpenter, D.C., Mellitt, B., Allan, J., and Brown, J.C. Correspondence: Calculation and measurement of rail impedances applicable to remote short-circuit fault currents **B** p417
Hinton, O.R., Tahir, J.M., Dlay, S.S., and Gorgui-Naguib, R.N. see Tahir, J.M.
Hiorns, R.E., and Sandler, M.B. Power digital to analogue conversion using pulse width modulation and digital signal processing **G** p329
Hipel, K.W., Quintana, V.H., and Temraz, H.K. see Quintana, V.H.
Ho, S.-S., Liu, J.-C., Bor, S.-S., and Lu, P.-C. see Liu, J.-C.
Ho, S.L., Chang, C.S., Chan, T.T., and Lee, K.K. see Chang, C.S.
Hodel, A.S., Richter, S., and Pruett, P.G. see Richter, S.
Hoffmann, L., Bauer, J.G., Lauterbach, C., Römer, D., Emeis, N., and Ebbinghaus, G. see Bauer, J.G.
Hofstetter, R., O'Reilly, J.J., Lane, P.M., Capstick, M.H., Salgado, H.M., Heidemann, R., and Schmuck, H. see O'Reilly, J.J.
Hogg, W.K., Wood, J.W., Sedding, H.G., Kemp, I.J., and Zhu, H. see Wood, J.W.
Holmes, R., Pilling, N.A., and Jones, G.R. see Pilling, N.A.
Holt, A.G.J., and Powell, D.G. see Powell, D.G.
Honary, B., Kaya, L., Markarian, G.S., and Darnell, M. Maximum-likelihood decoding of array codes with trellis structure **I** p340
Honary, B., and Ni, J. see Ni, J.
Hong, W., and Zhu, Z. Radar cross-section of dielectric-coated conducting cylinder loaded with periodic metallic strips using mixed SDM, CGM and FFT : TE incidence **H** p373
Hong, Y.-Y., Liao, C.-M., and Lu, T.-G. Application of Newton optimal power flow to assessment of VAR control sequences on voltage security: case studies for a practical power system **C** p539
Hope, G.S., Chen, G.P., and Malik, O.P. see Chen, G.P.
Horno, M., and Mesa, F. see Mesa, F.
Hossainzadeh, A., Vardaxoglou, J.C., and Stylianou, A. see Vardaxoglou, J.C.
Hosticka, B.J., and Teuner, A. see Teuner, A.
Hou, M., and Müller, P.C. Unifying approach to observers for regular and singular systems **D** p140
Houlgreave, J.A., Fothergill, J.C., Eccles, A., and Dissado, L.A. see Fothergill, J.C.

Howland, P.E., and Cooper, D.C. Use of the Wigner–Ville distribution to compensate for ionospheric layer movement in high-frequency skywave radar systems **F** p29
Hsiao, P.-Y., Lin, C.-Y., and Shew, P.-W. Optimal tile partition for space region of integrated circuits geometry **E** p145
Hsu, W.-J., and Shen, W.-Z. Efficient output phase assignment algorithm for PLAs **G** p360
Hsu, Y.-Y., and Kuo, H.-C. Dispatch of capacitors on distribution system using dynamic programming **C** p433
Hu, L., and Yacamini, R. Calculation of harmonics and interharmonics in HVDC schemes with low DC side impedance **C** p469
Hu, Z.R., Yang, Z.M., Fusco, V.F., and Stewart, J.A.C. Unified small-signal-noise model for active microwave devices **G** p55
Huang, C., Nevels, R.D., and Wu, Z. see Nevels, R.D.
Huang, C.-Y., Chen, M.-J., and Tseng, P.-N. see Chen, M.-J.
Huang, C.G., Jesshope, C.R., and Nedelchev, I.M. see Jesshope, C.R.
Huang, C.G., Jesshope, C.R., and Nedelchev, I.M. Systematic method for synthesising purely delay-insensitive circuits **E** p269
Huang, F. Low loss quasitransversal microwave filters with specified amplitude and phase characteristics **H** p433
Huang, H.-C., and Wu, J.-L. Windowed Huffman coding algorithm with size adaptation **I** p109
Huang, Q., and Amaratunga, G.A.J. Capacitor switched gate-turnoff thyristor **G** p85
Huang, S.R., and Chen, S.L. see Chen, S.L.
Huang, T.-Y., and Wu, J.-L.C. Performance analysis of a dynamic priority scheduling method in ATM networks **I** p285
Huang, W-K., and Lombardi, F. Self-testing approaches for VLSI arrays **E** p175
Huang, Y.-F., and Lai, S.-L. Regular solution of singular integral equation for finlines **H** p11
Huang, Y.-T. Optimised integrated CMOS optical receiver for optical interconnects **J** p107
Hui, S., and Żak, S.H. see Żak, S.H.
Hui, S.Y.R., Fung, K.K., Zhang, M.Q., and Christopoulos, C. Variable time step technique for transmission line modelling **A** p299
Hui, S.Y.R., Zhu, J.G., and Ramsden, V.S. see Zhu, J.G.
Hung, J.Y., and Ding, Z. Design of currents to reduce torque ripple in brushless permanent magnet motors **B** p260
Hung, Y.S. Model-matching approach to H^{∞} filtering **D** p133
Hunter, D.K., Legg, P.J., and Andonovic, I. Architecture for large dilated optical TDM switching networks **J** p337
Hunter, D.K., and Smith, D.G. Optical TDM switching architectures with reduced control complexity **I** p220
Hunter, G.P., Ramsden, V.S., and Zhang, J. see Ramsden, V.S.
Huting, W.A., Warren, J.W., and Krill, J.A. Some recent developments in circular overmoded waveguide **H** p447

I

Ibrahim, M.K. Radix-2^a multiplier structures: a structured design methodology **E** p185
Ibrahim, M.K., and Aggoun, A. see Aggoun, A.
Igarashi, T., Komatsu, T., Aizawa, K., and Saito, T. see Komatsu, T.
Ildstad, E., and Faremo, H. see Faremo, H.
Iliades, P., Adamides, E.D., Argyrakis, I., Tsalides, Ph., and Thanailakis, A. see Adamides, E.D.
Ireland, W., Barr, R., and Smith, M.J. see Barr, R.
Ireland, W., and Barr, R. see Barr, R.
Irving, M.R., and Zhang, S. see Zhang, S.
Isernia, T., Leone, G., and Pierri, R. Antenna testing from phaseless measurements: probe compensation and experimental results in the cylindrical case **H** p395
Ishida, K., and Gautam, D.K. see Gautam, D.K.
Ittipiboon, A., Reddy, C.J., and Cuhaci, M. see Reddy, C.J.
Ivaşcu, A., Kazimierczuk, M.K., and Birca-Galateanu, Ş. Class E resonant low *di/dt* rectifier **G** p417

J

Jackson, N.N., Excell, P.S., and Wong, K.T. see Excell, P.S.
Jain, B.N., Mittal, R., and Patney, R.K. see Mittal, R.
Jain, M.P., Singh, S.P., and Singh, B. see Singh, S.P.
Jamali, S.H., and Le-Ngoc, T. Successive-erasure decoding of RS-coded MPSK schemes in a Rayleigh fading channel **I** p152
James, J.R., Evans, G.D., and Fray, A. Beam scanning microstrip arrays using diodes **H** p43
Jan, R.-H., and Yeh, Y.-J. CSMA/CD protocol for time-constrained communication on bus networks **I** p197
Jarry, P., Vinchant, J.-F., Renaud, M., Erman, M., Peyre, J.L., and Pagnod-Rossiaux, P. see Vinchant, J.-F.
Jasmon, G.B., and Lee, L.H.C.C. New contingency ranking technique incorporating a voltage stability criterion **C** p87
Jayakumar, R., Li, H.F., and Zhang, C.N. see Li, H.F.
Jayasumana, A.P., Menon, S.M., Malaiya, Y.K., and Clinkinbeard, D.R. see Menon, S.M.
Jayasumana, A.P., and Detry, R.J. see Detry, R.J.
Jayne, M.G., Beaujean, D.A., and Newbery, P.G. see Beaujean, D.A.
Jean, F.-R., Kuo, C.-C., and Wang, H.-C. see Kuo, C.-C.
Jeng, L.-G., Bai, D.-Y., and Chen, L.-G. Graphical block-diagram based programming environment for a DSP silicon compiler **G** p313
Jesshope, C.R., Huang, C.G., and Nedelchev, I.M. see Huang, C.G.
Jesshope, C.R., Nedelchev, I.M., and Huang, C.G. Compilation of process algebra expressions into delay-insensitive circuits **E** p261
Jimenez, M., and Grebel, H. see Grebel, H.
Jimin, Z., and Qishan, G. see Qishan, G.
Jin, L., Nikiforuk, P.N., and Gupta, M.M. Direct adaptive output tracking control using multilayered neural networks **D** p393
Jin, W., Muhammad, F.A., and Stewart, G see Muhammad, F.A.
Jin, W., and Culshaw, B. Multiplexing of fibre gyroscopes with square wave bias modulation **J** p213
Johansson, B.S., and Schiess, M. see Schiess, M.
Johns, A.T., Daniel, J.S., and Aggarwal, R.K. see Daniel, J.S.
Johnson, R.C., and Fahmi, N.R. see Fahmi, N.R.
Jones, A.E., Wilkinson, T.A.H., and Gardiner, J.G. Effects of modulator deficiencies and amplifier nonlinearities on the phase accuracy of GMSK signalling **I** p157
Jones, G., Ghiti, A., Silver, M., O'Reilly, E.P., and Adams, A.R. Radiative performance of strained-layer lasers **J** p85
Jones, G.R., Cosgrave, J.A., Vourdas, A., Spencer, J.W., Murphy, M.M., and Wilson, A. see Cosgrave, J.A.
Jones, G.R., Liu, W.D., Chaaraoui, J., Wood, J.K., and Spencer, J.W. see Liu, W.D.
Jones, G.R., Pilling, N.A., and Holmes, R. see Pilling, N.A.
Jones, G.R., Spencer, J.W., Djakov, B.E., and Bakardjiev, V. see Spencer, J.W.
Jones, J.D.C., Su, D., and Boechat, A.A.B. see Su, D.
Jones, K.J. Parallel DFT computation on bit-serial systolic processor arrays **E** p10
Jou, S.-J., Chiou, S.-H., Tao, Y.-S., and Shen, W.-Z. Event-driven incremental timing fault simulator **G** p45
Jung, Y.C., and Un, C.K. Analysis of backpressure-type packet switches with input and output buffering **I** p277
Jury, E.I., and Premaratne, K. see Premaratne, K.
Jutty, M.K., and Kazimierczuk, M.K. see Kazimierczuk, M.K.

K

Kabalan, K.Y., El-Hajj, A., and Harrington, R.F. see El-Hajj, A.
Kabir, S.M.F., Auckland, D.W., and Varlow, B.R. see Auckland, D.W.
Kagarakis, C.A., Dervos, C.T., Karagiannopoulos, C.G., and Bourkas, P.D. see Dervos, C.T.
Kager, A., and Liou, J.J. see Liou, J.J.
Kagoshima, K., Aoki, K., Makino, S., and Katagi, T. see Aoki, K.
Kajfez, D., and Wu, Y. Field and energy distribution of a dielectric tube inside a split cylinder **H** p29
Kalker, A.A.C., and Shah, I.A. see Shah, I.A.
Kamal, A.E., and Hassanein, H.S. see Hassanein, H.S.
Kamen, E.W., and Sastry, C.R. see Sastry, C.R.
Kaminska, B., Youssef, M., and Savaria, Y. see Youssef, M.
Kanevsky, Ju. S., and Korchev, D.V. see Korchev, D.V.
Kaplan, B.Z., Rabinovici, R., and Yardeni, D. see Rabinovici, R.
Karagiannopoulos, C.G., Dervos, C.T., Bourkas, P.D., and Kagarakis, C.A. see Dervos, C.T.
Kaski, K.K., and Ojala, P.K. see Ojala, P.K.
Katagi, T., Aoki, K., Makino, S., and Kagoshima, K. see Aoki, K.
Kauffmann, J.M., Bernot, F., and Guichet, M.T. see Bernot, F.
Kawaguchi, H. Progress in optical functional devices using two-section laser diodes/amplifiers **J** p3
Kaya, L., Honary, B., Markarian, G.S., and Darnell, M. see Honary, B.
Kazama, Y. One-point feed printed crossed dipole with a reflector antenna combined with a reactively loaded parasitic loop for land mobile satellite communication antennas **H** p417
Kazimierczuk, M.K., Ivaşcu, A., and Birca-Galateanu, Ş. see Ivaşcu, A.
Kazimierczuk, M.K., and Jutty, M.K. Phase-modulated series–parallel resonant convertor with series load **B** p297
Kazimierczuk, M.K., and Nandakumar, T. Class D voltage-switching inverter with tapped resonant inductor **B** p177
Kellett, J.E. Role of the town and country planning system in controlling the development of electricity generating installations **A** p94
Kelly, W.M., Cordero, N., McCarthy, K., and Lyden, C. see Cordero, N.
Kemp, I.J., Wood, J.W., Sedding, H.G., Hogg, W.K., and Zhu, H. see Wood, J.W.
Kendall, P.C., Benson, T.M., Matin, M.A., and Stern, M.S. see Benson, T.M.
Kendall, P.C., Roberts, D.A., Robson, P.N., Adams, M.J., and Robertson, M.J. Semiconductor laser facet reflectivities using free-space radiation modes **J** p49
Kendall, P.C., Smartt, C.J., and Benson, T.M. see Smartt, C.J.
Kendall, P.C., and Benson, T.M. see Benson, T.M.
Kenny, O.P., and Boashash, B. Time-frequency analysis of backscattered signals from diffuse radar targets **F** p198
Khamas, S.K., and Cook, G.G. see Cook, G.G.
Khan, M.E., and Billinton, R. Generating unit commitment in composite generation and transmission systems **C** p404
Khan, S.H., and Abdullah, F. Finite element modelling of multielectrode capacitive systems for flow imaging **G** p216
Khatib, H. Electricity in the global energy scene **A** p24
Kiely, P.A., Taylor, G.W., Docter, D.P., Evaldsson, P.A., Vang, T.A., Tell, B., and Brown-Goebeler, K.F. Complementary transistor technology for use in optoelectronic integrated circuits **G** p279
Kiely, P.A., and Taylor, G.W. see Taylor, G.W.
Kiiveri, P., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., and Walker, B. see Gilgen, H.H.
Kildal, P.-S., and Forooraghi, K. see Forooraghi, K.
Kim, C.J., and Russell, B.D. High-impedance fault detection system using an adaptive element model **C** p153
Kim, D.I. Header detection in a centralised packet radio system with common DS/BPSK spread-spectrum modulation **I** p291
Kim, D.I. Multiple-capture performance of DS–SS packet radio systems with common spreading code **I** p471
Kim, S.B., and Powers, E.J. Orthogonalised frequency domain Volterra model for non-Gaussian inputs **F** p402
Kiritsis, K.H., and Paraskevopoulos, P.N. see Paraskevopoulos, P.N.
Kittler, J., Wong, K.C., and Cheng, Y. see Wong, K.C.
Ko, C.C., Chen, H., and Wong, W.C. see Chen, H.
Ko, C.C., and Bachl, R. Resolution of coherent sources by using spatial smoothing technique in power inversion arrays with random amplitude and phase errors **F** p261
Ko, C.C., and Wen, J. Fast null steering algorithm for arbitrary two-dimensional power inversion arrays **H** p469
Köther, D., Beyer, A., and Borkes, J. Full wave analysis for the description of electromagnetic fields in planar waveguides with anisotropic substrates **H** p231
Kolundžija, B.M., and Popović, B.D. Entire-domain Galerkin method for analysis of metallic antennas and scatterers **H** p1
Komatsu, T., Aizawa, K., Igarashi, T., and Saito, T. Signal-processing based method for acquiring very high resolution images with multiple cameras and its theoretical analysis **I** p19
Kondoz, A.M., Atungsiri, S.A., and Evans, B.G. see Atungsiri, S.A.
Kooi, P.S., Yeo, S.P., Leong, M.S., Yeo, T.S., and Zhou, X.D. see Yeo, S.P.
Korchev, D.V. Modular architecture for high performance implementation of 2-dimensional fast Fourier transform **E** p167
Korchev, D.V., and Kanevsky, Ju. S. Processor arrays for two-dimensional discrete Fourier transform **E** p101
Koskinen, T., and Cheung, P.Y.K. Statistical and behavioural modelling of analogue integrated circuits **G** p171
Kossiavas, G., Croq, F., and Papiernik, A. see Croq, F.
Kostakis, G., and Manias, S.N. see Manias, S.N.
Kostic, M.B. Analysis of foundation grounding systems with external loops and rods **C** p73
Kothari, D.P., Bijwe, P.R., and Arya, L.D. see Bijwe, P.R.
Kothari, M.L., Nanda, J., and Bhattacharya, K. Design of variable structure power system stabilisers with desired eigenvalues in the sliding mode **C** p263
Kothari, M.L., Nanda, J., and Bhattacharya, K. Discrete mode power system stabilisers **C** p523
Koumboulis, F.N., Paraskevopoulos, P.N., and Tzierakis, K.G. see Paraskevopoulos, P.N.
Kouris, S.S., Dimakis, C.E., and Avramis, S.K. see Dimakis, C.E.
Kourtis, A., Vassilopoulos, C., and Mantakas, C. see Vassilopoulos, C.
Kousa, M.A., and Turner, L.F. Multichannel adaptive forward error-correction system **I** p357

Kouvaritakis, B., Chang, A.O.T., and Rossiter, J.A. see Chang, A.O.T.
Kouvaritakis, B., Rossiter, J.A., and Chang, A.O.T. Singular-value-decomposition approach to multivariable generalised predictive control **D** p145
Kouvaritakis, B., and Rossiter, J.A. see Rossiter, J.A.
Kouvaritakis, B., and Rossiter, J.A. Multivariable stable generalised predictive control **D** p364
Kowalczuk, Z Discrete approximation of continuous-time systems: a survey **G** p264
Krassas, N.D., and Vournas, C.D. see Vournas, C.D.
Kriezis, E.E., Liotopoulos, Th.K., and Antonopoulos, C.S. see Liotopoulos, Th.K.
Krill, J.A., Huting, W.A., and Warren, J.W. see Huting, W.A.
Krishna, C.M., Vaidya, N.H., and Singh, A.D. see Vaidya, N.H.
Krowne, C.M. Nonreciprocal electromagnetic properties of composite chiral-ferrite media **H** p242
Krowne, C.M. Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimetre-wave propagation **H** p147
Kubista, E., Witternigg, N., Randeu, W.L., Riedler, W., Arbesser-Rastburg, B., and Allnutt, J.E. see Witternigg, N.
Kundu, P., Chaudhuri, B.B., and Sarkar, N. see Chaudhuri, B.B.
Kung, Y.S., Liaw, C.M., and Lin, F.J. see Liaw, C.M.
Kuo, C.-C., Jean, F.-R., and Wang, H.-C. New LSP encoding method based on two-dimensional linear prediction **I** p415
Kuo, H.-C., and Hsu, Y.-Y. see Hsu, Y.-Y.
Kuo, S.-Y., Lu, S.-K., and Wu, C.-W. see Lu, S.-K.
Kwan, H.K. Systolic realisation of delayed two-path linear phase FIR digital filters **G** p75
Kwan, H.K., and Li, Q.P. High-speed realisation of adaptive linear phase FIR digital filters **F** p48
Kwok, H.H.L., and Pennathur, S. see Pennathur, S.
Kwon, W.H., and Cho, G.H. Analyses of static and dynamic characteristics of practical step-up nine-switch matrix convertor **B** p139

L

la Scala, M., Brucoli, M., Sbrizzai, R., and Trovato, M. see Brucoli, M.
Lai, F., Tsai, Z., and Yu, K. see Tsai, Z.
Lai, M., Beaulieu, N.C., and Biglieri, E. see Beaulieu, N.C.
Lai, S.-L., and Huang, Y.-F. see Huang, Y.-F.
Lam, K.P. Microprocessor systems diagnosis using a time-range approach **E** p1
Lambert, D.T., Senior, J.M., and Faulkner, D.W. see Senior, J.M.
Landstorfer, F.M., Stocker, K.E., and Gschwendtner, B.E. see Stocker, K.E.
Lane, P.M., O'Reilly, J.J., Capstick, M.H., Salgado, H.M., Heidemann, R., Hofstetter, R., and Schmuck, H. see O'Reilly, J.J.
Langley, R.J., Au, P.W.B., and Parker, E.A. see Au, P.W.B.
Last, D., and Bian, Y. Carrier wave interference and Loran-C receiver performance **F** p273
Lauterbach, C., Bauer, J.G., Römer, D., Emeis, N., Hoffmann, L., and Ebbinghaus, G. see Bauer, J.G.
Law, K.W., and Chan, C.F. Trellis in-loop PARCOR coefficients quantiser for speech signals **I** p321
Lawson, S., and Wicks, T. Improved design of digital filters satisfying a combined loss and delay specification **G** p223
Le-Ngoc, T., and Jamali, S.H. see Jamali, S.H.
Ledwich, G.F., and Bolton, A. Repetitive and periodic controller design **D** p19
Ledwich, G.F., and Palmer, E.W. see Palmer, E.W.
Lee, A.Y. Neighbouring optimal feedback law for linear time-delayed dynamical systems **D** p339
Lee, B., and Ajjarapu, V. Period-doubling route to chaos in an electrical power system **C** p490
Lee, C.L., Wu, C.P., and Shen, W.Z. see Wu, C.P.
Lee, C.M., Liaw, C.M., Chen, T.H., Chiang, S.J., and Wang, C.T. see Liaw, C.M.
Lee, C.Q., Siri, K., and Caliskan, V.A. see Siri, K.
Lee, E, and Tran, A. see Tran, A.
Lee, F.C., Lotfi, A.W., and Chen, Q. see Lotfi, A.W.
Lee, H.S., and Lim, C.H. see Lim, C.H.
Lee, J.-F. Numerical solutions of TM scattering using an obliquely Cartesian finite difference time domain algorithm **H** p23
Lee, J.-H., Chen, Y.-M., and Yeh, C.-C. see Chen, Y.-M.
Lee, K.K., Chang, C.S., Chan, T.T., and Ho, S.L. see Chang, C.S.
Lee, K.K., Chang, C.S., Ho, S.L., and Chan, T.T. see Chang, C.S.
Lee, L.H.C.C., and Jasmon, G.B. see Jasmon, G.B.
Lee, M.-C., Lu, S.-T., Chou, C., and Wu, Y.-P. see Lu, S.-T.
Lee, R.Q., and Simons, R.N. see Simons, R.N.
Lee, S., and Liu, C.-C. Damping torsional oscillations using a SIMO static VAR controller **C** p462
Lee, W.W.S., Yung, E.K.N., and Wong, R.S.K. see Yung, E.K.N.
Lefas, C.C., and Manolakis, D.E. see Manolakis, D.E.
Legg, P.J., Hunter, D.K., and Andonovic, I. see Hunter, D.K.
Leith, D.J., Murray-Smith, D.J., and Bradley, R. Combination of data sets for system identification **D** p11
Leone, G., Isernia, T., and Pierri, R. see Isernia, T.
Leong, M.S., Yeo, S.P., Kooi, P.S., Yeo, T.S., and Zhou, X.D. see Yeo, S.P.
Leou, R.C., Lu, C.N., Cheng, C.L., and Rai, T.S. see Lu, C.N.
Leung, H., Lo, T., Litva, J., and Haykin, S. see Lo, T.
Leung, H., Lo, T., and Litva, J. see Lo, T.
Leung, H., Wong, T., Lo, T., Litva, J., and Bosse, E. see Wong, T.
Leung, V.C.M. Packet reservation protocols for multichannel satellite networks **I** p453
Leva, A. PID autotuning algorithm based on relay feedback **D** p328
Levi, V.A., and Čalović, M.S. Linear-programming-based decomposition method for optimal planning of transmission network investments **C** p516
Levy, R., and Helszajn, J. Synthesis of series STUB-R complex gyrator circuits using halfwave long impedance transformers **H** p426
Lewis, T.J., Llewellyn, J.P., and van der Sluijs, M.J. Electrokinetic properties of metal–dielectric interfaces **A** p385
Li, H.F., Zhang, C.N., and Jayakumar, R. Space–time mapping, latency of data flow and concurrent error detection in systolic arrays **E** p33
Li, L., and Petermann, K. Conversion efficiency and bandwidth of THz optical frequency conversion in a semiconductor laser **J** p260
Li, Q.P., and Kwan, H.K. see Kwan, H.K.
Li, X.-Y., and Malik, O.P. Estimation of equivalent models for emergency state control of interconnected power systems based on multistage recursive least-squares identification **C** p319
Li, Y.Z., and David, A.K. Pricing reactive power conveyance **C** p174
Lian, G., and Billinton, R. see Billinton, R.
Liao, C.-M., Hong, Y.-Y., and Lu, T.-G. see Hong, Y.-Y.
Liaw, C.M., Chen, T.H., Chiang, S.J., Lee, C.M., and Wang, C.T. Small battery energy storage system **B** p7
Liaw, C.M., Lin, F.J., and Kung, Y.S. Design and implementation of a high performance induction motor servo drive **B** p241
Liberali, V., and Dias, V.F. see Dias, V.F.
Licariao-Nogueira, A.F., Hamdi, E.S., and Silvester, P.P. see Hamdi, E.S.
Lim, C.H., and Lee, H.S. Performance of order-statistics CFAR detector with noncoherent integration in homogeneous situations **F** p291
Lim, Y.C., and Yang, R.H. see Yang, R.H.
Lima, A.C. de C., Parker, E.A., and El Sheikh, A.N.A. see Parker, E.A.
Lin, C.-Y., Hsiao, P.-Y., and Shew, P.-W. see Hsiao, P.-Y.
Lin, F.J., Liaw, C.M., and Kung, Y.S. see Liaw, C.M.
Lin, J.-N., and Unbehauen, R. Adaptive filtering incorporating a local mean estimation substructure **G** p16
Lin, T.P., and Liu, J.-C. see Liu, J.-C.
Linden, P.A., and Fusco, V.F. Concurrent global optimisation for microwave-device parameter estimation **H** p71
Liotopoulos, Th.K., Antonopoulos, C.S., and Kriezis, E.E. Low-frequency generalised solution for the shielding effectiveness of a multicoated system of coaxial cylindrical shells **A** p257
Liou, J.J., and Kager, A. Theoretical prediction of the performance of Si and SiC bipolar transistors operating at high temperatures **G** p289
Lioutas, N., Fourikis, N., and Shuley, N.V. see Fourikis, N.
Litva, J., Lo, T., Leung, H., and Haykin, S. see Lo, T.
Litva, J., Lo, T., and Leung, H. see Lo, T.
Litva, J., Wong, T., Lo, T., Leung, H., and Bosse, E. see Wong, T.
Liu, C.-C., and Lee, S. see Lee, S.
Liu, G.-S., Wei, C.-H., and Chen, C.-C. see Wei, C.-H.
Liu, G.-S., and Wei, C.-H. Multipath fading effects on carrier recovery of BPSK signal in digital radio **I** p381
Liu, J.-C., Ho, S.-S., Bor, S.-S., and Lu, P.-C. Tchebyshev approximation method for Salisbury screen design **H** p414
Liu, J.-C., and Lin, T.P. Short-time Hartley transform **F** p171
Liu, R.-C., Liu, W.-C., Sun, C.-Y., and Guo, D.-F. see Liu, W.-C.
Liu, S.-I., Chen, J.-J., Tsao, H.-W., and Tsay, J.-H. Design of biquad filters with a single current follower **G** p165
Liu, S.-I., Wu, D.-S., Tsao, H.-W., Wu, J., and Tsay, J.-H. Nonlinear circuit applications with current conveyors **G** p1
Liu, T.-H., and Cheng, C.-P. Controller design for a sensorless permanent-magnet synchronous drive system **B** p369
Liu, W.-C., Sun, C.-Y., Guo, D.-F., and Liu, R.-C. Perpendicular transport properties of a *p*-GaAs/δ-doped superlattice/n^+-GaAs structure **G** p81
Liu, W.D., Chaaraoui, J., Wood, J.K., Spencer, J.W., and Jones, G.R. Parasitic arcing in EHV circuit breakers **A** p522
Llewellyn, J.P., Lewis, T.J., and van der Sluijs, M.J. see Lewis, T.J.
Lo, K.-T., and Cham, W.-K. Subcodebook searching algorithm for efficient VQ encoding of images **I** p327
Lo, K.L., and Zhang, C. Decomposed three-phase power flow solution using the sequence component frame **C** p181
Lo, T., Leung, H., Litva, J., and Haykin, S. Fractal characterisation of sea-scattered signals and detection of sea-surface targets **F** p243
Lo, T., Litva, J., and Leung, H. Estimating the impulse response of indoor radio channels using signal subspace techniques **I** p203
Lo, T., Wong, T., Leung, H., Litva, J., and Bosse, E. see Wong, T.
Łobos, T., Eichhorn, K.Fr., and Ruczewski, P. see Eichhorn, K.Fr.
Lockwood, M. Modelling high-latitude ionosphere for time-varying plasma convection **H** p91
Lombardi, F., and Huang, W-K. see Huang, W-K.
López, A., Montaño, J.-C., Castilla, M., and Gutierrez, J. see Montaño, J.-C.
Losi, A., Rossi, F., Russo, M., and Verde, P. New tool for reactive power planning **C** p256
Lotfi, A.W., Chen, Q., and Lee, F.C. Nonlinear optimisation tool for the full-bridge zero-voltage-switched DC–DC convertor **B** p289
Love, J.D., and Rowland, D.R. see Rowland, D.R.
Lu, C.-C., and Wang, Y.-Y. see Wang, Y.-Y.
Lu, C.C., and Chew, W.C. Fast algorithm for solving hybrid integral equations **H** p455
Lu, C.N., Leou, R.C., Cheng, C.L., and Rai, T.S. Modelling multiple injection bus in power system state estimation **C** p455
Lu, J., and Yahagi, T. New design method for model reference adaptive control for non-minimum phase discrete-time systems with disturbances **D** p34
Lu, P.-C., Liu, J.-C., Ho, S.-S., and Bor, S.-S. see Liu, J.-C.
Lu, S.-K., Wu, C.-W., and Kuo, S.-Y. Enhancing testability of VLSI arrays for fast Fourier transform **E** p161
Lu, S.-T., Chou, C., Lee, M.-C., and Wu, Y.-P. Electro-optical target system for position and speed measurement **A** p252
Lu, S.K.S. Odd-degree elliptic-function lower-sideband polylithic crystal filters **G** p91
Lu, T.-G., Hong, Y.-Y., and Liao, C.-M. see Hong, Y.-Y.
Lu, Y., Chen, J., Luo, B., and Wu, L. see Chen, J.
Luo, B., Chen, J., Wu, L., and Lu, Y. see Chen, J.
Luo, N., and Sen, M. de la State feedback sliding mode control of a class of uncertain time delay systems **D** p261
Luoni, G. Effect of mixed convection on external thermal resistance of cables in air **C** p160
Lyden, C., Cordero, N., McCarthy, K., and Kelly, W.M. see Cordero, N.
Lynch, A.C. Impact of electronic devices on electrical measurement **A** p221

M

Ma, S., Yuan, J., and Chen, C.S. see Yuan, J.
MacDonald, S., Arrillaga, J., Watson, N.R., and Watson, S. see Arrillaga, J.
MacDonald, S.J., Arrillaga, J., Camacho, J.R., and Arnold, C.P. see Arrillaga, J.
Machczyński, W., and Haubrich, H.-J. see Haubrich, H.-J.
Macikunas, A., and Haykin, S. Trihedral twist-grid polarimetric reflector **F** p216
Macpherson, D.E., Wito, A.G., and Whittington, H.W. see Wito, A.G.
Mahapatra, S., Patil, K.D., and Maiti, S.K. see Patil, K.D.
Mahi, P. Environmental assessment of combined heat and power projects **A** p29
Mahony, J.D. Approximate cross-polar characteristics for microstrip patch antennas **H** p508
Mains, R.K., Mohan, S., Mazumder, P., Haddad, G.I., and Sun, J.P. see Mohan, S.
Maiti, S.K., Patil, K.D., and Mahapatra, S. see Patil, K.D.
Makino, S., Aoki, K., Katagi, T., and Kagoshima, K. see Aoki, K.
Maksiejewski, J.L. Losses in tubular cylindrical conductors due to current surges, taking skin effect into account **A** p496
Maksiejewski, J.L. Thermal response of bimetallic conductors under surge currents taking the skin effect into account **A** p338
Malaiya, Y.K., Menon, S.M., Jayasumana, A.P., and Clinkinbeard, D.R. see Menon, S.M.
Malik, N.H., and Al-Bahrani, A.H. see Al-Bahrani, A.H.
Malik, O.P., Chen, G.P., and Hope, G.S. see Chen, G.P.
Malik, O.P., and Li, X.-Y. see Li, X.-Y.
Malinowski, K., and Burton, A.W. see Burton, A.W.
Malkin, P., and Gufflet, D. see Gufflet, D.
Manenkov, A.B. Orthogonality relations for the

eigenmodes of lossy anisotropic waveguides (fibres) **J** p206
Manias, S.N., and Kostakis, G. Modular DC–DC convertor for high-output voltage applications **B** p97
Manikas, A., and Whinnett, N.W. see Whinnett, N.W.
Manikopoulos, C.N. Finite state vector quantisation with neural network classification of states **F** p153
Manolakis, D.E., and Lefas, C.C. Systematic errors in ground referenced geometric height monitoring **F** p138
Mantakas, C., Vassilopoulos, C., and Kourtis, A. see Vassilopoulos, C.
Marcenac, D.D., and Carroll, J.E. Quantum-mechanical model for realistic Fabry–Perot lasers **J** p157
Marchand, C., and Razek, A. Optimal torque operation of digitally controlled permanent magnet synchronous motor drives **B** p232
Marciniak, M., Grzegorzewski, J., and Szustakowski, M. Analysis of lossy mode cut-off conditions in planar waveguides with semiconductor guiding layer **J** p247
Markarian, G.S., Honary, B., Kaya, L., and Darnell, M. see Honary, B.
Marszalek, W., and Trzaska, Z. see Trzaska, Z.
Marti, J.R., Araujo, A.E.A., and Soudack, A.C. see Araujo, A.E.A.
Martinelli, G., and Perfetti, R. Neural network approach to spectral estimation of harmonic processes **G** p95
Marvin, A.C., and Ahmadi, J. Comparison of open-field test sites used for radiated emission measurements **A** p161
Mašić, S., Čorda, J., and Stephenson, J.M. see Čorda, J.
Mascarenhas, E.J.P. Applications of electronic circuits in lighting **A** p435
Masera, G., Civera, P., Piccinini, G., and Zamboni, M. see Civera, P.
Mason, L.J., Chen, Q., Wang, Q., and Bhargava, V.K. see Chen, Q.
Massara, R.E., and Sagar, V.K. see Sagar, V.K.
Matin, M.A., Benson, T.M., Kendall, P.C., and Stern, M.S. see Benson, T.M.
Matthews, I.P., Zhu, Z., Gibson, C., and Samuel, A.H. see Zhu, Z.
Maul, P.R., Turner, W., and Glendenning, I. Environmental impacts of nuclear power: past experience and future prospects **A** p13
Mawby, P.A., Gault, M., and Towers, M.S. see Gault, M.
Mazumder, P., Mohan, S., Haddad, G.I., Mains, R.K., and Sun, J.P. see Mohan, S.
McCarthy, K., Cordero, N., Lyden, C., and Kelly, W.M. see Cordero, N.
McGhee, J., and Henderson, I.A. see Henderson, I.A.
McKenzie, L., Xu, L., Almaini, A.E.A., and Miller, J.F. see Xu, L.
McNamara, D.A. Direct synthesis of optimum difference patterns for discrete linear arrays using Zolotarev distributions **H** p495
Mechi, A., and Funabiki, S. Step-up/down voltage PWM AC to DC convertor with one switching device **B** p35
Mecrow, B.C. Fully pitched-winding switched-reluctance and stepping-motor arrangements **B** p61
Meher, P.K., Satapathy, J.K., and Panda, G. Efficient systolic solution for a new prime factor discrete Hartley transform algorithm **G** p135
Meher, P.K., Satapathy, J.K., and Panda, G. New high-speed prime-factor algorithm for discrete Hartley transform **F** p63
Mehta, H., and Schauder, C. see Schauder, C.
Meisel, J., Freris, L.L., and Chedid, R. see Freris, L.L.
Melliar-Smith, P.M., and Moser, L.E. Trans: a reliable broadcast protocol **I** p481
Mellitt, B., Hill, R.J., Carpenter, D.C., Allan, J., and Brown, J.C. see Hill, R.J.
Mendel, J.M., and Doğan, M.C. see Doğan, M.C.
Mendel, J.M., and Nandi, A.K. Applications of higher order statistics **F** p341
Menon, S.M., Jayasumana, A.P., Malaiya, Y.K., and Clinkinbeard, D.R. Modelling and analysis of bridging faults in emitter-coupled logic (ECL) circuits **E** p220
Mentzelopoulou, S.E., Antoniou, G.E., and Theodorou, N.J. Design of a periodic feedback control law for systems with higher dimension **D** p225
Mesa, F., and Horno, M. Application of the spectral domain method for the study of surface slow waves in nonreciprocal planar structures with a multilayered gyroelectric substrate **H** p193
Meyer, M., and Pfeiffer, G. Multilayer perceptron based decision feedback equalisers for channels with intersymbol interference **I** p420
Midwinter, J.E., and Grindle, R.J. see Grindle, R.J.
Miguel, M. San, Mirasso, C.R., and Colet, P. see Mirasso, C.R.
Miller, J.F., Xu, L., Almaini, A.E.A., and McKenzie, L. see Xu, L.
Miller, T.J.E., Staton, D.A., and Wood, S.E. see Staton, D.A.
Milne, K. Theoretical performance of a complex cross-correlator with Gaussian signals **F** p81
Milner, B.P., Vaseghi, S.V., and Conner, P.N. see Vaseghi, S.V.
Minari, Y., Shinohara, K., and Ueda, R. PWM-rectifier/voltage-source inverter without DC link components for induction motor drive **B** p363
Mirasso, C.R., Colet, P., and Miguel, M. San Pseudorandom word modulation of single-mode semiconductor lasers at GHz rates **J** p26
Mitash, N., and Skavantzos, A. see Skavantzos, A.
Mittal, R., Jain, B.N., and Patney, R.K. Link augmented binary (LAB)-tree architecture **E** p127
Moerman, I., Vermaerke, F., Vermeire, G., Buydens, L., Van Daele, P., and Demeester, P. see Vermaerke, F.
Mohamadein, A.L., Mostafa, A.S., and Rashad, E.M. see Mostafa, A.S.
Mohan, S., Mazumder, P., Haddad, G.I., Mains, R.K., and Sun, J.P. Logic design based on negative differential resistance characteristics of quantum electronic devices **G** p383
Mohsenian, N., Delph, T.J., and Bolle, D.M. Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material **H** p219
Molinari, C., and Bellini, S. see Bellini, S.
Montaño, J.-C., López, A., Castilla, M., and Gutierrez, J. DSP-based algorithm for electric power measurement **A** p485
Montrosset, I., and Ansbro, A.P. see Ansbro, A.P.
Moonen, M. Systolic MVDR beamforming with inverse updating **F** p175
Moreira, P.M.R.S., Darwazeh, I.Z., and O'Reilly, J.J. Design and optimisation of a fully integrated GaAs tuned receiver preamplifier MMIC for optical SCM applications **J** p411
Morgan, V.T. External thermal resistance of aerial bundled cables **C** p65
Morrison, R.E., and Duggan, E. see Duggan, E.
Mosca, E., and Casavola, A. see Casavola, A.
Moser, L.E., and Melliar-Smith, P.M. see Melliar-Smith, P.M.
Mostafa, A.S., Mohamadein, A.L., and Rashad, E.M. Analysis of series-connected wound-rotor self-excited induction generator **B** p329
Müller, P.C., and Hou, M. see Hou, M.
Mueller, M.A., and Williamson, S. see Williamson, S.
Muhammad, F.A., Stewart, G, and Jin, W. Sensitivity enhancement of D-fibre methane gas sensor using high-index overlay **J** p115
Mulgrew, B., Thompson, J.S., Grant, P.M., and Rajagopal, R. see Thompson, J.S.
Muller, D., Chaumette, E., and Comon, P. see Chaumette, E.
Murakami, T., and Fukuhara, T. see Fukuhara, T.
Murino, V., Regazzoni, C.S., and Vernazza, G. see Regazzoni, C.S.
Murphy, C.C., and Fitzpatrick, P. see Fitzpatrick, P.
Murphy, M.M., Cosgrave, J.A., Vourdas, A., Jones, G.R., Spencer, J.W., and Wilson, A. see Cosgrave, J.A.
Murray-Smith, D.J., Leith, D.J., and Bradley, R. see Leith, D.J.
Murtagh, P., Tsoi, A.C., and Bergmann, N. Bit-serial systolic array implementation of a multilayer perceptron **E** p277

N

Nahman, J., and Dordević, V. Distribution of zero sequence currents for earth faults occurring along a transmission line and proximity effects **C** p427
Naidu, S.R., and Souza, B.A. Steady-state sinusoidal response of circuits with a nonlinear inductive element **A** p287
Nakajima, M., Chattopadhyay, T., and Bhattacharya, M. see Chattopadhyay, T.
Nakajima, M., Choi, Y.-K., and Sanagi, M. see Choi, Y.-K.
Nanda, J., Kothari, M.L., and Bhattacharya, K. see Kothari, M.L.
Nandakumar, T., and Kazimierczuk, M.K. see Kazimierczuk, M.K.
Nandi, A.K. Robust estimation of third-order cumulants in applications of higher-order statistics **F** p380
Nandi, A.K., and Mendel, J.M. see Mendel, J.M.
Narasimha Sarma, N.V.S., Das, B.N., and Sinha, B.K. see Das, B.N.
Narendra, K.G., and Chandrasekharaiah, H.S. Simple method of selective harmonic tracking (SHT) of signals in an integrated AC–DC power system **C** p399
Narraway, J.J. Probability, graphs and electrical networks **G** p347
Nasar, S.A., Boldea, I., and Fu, Z.X. see Boldea, I.
Naumov, R.M., Vukelja, P.I., Vučinić, M.M., and Budišin, P.B. see Vukelja, P.I.
Naybour, R.D. Location of the prebreakdown region in a cross-linked polyethylene insulated cable **A** p363
Nedelchev, I.M., Huang, C.G., and Jesshope, C.R. see Huang, C.G.
Nedelchev, I.M., Jesshope, C.R., and Huang, C.G. see Jesshope, C.R.
Nevels, R.D., Huang, C., and Wu, Z. Fourier transform path integral method: numerical technique for scalar scattering in inhomogeneous regions **H** p488
Newbery, P.G., Beaujean, D.A., and Jayne, M.G. see Beaujean, D.A.
Ni, J. Codeword synchronisation of CCMA scheme **I** p425
Ni, J., and Honary, B. System state-independent-unique-decodable CCMA codes **I** p185
Nichols, K.G., Baker, K.R., and Currie, A.J. see Baker, K.R.
Nickel, U. Monopulse estimation with adaptive arrays **F** p303
Nikias, C.L., and Petropulu, A.P. see Petropulu, A.P.
Nikiforuk, P.N., Jin, L., and Gupta, M.M. see Jin, L.
Nixon, M.S., and Hames, T.K. New technique for 3D artery modelling by noninvasive ultrasound **I** p86
Notaroš, B.M., and Popović, B.D. see Popović, B.D.

O

O'Reilly, E.P., Jones, G., Ghiti, A., Silver, M., and Adams, A.R. see Jones, G.
O'Reilly, J.J., Lane, P.M., Capstick, M.H., Salgado, H.M., Heidemann, R., Hofstetter, R., and Schmuck, H. RACE R2005: microwave optical duplex antenna link **J** p385
O'Reilly, J.J., Moreira, P.M.R.S., and Darwazeh, I.Z. see Moreira, P.M.R.S.
O'Reilly, J.J., and Popplewell, A. see Popplewell, A.
O'Reilly, J.J., and Salgado, H.M. see Salgado, H.M.
O'Shields, L., Wilkins, R., and Saengsuwan, T. see Wilkins, R.
Obunai, T. Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current **H** p201
Ojala, P.K., and Kaski, K.K. Analytically extracted ZTC point for GaAs MESFET **G** p424
Ojo, O., and Bhat, I. Steady-state and dynamic analyses of high-order parallel resonant convertors **B** p209
Okafuji, S. Propagation characteristics of TE_0 waves in three-layer optical waveguides with self focusing and self defocusing nonlinear layers **J** p127
Olivier, R.G., Vincent, C., and Crine, J.-P. see Vincent, C.
Olmo, G., and Benedetto, S. see Benedetto, S.
Orfanos, I., Sphicopoulos, T., Anastassiadou, A., and Caroubalos, C. see Sphicopoulos, T.
Otto, M.D., Colby, R.S., and Boys, J.T. see Colby, R.S.

P

Page, R.M.R., and Heal, B.W. see Heal, B.W.
Pagnod-Rossiaux, P., Vinchant, J.-F., Renaud, M., Erman, M., Peyre, J.L., and Jarry, P. see Vinchant, J.-F.
Pahlavan, K., and Ganesh, R. see Ganesh, R.
Pal, M.K. Voltage stability: analysis needs, modelling requirement, and modelling adequacy **C** p279
Palaniswami, M. Adaptive internal model for disturbance rejection and control **D** p51
Palmer, E.W., and Ledwich, G.F. Three phase harmonic modelling of power system loads **C** p206
Palumbo, G., and Di Cataldo, G. see Di Cataldo, G.
Pan, C.-T., and Chen, T.-C. Modelling and analysis of a three phase PWM AC–DC convertor without current sensor **B** p201
Pan, Y., and Chuang, H.Y.H. Faster line detection algorithms on enhanced mesh connected arrays **E** p95
Panchanathan, S., Zhang, L., and Goldberg, M. see Zhang, L.
Panda, G., Meher, P.K., and Satapathy, J.K. see Meher, P.K.
Panda, S.K., and Amaratunga, G.A.J. Waveform detection technique for indirect rotor-position sensing of switched-reluctance motor drives. Part 2: Experimental results **B** p89
Panoński, E., Heidemann, A., Hien, S., and Roll, U. see Heidemann, A.
Pao, Y.-H., Djukanovic, M., Babic, B., and Sobajic, D.J. see Djukanovic, M.
Pao, Y.-H., Djukanovic, M.B., Popovic, D.P., and Sobajic, D.J. see Djukanovic, M.B.
Papadias, B.C., Hatziargyriou, N.D., and Prousalidis, J.M. see Hatziargyriou, N.D.
Papatsoris, A.D., and Watson, P.A. Calculation of absorption and dispersion spectra of atmospheric gases at millimetre-wavelengths **H** p461
Papiernik, A., Bennegueouche, J., and Damiano, J.P. see Bennegueouche, J.
Papiernik, A., Croq, F., and Kossiavas, G. see Croq, F.
Paraskevopoulos, P.N., Koumboulis, F.N., and Tzierakis, K.G. Generalised command matching for a robot gripping an inertial load **D** p373
Paraskevopoulos, P.N., and Kiritsis, K.H. Minimal realisation of recursive and nonrecursive three-dimensional systems **G** p187
Parham, T.G., and Bergman, R.S. see Bergman, R.S.
Park, T.J., and Eom, H.J. Analytic solution for

TE-mode radiation from a flanged parallel-plate waveguide H p387
Parker, D.M. Environmental implications of tidal power generation A p71
Parker, E.A., Au, P.W.B., and Langley, R.J. see Au, P.W.B.
Parker, E.A., El Sheikh, A.N.A., and Lima, A.C. de C. Convoluted frequency-selective array elements derived from linear and crossed dipoles H p378
Parkes, N.E., Roberts, A.P., and Wilson, H. Roll loop design for bank-to-turn guidance by polynomial methods D p435
Parkin, R.M., and Dalay, B.S. Readout systems for linear transducers A p491
Patil, K.D., Maiti, S.K., and Mahapatra, S. Useful path-independent integrals associated with TEM-mode transmission lines and a procedure for computation of rate of variation of capacitance with a cross-sectional dimension H p107
Patney, R.K., Mittal, R., and Jain, B.N. see Mittal, R.
Patton, M., and Sesay, A.B. see Sesay, A.B.
Paul, D.K., Davis, L.E., and Sloan, R. see Davis, L.E.
Pavella, M., Van Cutsem, T., Wehenkel, L., Heilbronn, B., and Goubin, M. see Van Cutsem, T.
Pavella, M., and Xue, Y. see Xue, Y.
Pearce, M. Multilevel logic synthesis for PAL devices E p313
Pearson, P.J.G. Environmental impacts of electricity generated by developing countries: issues, priorities and carbon dioxide emissions A p100
Pelayo, J., Gilgen, H.H., Gisin, N., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Pelosi, G., Freni, A., and Coccioli, R. Hybrid technique for analysing scattering from periodic structures H p65
Pennathur, S., and Kwok, H.H.L. Equivalent circuit for a GaAs CCD G p377
Perfetti, R. Asymptotic stability of equilibrium points in dynamical neural networks G p401
Perfetti, R., and Martinelli, G. see Martinelli, G.
Perkowski, M.A., Csanky, L., and Schäfer, I. see Csanky, L.
Perkowski, M.A., Wu, H., and Zhuang, N. see Wu, H.
Perng, M.H., and Chang, H.H. Intelligent supervision of servo control D p405
Pesquera, L., Valle, A., Colet, P., and San Miguel, M. see Valle, A.
Petermann, K., and Li, L. see Li, L.
Petropulu, A.P., and Nikias, C.L. Blind deconvolution of coloured signals based on higher-order cepstra and data fusion F p356
Petrou, M. Optimal convolution filters and an algorithm for the detection of wide linear features I p331
Petrović, V.V., and Popović, B.D. see Popović, B.D.
Pettitt, M.J. Use of optical amplifiers to increase distribution capacity of optical analogue video systems J p404
Peyre, J.L., Vinchant, J.-F., Renaud, M., Erman, M., Jarry, P., and Pagnod-Rossiaux, P. see Vinchant, J.-F.
Pfeiffer, G., and Meyer, M. see Meyer, M.
Phillips, V.J. The 'Italian Navy coherer' affair: a turn-of-the-century scandal A p175
Piccinini, G., Civera, P., Masera, G., and Zamboni, M. see Civera, P.
Picken, M.J., and Thorpe, T.W. see Thorpe, T.W.
Pieper, J.K., and Surgenor, B.W. Discrete sliding control of a coupled-drives apparatus with optimal sliding surface and switching gain D p70
Pierri, R., Isernia, T., and Leone, G. see Isernia, T.
Pilling, N.A., Holmes, R., and Jones, G.R. Optical fibre current measurement system using liquid crystals and chromatic modulation C p351
Pitts, J.M., Schormans, J.A., and Scharf, E.M. see Schormans, J.A.
Pivka, L., and Špány, V. see Špány, V.
Platt, D., and Smith, B.H. Twin rotor drive for an electric vehicle B p131
Player, M.A., and De Freitas, J.M. see De Freitas, J.M.
Plumb, R.G.S., Yu, S.F., Zhang, L.M., and Carroll, J.E. see Yu, S.F.
Pocock, R.F. Andrew Crosse: Early nineteenth-century amateur of electrical science A p187
Popovic, D.P., Djukanovic, M.B., Sobajic, D.J., and Pao, Y.-H. see Djukanovic, M.B.
Popović, B.D., and Kolundžija, B.M. see Kolundžija, B.M.
Popović, B.D., and Notaroš, B.M. PPP method for analysis of electromagnetic fields in inhomogeneous media H p36
Popović, B.D., and Petrović, V.V. Vertical wire antenna above ground: simple near-exact image solution H p501
Popović, Lj.M. Practical method for the analysis of earthing systems with long external electrodes C p213
Popplewell, A., and O'Reilly, J.J. New class of runlength-limited error-control codes with minimum distance 4 I p104
Porteous, A. Developments in, and environmental impacts of, electricity generation from municipal solid waste and landfill gas combustion A p86
Pota, H.R., and Dong, Y. see Dong, Y.
Powell, D.G., and Holt, A.G.J. Reduced sampling rate beamforming technique and its hardware implementation F p209
Powers, E.J., and Kim, S.B. see Kim, S.B.
Pregla, R. Method of lines for the analysis of multilayered gyrotropic waveguide structures H p183
Premaratne, K., and Jury, E.I. Application of polynomial array method to discrete-time system stability D p198
Prieto, A., Vegas, A., and Solano, M.A. see Vegas, A.
Prousalidis, J.M., Hatziargyriou, N.D., and Papadias, B.C. see Hatziargyriou, N.D.
Prucnal, P.R., Bononi, A., and Forghieri, F. see Bononi, A.
Pruett, P.G., Richter, S., and Hodel, A.S. see Richter, S.
Pucknell, D.A. Event-driven logic (EDL) approach to digital systems representation and related design processes E p119
Pugh, A.C., and Wu, Q.H. see Wu, Q.H.
Purvis, W.R., Tozer, R.C., Anderson, D.K., and Freeston, I.L. Induced current impedance imaging A p135

Q

Qishan, G., and Jimin, Z. Saturated permeance of identically, doubly-slotted magnetic structures B p323
Qu, Z., Dawson, D.M., and Bridges, M.M. see Dawson, D.M.
Quintana, V.H., Temraz, H.K., and Hipel, K.W. Two-stage power system distribution planning algorithm C p17

R

Rabinovici, R., Kaplan, B.Z., and Yardeni, D. Fundamental topologies of three-phase LC resonators and their applications for oscillators G p148
Raghavan, S.A., and Roy, S. see Roy, S.
Raghuramireddy, D., and Unbehauen, R. Implementation of real coefficient two-dimensional denominator-separable digital filters based on decomposition techniques G p23
Rahim, Y.H.A. Excitation of isolated three-phase induction generator by a single capacitor B p44
Rai, T.S., Lu, C.N., Leou, R.C., and Cheng, C.L. see Lu, C.N.
Rajagopal, R., Thompson, J.S., Grant, P.M., and Mulgrew, B. see Thompson, J.S.
Rajagopal, R., and Rao, P.R. Generalised algorithm for DOA estimation in a passive sonar F p12
Rajagopalan, P.K., and Das, S.K. see Das, S.K.
Rajagopalan, V., Sudha, S.A., and Chandrasekaran, A. see Sudha, S.A.
Ramirez-Angulo, J. Digitally tunable MOS-current mirrors for high precision applications G p145
Ramanathan, P., Saluja, K.K., and Franklin, M. Testing check bits at no cost in RAMs with on-chip ECC E p304
Ramsden, V.S., Hunter, G.P., and Zhang, J. Performance and simulation of a single-phase-to-2-phase cycloconvertor motor drive B p341
Ramsden, V.S., Zhu, J.G., and Hui, S.Y.R. see Zhu, J.G.
Randeu, W.L., Witternigg, N., Kubista, E., Riedler, W., Arbesser-Rastburg, B., and Allnutt, J.E. see Witternigg, N.
Rao, C.R., Zhang, L., and Zhao, L.C. New algorithm for multitarget angle tracking F p335
Rao, G.P., and Subrahmanyam, A.V.B. see Subrahmanyam, A.V.B.
Rao, P.R., and Rajagopal, R. see Rajagopal, R.
Rappaport, S.S. Blocking, hand-off and traffic performance for cellular communication systems with mixed platforms I p389
Rashad, E.M., Mostafa, A.S., and Mohamadein, A.L. see Mostafa, A.S.
Raut, R., and Daoud, N.S. Current-mode oscillator realisation using a voltage-to-current transducer in CMOS technology G p462
Ray, S. Prediction of hysteresis losses produced by distorted flux in low-loss silicon–iron transformer core laminations C p229
Razavi, H.M. Self-purging redundancy with automatic threshold adjustment G p233
Razek, A., and Marchand, C. see Marchand, C.
Reddy, C.J., Ittipiboon, A., and Cuhaci, M. Admittance characteristics of narrow radiating slots in nonradiating dielectric waveguide H p407
Redman-White, W., and Durham, A.M. see Durham, A.M.
Reed, I.S., Truong, T.K., and Shih, M.T. see Truong, T.K.
Rees, P., Hamilton, R.A.H., Blood, P., and Burke, S.V. Carrier–carrier scattering effects in InGaAs–GaAs strained layer lasers J p81
Regazzoni, C.S., Murino, V., and Vernazza, G. Distributed propagation of a-priori constraints in a Bayesian network of Markov random fields I p46
Reilly, J.P., and Snelling, W.E. Short-range sea clutter in horizon search radar systems: antenna pattern effects F p309
Renaud, M., Vinchant, J.-F., Erman, M., Peyre, J.L., Jarry, P., and Pagnod-Rossiaux, P. see Vinchant, J.-F.
Rengarajan, S.R. Spherical wave expansion technique (correspondence) H p511
Riblet, G.P. Synthesis of eight-port comparator circuits using Dicke's methods H p274
Richter, S., Hodel, A.S., and Pruett, P.G. Homotopy methods for the solution of general modified algebraic Riccati equations D p449
Riedler, W., Witternigg, N., Kubista, E., Randeu, W.L., Arbesser-Rastburg, B., and Allnutt, J.E. see Witternigg, N.
Römer, D., Bauer, J.G., Lauterbach, C., Emeis, N., Hoffmann, L., and Ebbinghaus, G. see Bauer, J.G.
Röpke, U., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Roberts, A.P., Parkes, N.E., and Wilson, H. see Parkes, N.E.
Roberts, D.A., Kendall, P.C., Robson, P.N., Adams, M.J., and Robertson, M.J. see Kendall, P.C.
Robertson, M.J., Kendall, P.C., Roberts, D.A., Robson, P.N., and Adams, M.J. see Kendall, P.C.
Robson, P.N., Kendall, P.C., Roberts, D.A., Adams, M.J., and Robertson, M.J. see Kendall, P.C.
Roca, M., Sicard, E., and Rubio, A. I_{DDQ} testing of oscillating bridging faults in CMOS combinational circuits G p39
Rodriguez-Tellez, J., and Stothard, B. Ambient temperature effects on DC behaviour of GaAs MESFET devices G p305
Roe, D.B., and Flaherty, M.J. see Flaherty, M.J.
Roll, U., Heidemann, A., Hien, S., and Panofski, E. see Heidemann, A.
Rommens, M.J.J.J., and Zarrop, M.B. see Zarrop, M.B.
Rong, Y. Propagation characteristics of circular chirowaveguides periodically loaded with metal gratings H p254
Rossi, F., Losi, A., Russo, M., and Verde, P. see Losi, A.
Rossiter, J.A., Chang, A.O.T., and Kouvaritakis, B. see Chang, A.O.T.
Rossiter, J.A., Kouvaritakis, B., and Chang, A.O.T. see Kouvaritakis, B.
Rossiter, J.A., and Kouvaritakis, B. see Kouvaritakis, B.
Rossiter, J.A., and Kouvaritakis, B. Constrained stable generalised predictive control D p243
Roux-dit-Buisson, O., Ghibaudo, G., and Brini, J. Sensitive differential method for the extraction of the mobility variation in uniformly degraded MOS transistors G p123
Rowland, D.R., and Love, J.D. Evanescent wave coupling of whispering gallery modes of a dielectric cylinder J p177
Rowland, S.M., and Easthope, F. Electrical ageing and testing of dielectric self-supporting cables for overhead power lines A p351
Roy, S., and Raghavan, S.A. Timing sensitivity of (MMSE) linear and DF equalisation for digital magnetic recording channels I p169
Rubio, A., Roca, M., and Sicard, E. see Roca, M.
Ruczewski, P., Eichhorn, K.Fr., and Łobos, T. see Eichhorn, K.Fr.
Ruiz-Moreno, S., and Guitart, J. Practical method for modelling the nonlinear behaviour of a travelling wave semiconductor optical amplifier J p39
Russell, B.D., and Kim, C.J. see Kim, C.J.
Russo, M., Carpinelli, G., Gagliardi, F., and Sturchio, A. see Carpinelli, G.
Russo, M., Losi, A., Rossi, F., and Verde, P. see Losi, A.

S

Saavedra, A.R., Wood, A.R., and Arrillaga, J. see Wood, A.R.
Saberi, A., and Chen, B.M. see Chen, B.M.
Sadigh, A., and Arvas, E. Electromagnetic scattering from arbitrarily shaped conducting bodies coated with a thin layer of lossy magnetic material H p249
Saengsuwan, T., Wilkins, R., and O'Shields, L. see Wilkins, R.
Safavi-Naeini, S., Faraji-Dana, R., and Chow, Y.L. Studies of edge current densities in regular and superconducting microstrip lines of finite thickness H p361
Safi, S.K., and Bumby, J.R. Design optimisation of a superconducting AC generator B p267
Sagar, V.K., and Massara, R.E. General-purpose parallel hardware approach to the routing problem of VLSI layout G p294
Saif, M. Robust servo design with applications D p87
Saito, T., Komatsu, T., Aizawa, K., and Igarashi, T. see Komatsu, T.
Saker, A., and Atten, P. Potential distribution along single negative creeping streamer in transformer oil A p375
Salgado, H.M., O'Reilly, J.J., Lane, P.M., Capstick, M.H., Heidemann, R., Hofstetter, R., and Schmuck, H. see O'Reilly, J.J.

Salgado, H.M., and O'Reilly, J.J. Performance assessment of FM broadcast subcarrier-multiplexed optical systems **J** p397
Sali, S. Coupling of electromagnetic fields to coplanar striplines with discontinuities **H** p481
Salmond, D.J., Gordon, N.J., and Smith, A.F.M. see Gordon, N.J.
Saluja, K.K., Ramanathan, P., and Franklin, M. see Ramanathan, P.
Sampson, D., and Ghanbari, M. Fast lattice-based gain-shape vector quantisation for image-sequence coding **I** p56
Samuel, A.H., Zhu, Z., Gibson, C., and Matthews, I.P. see Zhu, Z.
San Miguel, M., Valle, A., Colet, P., and Pesquera, L. see Valle, A.
Sanagi, M., Choi, Y.-K., and Nakajima, M. see Choi, Y.-K.
Sandler, M.B., and Hiorns, R.E. see Hiorns, R.E.
Sarkar, N., Chaudhuri, B.B., and Kundu, P. see Chaudhuri, B.B.
Sastry, C.R., and Kamen, E.W. SME filter approach to multiple target tracking with radar measurements **F** p251
Satapathy, J.K., Meher, P.K., and Panda, G. see Meher, P.K.
Satish, L., and Gururaj, B.I. Partial discharge pattern classification using multilayer neural networks **A** p323
Saul, J., Eschermann, B., and Froessl, J. Two-level logic circuits using EXOR sums of products **E** p348
Savaria, Y., Youssef, M., and Kaminska, B. see Youssef, M.
Sayidmarie, K.H., and Abbosh, A.A. Holographic prediction of ground multipath parameters from range gain patterns **H** p367
Sbrizzai, R., Brucoli, M., la Scala, M., and Trovato, M. see Brucoli, M.
Schäfer, I., Csanky, L., and Perkowski, M.A. see Csanky, L.
Scharcanski, J., Shen, H.C., and Alves da Silva, A.P. Colour quantisation for colour texture analysis **E** p109
Scharf, E.M., Schormans, J.A., and Pitts, J.M. see Schormans, J.A.
Schauder, C., and Mehta, H. Vector analysis and control of advanced static VAR compensators **C** p299
Schier, M., Cremer, C., Emeis, N., Heise, G., and Ebbinghaus, G. see Cremer, C.
Schiess, M., and Johansson, B.S. Excess noise in heterodyne receivers **J** p217
Schmuck, H., O'Reilly, J.J., Lane, P.M., Capstick, M.H., Salgado, H.M., Heidemann, R., and Hofstetter, R. see O'Reilly, J.J.
Schneider, A., and Şeker, U.Ş.S. see Şeker, U.Ş.S.
Schormans, J.A., Scharf, E.M., and Pitts, J.M. Waiting time probabilities in a statistical multiplexer with priorities **I** p301
Searle, A.D., and Westcott, B.S. Hybrid antenna synthesis for reconfigurable contoured beams **H** p263
Sedding, H.G., Wood, J.W., Hogg, W.K., Kemp, I.J., and Zhu, H. see Wood, J.W.
Sen, M. de la, and Luo, N. see Luo, N.
Senior, J.M., Lambert, D.T., and Faulkner, D.W. Analogue intensity modulation schemes for optical fibre HDTV transmission **J** p417
Sesay, A.B., Yip, P.C., and Wong, K.M. Waveform division multiple-access **I** p176
Sesay, A.B., and Patton, M. QR-decomposition decision feedback equalisation and finite-precision results **F** p89
Seker, U.Ş.S., and Schneider, A. Experimental characterisation of UHF radiowave propagation through forests **H** p329
Shah, I.A., and Kalker, A.A.C. Theory and design of multidimensional QMF sub-band filters from 1-D filters and polynomials using transforms **I** p67
Shandilya, A., Gupta, H., and Sharma, J. Method for generation rescheduling and load shedding to alleviate line overloads using local optimisation **C** p337
Shao, C., and Gu, X.Y. see Gu, X.Y.
Sharaiha, A., and Terret, C. Analysis of quadrifilar resonant printed helical antenna for mobile communications **H** p269
Sharif-Bakhtiar, M., and Ali Ahmad, M. Symbolic analysis of electronic circuits based on a tree enumeration technique **G** p68
Sharma, J., Shandilya, A., and Gupta, H. see Shandilya, A.
Shaw, T.L. Environmental effects of hydropower schemes **A** p20
Shen, H.C., Scharcanski, J., and Alves da Silva, A.P. see Scharcanski, J.
Shen, W.-Z., Jou, S.-J., Chiou, S.-H., and Tao, Y.-S. see Jou, S.-J.
Shen, W.-Z., and Hsu, W.-J. see Hsu, W.-J.
Shen, W.Z., Wu, C.P., and Lee, C.L. see Wu, C.P.
Shew, P.-W., Hsiao, P.-Y., and Lin, C.-Y. see Hsiao, P.-Y.
Shi, P., Xie, L., and de Souza, C.E. see Xie, L.
Shiau, M.-C., and Tang, H.-C. see Tang, H.-C.
Shieh, L.S., Gu, J., and Bao, Y.L. Model conversions of uncertain linear systems using the pade and inverse-pade method **D** p455
Shieh, L.S., Wang, Y.J., and Sunkel, J.W. Hybrid state-space self-tuning control of uncertain linear systems **D** p99
Shieh, M.-D., Wey, C.-L., and Fisher, P.D. Fault effects in asynchronous sequential logic circuits **E** p327
Shih, M.T., Truong, T.K., and Reed, I.S. see Truong, T.K.
Shinohara, K., Minari, Y., and Ueda, R. see Minari, Y.
Shore, K.A., and Yee, W.M. see Yee, W.M.
Shuley, N.V., Fourikis, N., and Lioutas, N. see Fourikis, N.
Sicard, E., Roca, M., and Rubio, A. see Roca, M.
Siddiqui, A.S., and Yu, A. see Yu, A.
Silver, M., Jones, G., Ghiti, A., O'Reilly, E.P., and Adams, A.R. see Jones, G.
Silvester, J.R., Barnard, A.D., and Chambers, W.G. see Barnard, A.D.
Silvester, P.P., Hamdi, E.S., and Licariao-Nogueira, A.F. see Hamdi, E.S.
Simoen, E., and Claeys, C. Liquid-helium temperature hot-carrier degradation of Si *p*-channel MOSTs **G** p431
Simons, R.N., and Lee, R.Q. Effect of parasitic dielectric resonators on CPW/aperture-coupled dielectric resonator antennas **H** p336
Singh, A.D., Vaidya, N.H., and Krishna, C.M. see Vaidya, N.H.
Singh, B., Singh, S.P., and Jain, M.P. see Singh, S.P.
Singh, R., and Singh, S. see Singh, S.
Singh, S., and Singh, R. Use of linear and nonlinear algorithms in the acceleration of doubly infinite Green's function series **H** p452
Singh, S.P., Singh, B., and Jain, M.P. Comparative study on the performance of a commercially designed induction generator with induction motors operating as self excited induction generators **C** p374
Sinha, A.S.C. Stabilisation of time-varying infinite delay control systems **D** p60
Sinha, B.K., Das, B.N., and Narasimha Sarma, N.V.S. see Das, B.N.
Siri, K., Caliskan, V.A., and Lee, C.Q. Peak power tracking in parallel connected convertors **G** p106
Siu, S., and Cowan, C.F.N. Performance analysis of the l_p norm back propagation algorithm for adaptive equalisation **F** p43
Skavantzos, A., and Mitash, N. Implementation issues of 2-dimensional polynomial multipliers for signal processing using residue arithmetic **E** p45
Sloan, R., Davis, L.E., and Paul, D.K. see Davis, L.E.
Smartt, C.J., Benson, T.M., and Kendall, P.C. 'Free space radiation mode' method for the analysis of propagation in optical waveguide devices **J** p56
Smith, A.F.M., Gordon, N.J., and Salmond, D.J. see Gordon, N.J.
Smith, B.H., and Platt, D. see Platt, D.
Smith, D.G., and Hunter, D.K. see Hunter, D.K.
Smith, M.J., Barr, R., and Ireland, W. see Barr, R.
Snelling, W.E., and Reilly, J.P. see Reilly, J.P.
Söderström, T., Eriksson, A., and Stoica, P. see Eriksson, A.
Söderström, T., and Stoica, P. Accuracy of high-order Yule–Walker methods for frequency estimation of complex sine waves **F** p71
Sobajic, D.J., Djukanovic, M., Babic, B., and Pao, Y.-H. see Djukanovic, M.
Sobajic, D.J., Djukanovic, M.B., Popovic, D.P., and Pao, Y.-H. see Djukanovic, M.B.
Solano, M.A., Vegas, A., and Prieto, A. see Vegas, A.
Soudack, A.C., Araujo, A.E.A., and Marti, J.R. see Araujo, A.E.A.
Souloumiac, A., and Cardoso, J.F. see Cardoso, J.F.
Souza, B.A., and Naidu, S.R. see Naidu, S.R.
Špány, V., and Pivka, L. Two-segment bistability and basin structure in three-segment PWL circuits **G** p61
Spencer, J.W., Cosgrave, J.A., Vourdas, A., Jones, G.R., Murphy, M.M., and Wilson, A. see Cosgrave, J.A.
Spencer, J.W., Jones, G.R., Djakov, B.E., and Bakardjiev, V. Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters **A** p271
Spencer, J.W., Liu, W.D., Chaaraoui, J., Wood, J.K., and Jones, G.R. see Liu, W.D.
Sphicopoulos, T., Anastassiadou, A., Orfanos, I., and Caroubalos, C. Frequency modulation characteristics of three-section DBR lasers **J** p201
Sreeram, V. Recursive technique for computation of Gramians **D** p160
Sreeram, V., and Agathoklis, P. Model reduction of linear continuous systems using weighted impulse response Gramians **D** p345
Sridharan, S., Goldburg, B., and Dawson, E. see Goldburg, B.
Srinivasan, R. Designing distributed detection systems **F** p191
Srivastava, S.K., Vishnoi, A., Gopal, R., and Dwivedi, R. see Vishnoi, A.
Stacey, R., and Weight, J.P. Ultrasonic echo responses from targets in solid media using finite difference methods **A** p303
Staton, D.A., Miller, T.J.E., and Wood, S.E. Maximising the saliency ratio of the synchronous reluctance motor **B** p249
Stephenson, J.M., Čorda, J., and Mašić, S. see Čorda, J.
Stern, M.S., Benson, T.M., Kendall, P.C., and Matin, M.A. see Benson, T.M.
Sternby, J., and Walgama, K.S. see Walgama, K.S.
Stewart, G, Muhammad, F.A., and Jin, W. see Muhammad, F.A.
Stewart, J.A.C., Hu, Z.R., Yang, Z.M., and Fusco, V.F. see Hu, Z.R.
Stocker, K.E., Gschwendtner, B.E., and Landstorfer, F.M. Neural network approach to prediction of terrestrial wave propagation for mobile radio **H** p315
Stoica, P., Eriksson, A., and Söderström, T. see Eriksson, A.
Stoica, P., and Söderström, T. see Söderström, T.
Stoll, R.L., Bodner, B., and Al-Khoury, A.H.N. Method of magnetic sources applied to the basic configuration of a rotating electrical machine **B** p217
Stothard, B., and Rodriguez-Tellez, J. see Rodriguez-Tellez, J.
Stouraitis, T., and Chen, C. Hybrid signed digit logarithmic number system processor **E** p205
Sturchio, A., Carpinelli, G., Gagliardi, F., and Russo, M. see Carpinelli, G.
Stylianou, A., Vardaxoglou, J.C., and Hossainzadeh, A. see Vardaxoglou, J.C.
Su, D., Boechat, A.A.B., and Jones, J.D.C. Optimum beam launching conditions for graded index optical fibres: theory and practice **J** p221
Subhramanian, S., Chandrasekharam, R., and Chaudhury, S. see Chandrasekharam, R.
Subrahmanyam, A.V.B., and Rao, G.P. Identification of continuous-time SISO systems via Markov parameter estimation **D** p1
Sudha, S.A., Chandrasekaran, A., and Rajagopalan, V. New approach to switch modelling in the analysis of power electronic systems **B** p115
Sugiura, M. Review of metal-halide discharge-lamp development 1980–1992 **A** p443
Sugiyama, H. Method for block synchronisation in optical PPM **J** p377
Sumner, M., and Asher, G.M. Autocommissioning for voltage-referenced voltage-fed vector-controlled induction motor drives **B** p187
Sun, C.-Y., Liu, W.-C., Guo, D.-F., and Liu, R.-C. see Liu, W.-C.
Sun, J.P., Mohan, S., Mazumder, P., Haddad, G.I., and Mains, R.K. see Mohan, S.
Sun, Y.-N., Tsai, C.-T., and Chung, P.-C. see Tsai, C.-T.
Sunder, S., El-Guibaly, F., and Antoniou, A. Area-efficient diminished-1 multiplier for Fermat number-theoretic transform **G** p211
Sunkel, J.W., Shieh, L.S., and Wang, Y.J. see Shieh, L.S.
Surgenor, B.W., and Pieper, J.K. see Pieper, J.K.
Suryanarayana, N.V., and Hanmandlu, M. see Hanmandlu, M.
Symons, L. The Electrical Association for Women, 1924–1986 **A** p215
Szustakowski, M., Marciniak, M., and Grzegorzewski, J. see Marciniak, M.

T

Tahir, J.M., Dlay, S.S., Gorgui-Naguib, R.N., and Hinton, O.R. Strongly fault-secure designs for arithmetic arrays **E** p341
Taiwo, O. Comparison of four methods of on-line identification and controller tuning **D** p323
Tan, N., and Eriksson, S. New multibit delta–sigma modulator structure with reduced sensitivity to the D/A conversion error **G** p444
Tang, H.-C., and Shiau, M.-C. Power dissipation models and performance improvement techniques for CMOS inverters with RC line and tree interconnections **G** p437
Tao, L., and Zhao, Y.C. Effective heuristic algorithms for VLSI circuit partition **G** p127
Tao, Y.-S., Jou, S.-J., Chiou, S.-H., and Shen, W.-Z. see Jou, S.-J.
Taylor, G.W., Kiely, P.A., Docter, D.P., Evaldsson, P.A., Vang, T.A., Tell, B., and Brown-Goebeler, K.F. see Kiely, P.A.
Taylor, G.W., and Kiely, P.A. Theoretical and experimental results for the inversion channel heterostructure field effect transistor **G** p392
Tekletsadik, K., and Campbell, L.C. Flashover arc motion and its effect on spacer-surface damage in gas-insulated systems **C** p287
Tell, B., Kiely, P.A., Taylor, G.W., Docter, D.P., Evaldsson, P.A., Vang, T.A., and Brown-Goebeler, K.F. see Kiely, P.A.
Temraz, H.K., Quintana, V.H., and Hipel, K.W. see Quintana, V.H.
Terret, C., and Sharaiha, A. see Sharaiha, A.
Teuner, A., and Hosticka, B.J. Adaptive filter for two-dimensional Gabor transformation and its implementation **I** p2
Thanailakis, A., Adamides, E.D., Iliades, P., Argyrakis, I., and Tsalides, Ph. see Adamides, E.D.
Theodorou, N.J., Mentzelopoulou, S.E., and Antoniou, G.E. see Mentzelopoulou, S.E.
Thompson, F., and Hawkins, D.C. see Hawkins, D.C.
Thompson, J.S., Grant, P.M., Mulgrew, B., and Rajagopal, R. Generalised algorithm for DOA estimation in a passive sonar **F** p339

Thorpe, T.W., and Picken, M.J. Wave energy devices and the marine environment **A** p63
Tjhung, T.T., and Adachi, F. see Adachi, F.
Tornambè, A. Global output tracking of polynomial reference signals for a class of single-input single-output nonlinear systems **D** p93
Towers, M.S., Gault, M., and Mawby, P.A. see Gault, M.
Tozer, R.C., Purvis, W.R., Anderson, D.K., and Freeston, I.L. see Purvis, W.R.
Tran, A., and Lee, E Generalisation of tri-state map and a composition method for minimisation of Reed–Muller polynomials in mixed polarity **E** p59
Tran, A., and Wang, J. Decomposition method for minimisation of Reed–Muller polynomials in mixed polarity **E** p65
Trinh, H., and Aldeen, M. Decentralised feedback controllers for uncertain interconnected dynamic systems **D** p429
Trovato, M., Brucoli, M., la Scala, M., and Sbrizzai, R. see Brucoli, M.
Truong, T.K., Reed, I.S., and Shih, M.T. Efficient multiplication algorithm over the finite fields $GF(q^n)$ where $q = 3, 5$ **E** p92
Trzaska, Z., and Marszalek, W. Singular distributed parameter systems **D** p305
Tsai, C.-T., Sun, Y.-N., and Chung, P.-C. Minimising the energy of active contour model using a Hopfield network **E** p297
Tsai, W.-T., Bhattacharya, S., and Choi, Y.-H. see Bhattacharya, S.
Tsai, Z., Yu, K., and Lai, F. HiMA: a hierarchical and modular ATM switch with partially shared output buffer **I** p429
Tsalides, Ph., Adamides, E.D., Iliades, P., Argyrakis, I., and Thanailakis, A. see Adamides, E.D.
Tsao, H.-W., Liu, S.-I., Chen, J.-J., and Tsay, J.-H. see Liu, S.-I.
Tsao, H.-W., Liu, S.-I., Wu, D.-S., Wu, J., and Tsay, J.-H. see Liu, S.-I.
Tsay, J.-H., Liu, S.-I., Chen, J.-J., and Tsao, H.-W. see Liu, S.-I.
Tsay, J.-H., Liu, S.-I., Wu, D.-S., Tsao, H.-W., and Wu, J. see Liu, S.-I.
Tseng, P.-N., Chen, M.-J., and Huang, C.-Y. see Chen, M.-J.
Tsoi, A.C., Murtagh, P., and Bergmann, N. see Murtagh, P.
Tsui, J.B.Y., and Choate, D.B. see Choate, D.B.
Tugnait, J.K. Two-channel tests for common non-Gaussian signal detection **F** p343
Turkmani, A.M.D., and de Toledo, A.F. Modelling of radio transmissions into and within multistorey buildings at 900, 1800 and 2300 MHz **I** p462
Turner, L.F., and Kousa, M.A. see Kousa, M.A.
Turner, W., Maul, P.R., and Glendenning, I. see Maul, P.R.
Twisleton, J.R.G. Lossless transmission and the measurement of insertion loss **H** p390
Tzierakis, K.G., Paraskevopoulos, P.N., and Koumboulis, F.N. see Paraskevopoulos, P.N.

U

Ueda, R., Minari, Y., and Shinohara, K. see Minari, Y.
Un, C.K., and Jung, Y.C. see Jung, Y.C.
Unbehauen, R., and Lin, J.-N. see Lin, J.-N.
Unbehauen, R., and Raghuramireddy, D. see Raghuramireddy, D.
Unwin, R.T., and Cryan, R.A. see Cryan, R.A.
Usenko, A.Y. Effect of irradiation and annealing conditions on power transistor performance **G** p373

V

Vaidya, N.H., Singh, A.D., and Krishna, C.M. Trade-offs in developing fault tolerant software **E** p320
Valle, A., Colet, P., Pesquera, L., and San Miguel, M. Transient multimode statistics in almost single-mode semiconductor lasers **J** p237
Van Cutsem, T., Wehenkel, L., Pavella, M., Heilbronn, B., and Goubin, M. Decision tree approaches to voltage security assessment **C** p189
Van dooren, G.A.J., and Govaerts, H.J.F.G. Shielding of single- and double-reflector earth station antennas: a near- and far-field approach **H** p309
Van der sluijs, M.J., Lewis, T.J., and Llewellyn, J.P. see Lewis, T.J.
Van Daele, P., Vermaerke, F., Moerman, I., Vermeire, G., Buydens, L., and Demeester, P. see Vermaerke, F.
Vang, T.A., Kiely, P.A., Taylor, G.W., Docter, D.P., Evaldsson, P.A., Tell, B., and Brown-Goebeler, K.F. see Kiely, P.A.
Vardaxoglou, J.C., Hossainzadeh, A., and Stylianou, A. Scattering from two-layer FSS with dissimilar lattice geometries **H** p59
Varlow, B.R., Auckland, D.W., and Kabir, S.M.F. see Auckland, D.W.
Varshney, P.K., and Dey, S. see Dey, S.
Varshney, P.K., and Wang, T.C. see Wang, T.C.
Vaseghi, S.V., Conner, P.N., and Milner, B.P. Speech modelling using cepstral-time feature matrices in hidden Markov models **I** p317
Vassilopoulos, C., Kourtis, A., and Mantakas, C. Conception of an ionising radiation detection scheme based on controlled light induced annealing of silica fibres **J** p267
Vegas, A., Prieto, A., and Solano, M.A. Optimisation of the coupled-mode method for the analysis of waveguides partially filled with dielectrics of high permittivity: application to the study of discontinuities **H** p401
Verde, P., Losi, A., Rossi, F., and Russo, M. see Losi, A.
Vergara-Dominguez, L. Analysis of the digital MTI filter with random PRI **F** p129
Vermaerke, F., Moerman, I., Vermeire, G., Buydens, L., Van Daele, P., and Demeester, P. Simple reliable processing technique for low-threshold high-power strained InGaAs-AlGaAs GRINSCH SQW laser diodes **J** p75
Vermeire, G., Vermaerke, F., Moerman, I., Buydens, L., Van Daele, P., and Demeester, P. see Vermaerke, F.
Vernazza, G., Regazzoni, C.S., and Murino, V. see Regazzoni, C.S.
Villablanca, M., Arrillaga, J., Yonghe, L., and Crimp, C.S. see Arrillaga, J.
Villuendas, F., Gilgen, H.H., Gisin, N., Pelayo, J., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Vincent, C., Crine, J.-P., and Olivier, R.G. Ultrasonic agitation: Is it detrimental to the electrical properties of insulating oils **A** p269
Vinchant, J.-F., Renaud, M., Erman, M., Peyre, J.L., Jarry, P., and Pagnod-Rossiaux, P. InP digital optical switch: key element for guided-wave photonic switching **J** p301
Vishnoi, A., Gopal, R., Dwivedi, R., and Srivastava, S.K. Distributed parameter analysis of dark *I–V* characteristics of the solar cell: estimation of equivalent lumped series resistance and diode quality factor **G** p155
Vlachos, T., and Constantinides, A.G. Graph-theoretical approach to colour picture segmentation and contour classification **I** p36
Vobian, J., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Röpke, U., Bonnedal, D., Kiiveri, P., and Walker, B. see Gilgen, H.H.
Voles, R. Resolving revolutions: imaging and mapping by modern radar **F** p1
Vourdas, A., Cosgrave, J.A., Jones, G.R., Spencer, J.W., Murphy, M.M., and Wilson, A. see Cosgrave, J.A.
Vournas, C.D., and Krassas, N.D. Voltage stability as affected by static load characteristics **C** p221
Vučinić, M.M., Vukelja, P.I., Naumov, R.M., and Budišin, P.B. see Vukelja, P.I.
Vukelja, P.I., Naumov, R.M., Vučinić, M.M., and Budišin, P.B. Experimental investigations of overvoltages in neutral isolated networks **C** p343

W

Walgama, K.S., and Sternby, J. Conditioning technique for multiinput multioutput processes with input saturation **D** p231
Walker, B., Gilgen, H.H., Gisin, N., Pelayo, J., Villuendas, F., Burgmeijer, J.W., Vobian, J., Röpke, U., Bonnedal, D., and Kiiveri, P. see Gilgen, H.H.
Wang, C.-J., and Emnett, F. Area and performance comparison of pipelined RISC processors implementing different precise interrupt methods **E** p196
Wang, C.T., Liaw, C.M., Chen, T.H., Chiang, S.J., and Lee, C.M. see Liaw, C.M.
Wang, C.X., Wilson, A., and Watts, M.W. Surface flashover sustained by electrostatic surface charge on epoxy resin insulator in SF_6 **A** p346
Wang, H.-C., Kuo, C.-C., and Jean, F.-R. see Kuo, C.-C.
Wang, J., and Tran, A. see Tran, A.
Wang, J.J.H., Chang, M., and Feng, W.S. Binary-tree timing simulation with consideration of internal charges **E** p211
Wang, Q., Broome, D.R., and Greig, A.R. see Broome, D.R.
Wang, Q., Chen, Q., Bhargava, V.K., and Mason, L.J. see Chen, Q.
Wang, T.C., and Varshney, P.K. Measurement preprocessing for nonlinear target tracking **F** p316
Wang, Y., Zhou, R., and Wen, C. Robust load–frequency controller design for power systems **C** p11
Wang, Y.-Y., and Lu, C.-C. Using Weibull density function in importance sampling for digital communication system simulation **I** p163
Wang, Y.J., Shieh, L.S., and Sunkel, J.W. see Shieh, L.S.
Warren, J.W., Huting, W.A., and Krill, J.A. see Huting, W.A.
Warwick, K., and Ball, N.R. see Ball, N.R.
Watson, D.B., Williams, M.R., and Crimp, C.S. Ball-bearing motors **A** p281
Watson, N.R., Arrillaga, J., MacDonald, S., and Watson, S. see Arrillaga, J.
Watson, P.A., and Papatsoris, A.D. see Papatsoris, A.D.
Watson, S., Arrillaga, J., MacDonald, S., and Watson, N.R. see Arrillaga, J.
Watts, M.W., Wang, C.X., and Wilson, A. see Wang, C.X.
Weber, J.-P. Spectral characteristics of coupled-waveguide Bragg-reflection tunable optical filter **J** p275
Wehenkel, L., Van Cutsem, T., Pavella, M., Heilbronn, B., and Goubin, M. see Van Cutsem, T.
Wei, C.-H., Chen, C.-C., and Liu, G.-S. High-speed Reed–Solomon decoder for correcting errors and erasures **I** p246
Wei, C.-H., and Liu, G.-S. see Liu, G.-S.
Weight, J.P., and Stacey, R. see Stacey, R.
Weiss, A.J., and Gavish, M. see Gavish, M.
Wells, J.A., and Cronin, N.J. Theoretical analysis of air bridging and back etching techniques on the shunt capacitance of planar subharmonic mixer diodes **H** p474
Wen, C., He, M.-Y., and Bogner, R.E. see He, M.-Y.
Wen, C., Wang, Y., and Zhou, R. see Wang, Y.
Wen, J., and Ko, C.C. see Ko, C.C.
Westcott, B.S., and Searle, A.D. see Searle, A.D.
Wey, C.-L., Shieh, M.-D., and Fisher, P.D. see Shieh, M.-D.
Wharmby, D.O. Electrodeless lamps for lighting: a review **A** p465
Wheldon, A.E., and Gregory, C.E. Energy, electricity and the environment **A** p2
Whinnett, N.W., and Manikas, A. High-resolution array processing methods for joint direction-velocity estimation **F** p114
Whittington, H.W., Wito, A.G., and Macpherson, D.E. see Wito, A.G.
Wicks, T., and Lawson, S. see Lawson, S.
Wilkins, R., Saengsuwan, T., and O'Shields, L. Short-circuit tests on current-limiting fuses: modelling of the test circuit **C** p30
Wilkinson, T.A.H., Jones, A.E., and Gardiner, J.G. see Jones, A.E.
Willems, J.L., and Aeyels, D. New decomposition for 3-phase currents in power systems **C** p307
Williams, A. Role of fossil fuels in electricity generation and their environmental impact **A** p8
Williams, B.W., Finney, S.J., and Green, T.C. see Finney, S.J.
Williams, M.R., Watson, D.B., and Crimp, C.S. see Watson, D.B.
Williams, R., Grant, D.A., and Gowar, J. Multi-element transformers for switched-mode power supplies: toroidal designs **B** p152
Williams, R., Grant, D.A., and Gowar, J. Use of multielement transformers in quasiresonant convertors **B** p357
Williamson, S., and Chan, E.K.C. Three-dimensional finite-element formulation for problems involving time-varying fields, relative motion, and magnetic saturation **A** p121
Williamson, S., and Mueller, M.A. Calculation of the impedance of rotor cage end rings **B** p51
Wilson, A., Cosgrave, J.A., Vourdas, A., Jones, G.R., Spencer, J.W., and Murphy, M.M. see Cosgrave, J.A.
Wilson, A., Wang, C.X., and Watts, M.W. see Wang, C.X.
Wilson, B., and Ghassemlooy, Z. Pulse time modulation techniques for optical communications: a review **J** p347
Wilson, G.R., and Batchelor, B.G. Moments of a crack coded blob **E** p54
Wilson, H., Parkes, N.E., and Roberts, A.P. see Parkes, N.E.
Wito, A.G., Macpherson, D.E., and Whittington, H.W. Electricity generation in Central Europe **C** p365
Witternigg, N., Kubista, E., Randeu, W.L., Riedler, W., Arbesser-Rastburg, B., and Allnutt, J.E. Quadruple-site diversity experiment in Austria using 12 GHz radiometers **H** p354
Wong, K.C., Cheng, Y., and Kittler, J. Recognition of polyhedral objects using triangle pair features **I** p72
Wong, K.M., Sesay, A.B., and Yip, P.C. see Sesay, A.B.
Wong, K.P., and Fung, C.C. Simulated annealing based economic dispatch algorithm **C** p509
Wong, K.T., Excell, P.S., and Jackson, N.N. see Excell, P.S.
Wong, R.S.K., Yung, E.K.N., and Lee, W.W.S. see Yung, E.K.N.
Wong, T., Lo, T., Leung, H., Litva, J., and Bosse, E. Low-angle radar tracking using radial basis function neural network **F** p323
Wong, W.C., Chen, H., and Ko, C.C. see Chen, H.
Wood, A.R., Arrillaga, J., and Saavedra, A.R. Unified control strategy for back-to-back HVDC convertor stations **C** p77
Wood, J.K., Liu, W.D., Chaaraoui, J., Spencer, J.W., and Jones, G.R. see Liu, W.D.
Wood, J.W., Sedding, H.G., Hogg, W.K., Kemp, I.J., and Zhu, H. Partial discharges in HV machines; initial considerations for a PD specification **A** p409
Wood, S.E., Staton, D.A., and Miller, T.J.E. see Staton, D.A.
Woodward, G. History of a single-phase high-voltage distribution system **A** p207
Wright, M.W., and Fallside, F. Skeletonisation as model-based feature detection **I** p7

Wu, C.-W., Lu, S.-K., and Kuo, S.-Y. see Lu, S.-K.
Wu, C.P., Lee, C.L., and Shen, W.Z. SEESIM: a fast synchronous sequential circuit fault simulator with single-event equivalence **G** p101
Wu, D.-S., Liu, S.-I., Tsao, H.-W., Wu, J., and Tsay, J.-H. see Liu, S.-I.
Wu, H., Zhuang, N., and Perkowski, M.A. Synthesis for Reed–Muller directed acyclic graph network **E** p357
Wu, H.-T., Yang, J.-F., and Chen, F.-K. see Yang, J.-F.
Wu, J., Liu, S.-I., Wu, D.-S., Tsao, H.-W., and Tsay, J.-H. see Liu, S.-I.
Wu, J.-L., and Huang, H.-C. see Huang, H.-C.
Wu, J.-L.C., and Huang, T.-Y. see Huang, T.-Y.
Wu, L., Chen, J., Luo, B., and Lu, Y. see Chen, J.
Wu, Q.H., and Pugh, A.C. Reinforcement learning control of unknown dynamic systems **D** p313
Wu, Y., and Kajfez, D. see Kajfez, D.
Wu, Y.-C., and Chern, T.-L. see Chern, T.-L.
Wu, Y.-P., Lu, S.-T., Chou, C., and Lee, M.-C. see Lu, S.-T.
Wu, Z., Nevels, R.D., and Huang, C. see Nevels, R.D.
Wyner, E., and Geens, R. see Geens, R.

X

Xie, L., Shi, P., and de Souza, C.E. On designing controllers for a class of uncertain sampled-data nonlinear systems **D** p119
Xu, L., Almaini, A.E.A., Miller, J.F., and McKenzie, L. Reed–Muller universal logic module networks **E** p105
Xue, Y., and Pavella, M. Critical-cluster identification in transient stability studies **C** p481

Y

Yacamini, R., and Hu, L. see Hu, L.
Yahagi, T., and Lu, J. see Lu, J.
Yakovlev, A. Structural technique for fault-masking in asynchronous interfaces **E** p81
Yamano, Y. Relationship between polarity of surface leader and contact angle on insulator with backing electrode under AC voltage application **A** p109
Yang, J.-F., Wu, H.-T., and Chen, F.-K. Simplified adaptive noise subspace algorithms for robust direction tracking **F** p329
Yang, R.H., and Lim, Y.C. Efficient computational procedure for the design of FIR digital filters using WLS technique **G** p355
Yang, Z.M., Hu, Z.R., Fusco, V.F., and Stewart, J.A.C. see Hu, Z.R.
Yardeni, D., Rabinovici, R., and Kaplan, B.Z. see Rabinovici, R.
Yee, W.M., and Shore, K.A. Multimode analysis of self locked FM operation in laser diodes **J** p21
Yeh, C.-C., Chen, Y.-M., and Lee, J.-H. see Chen, Y.-M.
Yeh, Y.-J., and Jan, R.-H. see Jan, R.-H.
Yeo, S.P., Leong, M.S., Kooi, P.S., Yeo, T.S., and Zhou, X.D. Contour-integral analysis of microstrip sectorial power divider (with arbitrary sector angle) **H** p62
Yeo, T.S., Yeo, S.P., Leong, M.S., Kooi, P.S., and Zhou, X.D. see Yeo, S.P.
Yip, P.C., Sesay, A.B., and Wong, K.M. see Sesay, A.B.
Yonghe, L., Arrillaga, J., Crimp, C.S., and Villablanca, M. see Arrillaga, J.
Young, L.A., Alsaka, Y.A., and Hamid, M. see Alsaka, Y.A.
Youssef, M., Savaria, Y., and Kaminska, B. Methodology for efficiently inserting and condensing test points **E** p154
Youssef, R.D. Phase-shifting transformers in load flow and short-circuit analysis: modelling and control **C** p331
Yu, A., and Siddiqui, A.S. Theory of a novel high sensitivity optical fibre gyroscope **J** p150
Yu, D.C., and Abdel-Motaleb, I.M. Analytical DC model for p-type QW-HEMTs for CAD applications **G** p7
Yu, K., Tsai, Z., and Lai, F. see Tsai, Z.
Yu, S.F., Zhang, L.M., Plumb, R.G.S., and Carroll, J.E. Effect of external reflectors on radiation profile of grating coupled surface emitting lasers **J** p30
Yuan, J., Chen, C.S., and Ma, S. Two-level decoding of (32, 16, 8) quadratic residue code **I** p409
Yuminaka, Y., Aoki, T., and Higuchi, T. see Aoki, T.
Yung, E.K.N., Wong, R.S.K., and Lee, W.W.S. Analysis of a rectangular earthing plate **C** p381

Z

Zaitsev, D.F. Temperature drift of modulation characteristics in semiconductor lasers **J** p227
Żak, S.H., and Hui, S. Output feedback variable structure controllers and state estimators for uncertain/nonlinear dynamic systems **D** p41
Zamboni, M., Civera, P., Masera, G., and Piccinini, G. see Civera, P.
Zarrop, M.B., and Rommens, M.J.J.J. Convergence of a multi-input adaptive extremum controller **D** p65
Zeng, X. Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multi-frequency excitations **H** p259
Zhang, C., and Lo, K.L. see Lo, K.L.
Zhang, C.N., Li, H.F., and Jayakumar, R. see Li, H.F.
Zhang, J., Ramsden, V.S., and Hunter, G.P. see Ramsden, V.S.
Zhang, L., Panchanathan, S., and Goldberg, M. Frame replenishment coding over noisy channels **I** p144
Zhang, L., Rao, C.R., and Zhao, L.C. see Rao, C.R.
Zhang, L.M., Yu, S.F., Plumb, R.G.S., and Carroll, J.E. see Yu, S.F.
Zhang, M.Q., Hui, S.Y.R., Fung, K.K., and Christopoulos, C. see Hui, S.Y.R.
Zhang, S., and Irving, M.R. Analytical algorithm for constraint relaxation in LP-based optimal power flow **C** p326
Zhang, X., and Ding, K. Capacitance–time transient characteristics of pulsed MOS capacitor application in measurement of semiconductor parameters **G** p449
Zhao, L.C., Rao, C.R., and Zhang, L. see Rao, C.R.
Zhao, Y.C., and Tao, L. see Tao, L.
Zhou, R., Wang, Y., and Wen, C. see Wang, Y.
Zhou, X.D., Yeo, S.P., Leong, M.S., Kooi, P.S., and Yeo, T.S. see Yeo, S.P.
Zhu, H., Wood, J.W., Sedding, H.G., Hogg, W.K., and Kemp, I.J. see Wood, J.W.
Zhu, J.G., Hui, S.Y.R., and Ramsden, V.S. Discrete modelling of magnetic cores including hysteresis, eddy current and anomalous losses **A** p317
Zhu, Z., Gibson, C., Samuel, A.H., and Matthews, I.P. Triple modulation technique applicable to microwave spectrometers with cavity gas cell **H** p141
Zhu, Z., and Hong, W. see Hong, W.
Zhuang, M., and Atherton, D.P. Automatic tuning of optimum PID controllers **D** p216
Zhuang, N., Wu, H., and Perkowski, M.A. see Wu, H.
Ziavras, S.G. Mapping single and multiple multilevel structures onto the hypercube **E** p115

Acoustics (*see* Acoustoelectric effects and Sound broadcasting and audio)
Acoustoelectric effects
Active networks
Actuators (*see* Transducers)
Adaptive control
Algebra (incl. Matrix algebra) (*see* Mathematical techniques)
Algorithms (*see* Mathematical techniques)
Amplifiers
Analogue computers and computation
Analogue-digital conversion
Antennas
Antennas (active)
Antennas (adaptive)
Antennas (aperture)
Antennas (arrays)
Antennas (dipole)
Antennas (frequency inpendent)
Antennas (horns and feeds)
Antennas (measurements)
Antennas (microstrip)
Antennas (millimetre wave)
Antennas (reflectors)
Antennas (slot)
Antennas (theory)
Antennas (time domain)
Antennas (travelling wave)
Antennas (wire)
Arcing
Attenuators (*see* Instrumentation and measuring science)
Audio (*see* Sound broadcasting and audio)
Avionics
Batteries and cells
Biological effects
Biomass
Biomedical applications
Bipolar transistors
Boolean algebra (*see* Logic)
Breakdown and gas discharges
Cables and overhead lines (*see* Coaxial cables)
Calibration (*see* Instrumentation and measuring science)
Charge-coupled devices
Choppers (*see* Control equipment and applications)
Circuit breakers and circuit breaking
Circuit theory and design
Closed-loop systems
Coaxial cables (*see* Cables and overhead lines)
Coaxial components
Codes and decoding
Commutation
Components
Computer applications
Computer graphics
Computer simulation
Computer-aided design
Conductors and conductivity
Control equipment and applications
Control systems
Control theory
Convertors
Crosstalk
Cybernetics and robotics
Decoding (*see* Codes and decoding)
Delay lines
Demodulation (*see* Modulation)
Design
Detection
Dielectric materials
Digital arithmetic (*see* Digital computers and computation)
Digital circuits
Digital communication systems
Digital computers and computation
Digital control (*see* Digital computers and computation)
Digital instrumentation (*see* Instrumentation and measuring science)
Digital-analogue conversion
Diodes
Discharges, electric (*see* Arcing)
Discharges, gas (*see* Breakdown and gas discharges)
Distribution networks (*see* Power transmission)
Doping
Earthing (*see* System protection)
Eddy currents
Education and training
Educational projects
Electric shock (*see* Hazards)
Electrical machines
Electromagnetic compatibility
Electromagnetic theory
Electron devices
Electronic circuits (*see* Circuit theory and design)
Energy conversion and storage
Engineering and society
Engineering administration and management
Epitaxy
Errors and error analysis
Fault detection
Fault location
Feedback
Ferrites and ferromagnetics
Ferromagnetics (*see* Ferrites and ferromagnetics)
Fibres, optical (*see* Optics)
Field-effect transistors
Filters and filtering
Financial management
Fuel cells (*see* Batteries and cells)
Generators
Graph theory and topology
Gunn devices
Hazards
History (*see* Reviews of progress)
Holography (*see* Optics)
Hydroelectric power generation
Hysteresis
Image processing
Induction motors
Industrial applications of power (*see* Power utilisation and industrial applications)
Information and communication theory
Instrumentation and measuring science
Insulators and insulation
Integrated circuits (*see* Circuit theory and design)
Integrated optics (*see* Optics)
Interface states
Interference (*see* Noise and interference)
Inverters (*see* Power electronics)
Ionisation (*see* Breakdown and gas discharges)
Ionospheric propagation (*see* Radio-wave propagation)
Lasers
Lighting
Lightning and lightning protection
Linear motors
Linear networks (*see* Networks)
Load and voltage regulation
Logic
Long-term planning
Magnetic devices and properties
Magnetic fields
Management
Manufacturing
Mathematical techniques
Matrix algebra (*see* Mathematical techniques)
Measurement and measuring (*see* Instrumentation and measuring science)
Metal-insulator-semiconductor structures
Metal-oxide-semiconductor structures
Microprocessors
Microscopes
Microstrip and stripline
Microwave active components
Microwave circuits and networks
Microwave communications
Microwave heating
Microwave integrated circuits
Microwave measurements
Microwave passive components
Microwave systems
Microwave tubes
Millimetre wave devices and components
Modelling (*see* Simulation)
Modulation
Monitoring
Motors (*see* Induction motors, Linear motors, Reluctance motors, Stepping motors, Synchronous motors)
Motors, induction (*see* Induction motors)
Motors, linear (*see* Linear motors)
Motors, reluctance (*see* Reluctance motors)
Motors, stepping (*see* Stepping motors)
Motors, synchronous (*see* Synchronous motors)
Multivariable control systems (*see* Control equipment and applications)
Natural resources
Networks (*see* Telephone exchanges and networks)
Noise and interference
Nondestructive testing
Nonlinear optics
Nonlinear systems
Numerical analysis
Optical amplifiers
Optical cables
Optical fibres (*see* Optics)
Optical materials
Optical processing (*see* Signal processing and optics)
Optical sensors
Optical switching
Optical systems (*see* Optics)
Optical transmission (*see* Optics)
Optical waveguides
Optics
Optimal control
Optimisation
Optoelectronics
Oscillators (*see* Semiconductor devices and materials)
Overhead lines (*see* Cables and overhead lines)
Overvoltages (*see* System protection)
Pattern recognition (*see* Picture processing and pattern recognition)
Permittivity
Perturbation theory
Phasing and phase control
Photodetectors
Physical properties
Picture processing and pattern recognition
Plant condition monitoring
Plasmas
Poles and zeros
Polynomials (*see* Mathematical techniques)
Power conversion (*See* Transformers)
Power electronics
Power system protection (*see* System protection)
Power systems and plant
Power transmission and distribution (*see* Transmission and distribution plant)
Power utilisation and industrial applications
Process control (*see* Control theory)
Product design
Production engineering (*see* Project and production engineering)
Project and production engineering (*See* Engineering administration and management)
Propogation in random media
Pulse-code modulation
Quantum electronics
Radar and radionavigation
Radiation
Radio astronomy
Radio waves (*see* Radio-wave propagation)
Radio-wave propagation (ground wave)
Radio-wave propagation (ionospheric)
Radio-wave propagation (microwave)
Radio-wave propagation (millimetre wave)
Radio-wave propagation (terrain effects)
Radio-wave propagation (tropospheric)
Radiocommunication
Radionavigation (*see* Radar and radionavigation)
Radomes
Railway electrification and transportation
Receivers
Relays (*see* system protection)
Reliability
Reluctance motors
Remote sensing
Reviews of progress
Robotics (*see* Cybernetics and robotics)
Satellite links and space communication
Schottky-barrier devices
Semiconductor devices and materials (*see* Diodes, Thyristors and Transistors)
Semiconductor lasers
Servomotors
Signal processing
Simulation
Social responsibility
Solar cells (*see* Energy conversion and storage)
Solar power
Sonics and ultrasonics
Sound broadcasting and audio
Space communication (*see* Satellite links and space communication)
Speech synthesis
Stabilisers (*see* Stability)
Stability
Standardisation and standards
Stepping motors
Submillimetre systems
Superconductivity
Surface-acoustic-wave devices (SAW)
Switches and switching theory
Switchgear
Synchronous generators (*see* Generators)

Synchronous motors
System protection
Telecommunication (*see* Radiocommunication)
Telecommunication traffic (*see* Telecommunication)
Telemetry
Telephone exchanges and networks
Telephony
Teletext
Television
Thyristors (*see* Semiconductor devices and materials)
Tidal power
Topology (*see* Graph theory and topology)
Torque (*see* Motors)
Traction (*see* Railway electrification and transportation)
Transducers
Transformers
Transients
Transistors (*see* Semiconductor devices and materials)
Transmission and distribution plant (*see* Power transmission and distribution)
Transmission lines
Transmitters
Transportation (*see* Vehicles and transportation)
Tropospheric propagation (*see* Radiowave propagation)
Turbogenerators (*see* Generators)
Ultrasonics (*see* Sonics and ultrasonics)
Underground cables (*see* Cables and overhead lines)
Vehicles and transportation
Very large scale integration
Vibration
Vocoders (*see* Voice communication)
Voice communication
Voltage regulators (*see* Load and voltage regulation)
Waveguides and waveguide components
Wave power
Wind power (*see* Energy conversion and storage)
X-rays

Subject index

ACOUSTOELECTRIC EFFECTS

Theoretical spectra for narrow-band random PWM waveforms. J.T. Boys **B** p393

ADAPTIVE CONTROL

Adaptive compliant control for an inspection robot system. D.R. Broome, Q. Wang and A.R. Greig **D** p191
Convergence of a multi-input adaptive extremum controller. M.B. Zarrop and M.J.J. Rommens **D** p65
Direct adaptive output tracking control using multilayered neural networks. L. Jin, P.N. Nikiforuk and M.M. Gupta **D** p393
New design method for model reference adaptive control for nonminimum phase discrete-time systems with disturbances. J. Lu and T. Yahagi **D** p34
PID autotuning algorithm based on relay feedback. A. Leva **D** p328
State space based adaptive control with pole restriction. M.S. Ahmed **D** p380

AMPLIFIERS

Insensitive voltage-mode and current-mode filters from commercially available transimpedance opamps. A. Fabre **G** p319
Optical switching in the twin-guide travelling-wave laser amplifier. D.M. Atkin and M.J. Adams **J** p296
Very high linearity tunable OTA in 5 V CMOS. A.M. Durham and W. Redman-White **G** p207

ANTENNAS

Antenna testing from phaseless measurements: probe compensation and experimental results in the cylindrical case. T. Isernia, G. Leone and R. Pierri **H** p395
ELF, VLF and LF radiation from a very large loop antenna with a mountain core. R. Barr, W. Ireland and M.J. Smith **H** p129
Electromagnetic scattering from arbitrarily shaped conducting bodies coated with a thin layer of lossy magnetic material. A. Sadigh and E. Arvas **H** p249
Hybrid antenna synthesis for reconfigurable contoured beams. A.D. Searle and B.S. Westcott **H** p263
RACE R2005: microwave optical duplex antenna link. J.J. O'Reilly, P.M. Lane, M.H. Capstick, H.M. Salgado, R. Heidemann, R. Hofstetter and H. Schmuck **J** p385
Temperature control of radar cross-section using electrically small high T_c superconducting antenna elements for stealth applications. G.G. Cook and S.K. Khamas **H** p326
Wideband filters employing multilayer gratings. P.W.B. Au, E.A. Parker and R.J. Langley **H** p292

ANTENNAS (APERTURE)

Design method for an offset dual-shaped reflector antenna with high efficiency and an elliptical beam. K. Aoki, S. Makino, T. Katagi and K. Kagoshima **H** p121

ANTENNAS (ARRAYS)

Direct synthesis of optimum difference patterns for discrete linear arrays using Zolotarev distributions. D.A. McNamara **H** p495

ANTENNAS (DIPOLE)

Compact electromagnetic test range using an array of log-periodic antennas. P.S. Excell, N.N. Jackson and K.T. Wong **H** p101
Convoluted frequency-selective array elements derived from linear and crossed dipoles. E.A. Parker, A.N.A. El Sheikh and A.C. de C. Lima **H** p378
One-point feed printed crossed dipole with a reflector antenna combined with a reactively loaded parasitic loop for land mobile satellite communication antennas. Y. Kazama **H** p417
Vertical wire antenna above ground: simple near-exact image solution. B.D. Popović and V.V. Petrović **H** p501

ANTENNAS (MEASUREMENTS)

Antenna testing from phaseless measurements: probe compensation and experimental results in the cylindrical case. T. Isernia, G. Leone and R. Pierri **H** p395
Corroboration of a moment-method calculation of the maximum mutual coupling between two HF antennas mounted on a helicopter. J.W.R. Cox **H** p113
Entire-domain Galerkin method for analysis of metallic antennas and scatterers. B.M. Kolundžija and B.D. Popović **H** p1
Low-frequency input impedance of a very large loop antenna with a mountain core. R. Barr and W. Ireland **H** p84

ANTENNAS (MICROSTRIP)

Analysis of quadrifilar resonant printed helical antenna for mobile communications. A. Sharaiha and C. Terret **H** p269
Analysis of triangular patch antennas including radome effects (correspondence). J.P. Damiano **H** p144
Approximate cross-polar characteristics for microstrip patch antennas. J.D. Mahony **H** p508
Original multilayer microstrip disc antenna for dual-frequency band operation: theory and experiment. J. Bennegueouche, J.P. Damiano and A. Papiernik **H** p441
Stacked resonators for bandwidth enhancement: a comparison of two feeding techniques. F. Croq, G. Kossiavas and A. Papiernik **H** p303

ANTENNAS (REFLECTORS)

Trihedral twist-grid polarimetric reflector. A. Macikunas and S. Haykin **F** p216

ANTENNAS (SLOT)

Parametric study of the co- and crosspolarisation characteristics of tapered planar and antipodal slotline antennas. N. Fourikis, N. Lioutas and N.V. Shuley **H** p17

ANTENNAS (THEORY)

Shielding of single- and double-reflector earth station antennas: a near- and far-field approach. G.A.J. van Dooren and H.J.F.G. Govaerts **H** p309
Short-range sea clutter in horizon search radar systems: antenna pattern effects. J.P. Reilly and W.E. Snelling **F** p309

ARCING

Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters. J.W. Spencer, G.R. Jones, B.E. Djakov and V. Bakardjiev **A** p271
Flashover arc motion and its effect on spacer-surface damage in gas-insulated systems. K. Tekletsadik and L.C. Campbell **C** p287
Parasitic arcing in EHV circuit breakers. W.D. Liu, J. Chaaraoui, J.K. Wood, J.W. Spencer and G.R. Jones **A** p522
Partial discharge pattern classification using multilayer neural networks. L. Satish and B.I. Gururaj **A** p323
Partial discharges in HV machines; initial considerations for a PD specification. J.W. Wood, H.G. Sedding, W.K. Hogg, I.J. Kemp and H. Zhu **A** p409
Potential distribution along single negative creeping streamer in transformer oil. A. Saker and P. Atten **A** p375
Relationship between polarity of surface leader and contact angle on insulator with backing electrode under AC voltage application. Y. Yamano **A** p109

ARRAY PROCESSING

Beam scanning microstrip arrays using diodes. J.R. James, G.D. Evans and A. Fray **H** p43
Blind beamforming for non-Gaussian signals. J.F. Cardoso and A. Souloumiac **F** p362
Fast null steering algorithm for arbitrary two-dimensional power inversion arrays. C.C. Ko and J. Wen **H** p469
High-resolution array processing methods for joint direction-velocity estimation. N.W. Whinnett and A. Manikas **F** p114
Monopulse estimation with adaptive arrays. U. Nickel **F** p303
New algorithm for multitarget angle tracking. C.R. Rao, L. Zhang and L.C. Zhao **F** p335
Parallel DFT computation on bit-serial systolic processor arrays. K.J. Jones **E** p10
Performance analysis of the VIA-ESPRIT algorithm. M. Gavish and A.J. Weiss **F** p123
Radix-2^n multiplier structures: a structured design methodology. M.K. Ibrahim **E** p185
Reduced sampling rate beamforming technique and its hardware implementation. D.G. Powell and A.G.J. Holt **F** p209
Resolution of coherent sources by using spatial smoothing technique in power inversion arrays with random amplitude and phase errors. C.C. Ko and R. Bachl **F** p261
Self-testing approaches for VLSI arrays. W-K. Huang and F. Lombardi **E** p175
Simplified adaptive noise subspace algorithms for robust direction tracking. J.-F. Yang, H.-T. Wu and F.-K. Chen **F** p329
Space–time mapping, latency of data flow and concurrent error detection in systolic arrays. H.F. Li, C.N. Zhang and R. Jayakumar **E** p33
Speed optimised array architecture for flash EEPROMs. A.A.M. Amin **G** p177
Strongly fault-secure designs for arithmetic arrays. J.M. Tahir, S.S. Dlay, R.N. Gorgui-Naguib and O.R. Hinton **E** p341
Systolic MVDR beamforming with inverse updating. M. Moonen **F** p175
Two-dimensional angle-of-arrival estimation for uniform planar arrays with sensor position errors. Y.-M. Chen, J.-H. Lee and C.-C. Yeh **F** p37

BATTERIES AND CELLS

Environmental impacts of electricity generation: fuel cells. M.R. Fry **A** p40

BIOMEDICAL APPLICATIONS

New technique for 3D artery modelling by noninvasive ultrasound. M.S. Nixon and T.K. Hames **I** p86

BIPOLAR TRANSISTORS

Modelling and analysis of bridging faults in emitter-coupled logic (ECL) circuits. S.M. Menon, A.P. Jayasumana, Y.K. Malaiya and D.R. Clinkinbeard **E** p220
Theoretical prediction of the performance of Si and SiC bipolar transistors operating at high temperatures. J.J. Liou and A. Kager **G** p289

BREAKDOWN AND GAS DISCHARGES

Acoustic monitoring of partial discharges in gas insulated substations using optical sensors. J.A. Cosgrave, A. Vourdas, G.R. Jones, J.W. Spencer, M.M. Murphy and A. Wilson **A** p369
Approach to partial discharge development in closely coupled cavities embedded in solid dielectrics by the lumped capacitance model. D.P. Agoris and N.D. Hatziargyriou **A** p131

CABLES AND OVERHEAD LINES

Combined method based on inversion and charge simulation for calculating electric stresses in three-core belted cables. M. Abdel-Salam and A. Al-Shehri **C** p357
Effect of mixed convection on external thermal resistance of cables in air. G. Luoni **C** p160
Electrical ageing and testing of dielectric self-supporting cables for overhead power lines. S.M. Rowland and F. Easthope **A** p351
External thermal resistance of aerial bundled cables. V.T. Morgan **C** p65

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters. J.W. Spencer, G.R. Jones, B.E. Djakov and V. Bakardjiev **A** p271
Long-time operation of high breaking capacity fuses. D.A. Beaujean, P.G. Newbery and M.G. Jayne **A** p331
Measurements on stationary metal contacts under high charge injection rates. C.T. Dervos, C.G. Karagiannopoulos, P.D. Bourkas and C.A. Kagarakis **C** p167
Parasitic arcing in EHV circuit breakers. W.D. Liu, J. Chaaraoui, J.K. Wood, J.W. Spencer and G.R. Jones **A** p522

Residual current device with high immunity to nuisance tripping. P.V. Brennan G p140
Travelling-wave-based protection of double-circuit lines. M.H.J. Bollen C p37

CIRCUIT THEORY AND DESIGN

Ambient temperature effects on DC behaviour of GaAs MESFET devices. J. Rodriguez-Tellez and B. Stothard G p305
Analytically extracted ZTC point for GaAs MESFET. P.K. Ojala and K.K. Kaski G p424
Design and analysis of a high-speed sense amplifier for single-transistor non-volatile memory cells. A.A.M. Amin G p117
Design of biquad filters with a single current follower. S.-I. Liu, J.-J. Chen, H.-W. Tsao and J.-H. Tsay G p165
Double and triple charge pump for power IC: ideal dynamical models to an optimised design. G. Di Cataldo and G. Palumbo G p33
Equivalent circuit for a GaAs CCD. S. Pennathur and H.H.L. Kwok G p377
Fundamental topologies of three-phase LC resonators and their applications for oscillators. R. Rabinovici, B.Z. Kaplan and D. Yardeni G p148
Graphical block-diagram based programming environment for a DSP silicon compiler. L.-G. Jeng, D.-Y. Bai and L.-G. Chen G p313
I_{DDQ} testing of oscillating bridging faults in CMOS combinational circuits. M. Roca, E. Sicard and A. Rubio G p39
Microprocessor systems diagnosis using a time-range approach. K.P. Lam E p1
Nonlinear circuit applications with current conveyors. S.-I. Liu, D.-S. Wu, H.-W. Tsao, J. Wu and J.-H. Tsay G p1
Performance enhancement of single-phase switched-reluctance motor by DC link voltage boosting. S. Chan and H.R. Bolton B p316
Power dissipation models and performance improvement techniques for CMOS inverters with RC line and tree interconnections. H.-C. Tang and M.-C. Shiau G p437
Statistical and behavioural modelling of analogue integrated circuits. T. Koskinen and P.Y.K. Cheung G p171
Structural technique for fault-masking in asynchronous interfaces. A. Yakovlev E p81
Symbolic analysis of electronic circuits based on a tree enumeration technique. M. Sharif-Bakhtiar and M. Ali Ahmad G p68
Systematic method for synthesising purely delay-insensitive circuits. C.G. Huang, C.R. Jesshope and I.M. Nedelchev E p269

CLOSED-LOOP SYSTEMS

Repetitive and periodic controller design. G.F. Ledwich and A. Bolton D p19
Unifying approach to observers for regular and singular systems. M. Hou and P.C. Müller D p140

CODES AND DECODING

3-D motion estimation of human head for model-based image coding. T. Fukuhara and T. Murakami I p26
Analysis of an optical code division multiple access scheme employing Gold sequences. S. Benedetto and G. Olmo I p211
Codeword synchronisation of CCMA scheme. J. Ni I p425
Comparison of pitch prediction and adaptation algorithms in forward and backward adaptive CELP systems. H. Chen, W.C. Wong and C.C. Ko I p240
Cryptanalysis of frequency domain analogue speech scramblers. B. Goldburg, S. Sridharan and E. Dawson I p235
Efficient multiplication algorithm over the finite fields $GF(q^m)$ where $q = 3, 5$. T.K. Truong, I.S. Reed and M.T. Shih E p92
Efficient simulation of multilevel and coded transmission systems. S. Bellini and C. Molinari I p365
Fast lattice-based gain-shape vector quantisation for image-sequence coding. D. Sampson and M. Ghanbari I p56
Finite state vector quantisation with neural network classification of states. C.N. Manikopoulos F p153
Frame replenishment coding over noisy channels. L. Zhang, S. Panchanathan and M. Goldberg I p144
High-speed Reed–Solomon decoder for correcting errors and erasures. C.-H. Wei, C.-C. Chen and G.-S. Liu I p246
Maximum-likelihood decoding of array codes with trellis structure. B. Honary, L. Kaya, G.S. Markarian and M. Darnell I p340
Moments of a crack coded blob. G.R. Wilson and B.G. Batchelor E p54
Multichannel adaptive forward error-correction system. M.A. Kousa and L.F. Turner I p357
Multilevel sequences and line codes. L. Botha, H.C. Ferreira and I. Broere I p255
New LSP encoding method based on two-dimensional linear prediction. C.-C. Kuo, F.-R. Jean and H.-C. Wang I p415
New class of runlength-limited error-control codes with minimum distance 4. A. Popplewell and J.J. O'Reilly I p104
New parity retransmission system using product codes. R.H. Deng I p351
Predictive image coding using multiresolution multiplicative autoregressive models. S. Burgett and M. Das I p127
Subcodebook searching algorithm for efficient VQ encoding of images. K-T. Lo and W-K. Cham I p327
Successive-erasure decoding of RS-coded MPSK schemes in a Rayleigh fading channel. S.H. Jamali and T. Le-Ngoc I p152
System state-independent-unique-decodable CCMA codes. J. Ni and B. Honary I p185
The code-breaking computers of 1944:. A p237
Theory and design of multidimensional QMF sub-band filters from 1-D filters and polynomials using transforms. I.A. Shah and A.A.C. Kalker I p67
Time domain algorithms and architectures for Reed–Solomon decoding. S. Choomchuay and B. Arambepola I p189
Trellis in-loop PARCOR coefficients quantiser for speech signals. K.W. Law and C.F. Chan I p321
Two-level decoding of (32, 16, 8) quadratic residue code. J. Yuan, C.S. Chen and S. Ma I p409
Type-II hybrid ARQ protocol using concatenated codes. G. Benelli and A. Garzelli I p346
Windowed Huffman coding algorithm with size adaptation. H.-C. Huang and J.-L. Wu I p109

COMMUNICATION SYSTEMS THEORY

Analysis of an optical code division multiple access scheme employing Gold sequences. S. Benedetto and G. Olmo I p211
Blocking, hand-off and traffic performance for cellular communication systems with mixed platforms. S.S. Rappaport I p389
CSMA/CD protocol for time-constrained communication on bus networks. R.-H. Jan and Y.-J. Yeh I p197
Digital signal processing for optimum wideband channel estimation in the presence of noise. T. Felhauer F p179
Flow control methodology for virtual-circuit networks. S. Dey and P.K. Varshney I p494
Multichannel adaptive forward error-correction system. M.A. Kousa and L.F. Turner I p357
Multilayer perceptron based decision feedback equalisers for channels with intersymbol interference. M. Meyer and G. Pfeiffer I p420
Type-II hybrid ARQ protocol using concatenated codes. G. Benelli and A. Garzelli I p346
Waiting time probabilities in a statistical multiplexer with priorities. J.A. Schormans, E.M. Scharf and J.M. Pitts I p301
Waveform division multiple-access. A.B. Sesay, P.C. Yip and K.M. Wong I p176

COMPUTER APPLICATIONS

Concurrent simulation of reactor core dynamics. A.W. Burton and K. Malinowski D p205
Microprocessor systems diagnosis using a time-range approach. K.P. Lam E p1

COMPUTER SIMULATION

Competitive bidding in electricity supply. A.K. David C p421
Mapping single and multiple multilevel structures onto the hypercube. S.G. Ziavras E p115
On simulation of the cathodic protection of extended buried conductor networks. H.-J. Haubrich and W. Machczyński B p337
Using Weibull density function in importance sampling for digital communication system simulation. Y.-Y. Wang and C.-C. Lu I p163

COMPUTER-AIDED DESIGN

Binary-tree timing simulation with consideration of internal charges. J.J.H. Wang, M. Chang and W.S. Feng E p211
General-purpose parallel hardware approach to the routing problem of VLSI layout. V.K. Sagar and R.E. Massara G p294
Graphical block-diagram based programming environment for a DSP silicon compiler. L.-G. Jeng, D.-Y. Bai and L.-G. Chen G p313

CONDUCTORS AND CONDUCTIVITY

Analysis of foundation grounding systems with external loops and rods. M.B. Kostic C p73

CONTROL EQUIPMENT AND APPLICATIONS

Controller design for a sensorless permanent-magnet synchronous drive system. T.-H. Liu and C.-P. Cheng B p369
Robust servo design with applications. M. Saif D p87

CONTROL SYSTEMS

Characteristic equation and parametric behaviour of single-pumping periodic systems. S.K. Das and P.K. Rajagopalan D p283
Conditioning technique for multiinput multioutput processes with input saturation. K.S. Walgama and J. Sternby D p231
Control limits consideration in discrete control system design. G.P. Chen, O.P. Malik and G.S. Hope D p413
Decentralised feedback controllers for uncertain interconnected dynamic systems. H. Trinh and M. Aldeen D p429
Design of a periodic feedback control law for systems with higher dimension. S.E. Mentzelopoulou, G.E. Antoniou and N.J. Theodorou D p225
Direct adaptive output tracking control using multilayered neural networks. L. Jin, P.N. Nikiforuk and M.M. Gupta D p393
Discrete sliding control of a coupled-drives apparatus with optimal sliding surface and switching gain. J.K. Pieper and B.W. Surgenor D p70
On designing controllers for a class of uncertain sampled-data nonlinear systems. L. Xie, P. Shi and C.E. de Souza D p119
Reinforcement learning control of unknown dynamic systems. Q.H. Wu and A.C. Pugh D p313
Repetitive and periodic controller design. G.F. Ledwich and A. Bolton D p19
Robust adaptive control of time-varying linear plants using polynomial approximation. X.Y. Gu and C. Shao D p111
Robust control design for discrete time linear uncertain systems with delayed control. UE. Gyurkovics D p423
Self-tuning control using the right-matrix-fraction innovation description. M.S. Ahmed D p399
Singular distributed parameter systems. Z. Trzaska and W. Marszalek D p305
Unified control strategy for back-to-back HVDC convertor stations. A.R. Wood, J. Arrillaga and A.R. Saavedra C p77
Use of kernels of bicausal operators in scalar gain-phase predictive control. A.O.T. Chang, B. Kouvaritakis and J.A. Rossiter D p127

CONTROL THEORY

Adaptive internal model for disturbance rejection and control. M. Palaniswami D p51
Automatic tuning of optimum PID controllers. M. Zhuang and D.P. Atherton D p216
Comparison of four methods of on-line identification and controller tuning. O. Taiwo D p323
Constrained stable generalised predictive control. J.A. Rossiter and B. Kouvaritakis D p243
Discrete optimal control with aggregative pole placement. G. Enea, J. Duplaix and M. Franceschi D p309
Generalised predictive control with end-point state weighting. H. Demircioğlu and D.W. Clarke D p275
High gain decentralised control. M. Hanmandlu and N.V. Suryanarayana D p255
Hybrid adaptive control for tracking of rigid-link flexible-joint robots. D.M. Dawson, Z. Qu and M.M. Bridges D p155
Identification of continuous-time SISO systems via Markov parameter estimation. A.V.B. Subrahmanyam and G.P. Rao D p1

Innovations system representation in the optimal LQG regulation problem. A. Casavola and E. Mosca **D** p79
LQG predictive optimal controller for continuous-time systems. M.J. Grimble **D** p181
Neighbouring optimal feedback law for linear time-delayed dynamical systems. A.Y. Lee **D** p339
Noniterative computation of infimum in H_∞ optimisation for plants with invariant zeros on the $j\omega$-axis. B.M. Chen and A. Saberi **D** p298
Robust low-order control design of a generic flexible test structure. C.-H. Goh **D** p167
Singular distributed parameter systems. Z. Trzaska and W. Marszalek **D** p305
Stabilisation of time-varying infinite delay control systems. A.S.C. Sinha **D** p60

CONVERTORS

Calculation of harmonics and interharmonics in HVDC schemes with low DC side impedance. L. Hu and R. Yacamini **C** p469
Class E resonant low *di/dt* rectifier. A. Ivaşcu, M.K. Kazimierczuk and Ş. Birca-Galateanu **G** p417
Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski **C** p477
Modelling a push–pull parallel resonant convertor using generalised state-space averaging. A.W. Green **B** p350
Modelling and analysis of a three phase PWM AC–DC convertor without current sensor. C.-T. Pan and T.-C. Chen **B** p201
Modular DC–DC convertor for high-output voltage applications. S.N. Manias and G. Kostakis **B** p97
New designs for a sign detector and a residue to binary convertor. A. Hiasat **G** p247
Nonlinear optimisation tool for the full-bridge zero-voltage-switched DC–DC convertor. A.W. Lotfi, Q. Chen and F.C. Lee **B** p289
Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold **C** p503
Peak power tracking in parallel connected convertors. K. Siri, V.A. Caliskan and C.Q. Lee **G** p106
Phase-modulated series–parallel resonant convertor with series load. M.K. Kazimierczuk and M.K. Jutty **B** p297
Steady-state and dynamic analyses of high-order parallel resonant convertors. O. Ojo and I. Bhat **B** p209
Step-up/down voltage PWM AC to DC convertor with one switching device. A. Mechi and S. Funabiki **B** p35
Use of multielement transformers in quasiresonant convertors. R. Williams, D.A. Grant and J. Gowar **B** p357

CYBERNETICS AND ROBOTICS

Adaptive compliant control for an inspection robot system. D.R. Broome, Q. Wang and A.R. Greig **D** p191
Generalised command matching for a robot gripping an inertial load. P.N. Paraskevopoulos, F.N. Koumboulis and K.G. Tzierakis **D** p373
Hybrid adaptive control for tracking of rigid-link flexible-joint robots. D.M. Dawson, Z. Qu and M.M. Bridges **D** p155
Using self-organising feature maps for the control of artificial organisms. N.R. Ball and K. Warwick **D** p176

DESIGN

Genetic algorithm for node partitioning problem and applications in VLSI design. R. Chandrasekharam, S. Subhramanian and S. Chaudhury **E** p255
Some recent developments in circular overmoded waveguide. W.A. Huting, J.W. Warren and J.A. Krill **H** p447

DETECTION

Designing distributed detection systems. R. Srinivasan **F** p191
Low complexity Viterbi detector for magnetic disc drives. N.H. Gottfried **E** p78
Manoeuvre detection and track correction by input estimation. Y.T. Chan and F. Couture **F** p21
Moving ordered statistics CFAR detection for nonhomogeneous backgrounds. C.-M. Cho and M. Barkat **F** p284
Performance of order-statistics CFAR detector with noncoherent integration in homogeneous situations. C.H. Lim and H.S. Lee **F** p291
Sensitivity enhancement of D-fibre methane gas sensor using high-index overlay. F.A. Muhammad, G Stewart and W. Jin **J** p115
Theoretical performance of a complex cross-correlator with Gaussian signals. K. Milne **F** p81

DIELECTRIC MATERIALS

Approach to partial discharge development in closely coupled cavities embedded in solid dielectrics by the lumped capacitance model. D.P. Agoris and N.D. Hatziargyriou **A** p131
Conditional artificial dielectrics: phase and amplitude response at microwave frequencies. H. Grebel and M. Jimenez **J** p232
Electrokinetic properties of metal–dielectric interfaces. T.J. Lewis, J.P. Llewellyn and M.J. van der Sluijs **A** p385
Evanescent wave coupling of whispering gallery modes of a dielectric cylinder. D.R. Rowland and J.D. Love **J** p177
Field and energy distribution of a dielectric tube inside a split cylinder. D. Kajfez and Y. Wu **H** p29
Potential distribution along single negative creeping streamer in transformer oil. A. Saker and P. Atten **A** p375
Traceable dielectric measurements by resonance methods in the frequency range 1–30 MHz. G.J. Hill **A** p382

DIGITAL CIRCUITS

Event-driven logic (EDL) approach to digital systems representation and related design processes. D.A. Pucknell **E** p119
Logic design based on negative differential resistance characteristics of quantum electronic devices. S. Mohan, P. Mazumder, G.I. Haddad, R.K. Mains and J.P. Sun **G** p383
Modelling and analysis of bridging faults in emitter-coupled logic (ECL) circuits. S.M. Menon, A.P. Jayasumana, Y.K. Malaiya and D.R. Clinkinbeard **E** p220
Two-segment bistability and basin structure in three-segment PWL circuits. V. Špány and L. Pivka **G** p61

DIGITAL COMMUNICATION SYSTEMS

Effects of modulator deficiencies and amplifier nonlinearities on the phase accuracy of GMSK signalling. A.E. Jones, T.A.H. Wilkinson and J.G. Gardiner **I** p157
Error control for low-bit-rate speech communication systems. S.A. Atungsiri, A.M. Kondoz and B.G. Evans **I** p97
Estimating the impulse response of indoor radio channels using signal subspace techniques. T. Lo, J. Litva and H. Leung **I** p203
HiMA: a hierarchical and modular ATM switch with partially shared output buffer. Z. Tsai, K. Yu and F. Lai **I** p429
Link augmented binary (LAB)-tree architecture. R. Mittal, B.N. Jain and R.K. Patney **E** p127
Multilayer perceptron based decision feedback equalisers for channels with intersymbol interference. M. Meyer and G. Pfeiffer **I** p420
Multilevel sequences and line codes. L. Botha, H.C. Ferreira and I. Broere **I** p255
Multipath fading effects on carrier recovery of BPSK signal in digital radio. G.-S. Liu and C.-H. Wei **I** p381
Sample rejection and importance sampling in the simulation of multidimensional signalling systems. N.C. Beaulieu, E. Biglieri and M. Lai **I** p445
Using Weibull density function in importance sampling for digital communication system simulation. Y.-Y. Wang and C.-C. Lu **I** p163

DIGITAL COMPUTERS AND COMPUTATION

Cellular logic bus arbitration. E.D. Adamides, P. Iliades, I. Argyrakis, Ph. Tsalides and A. Thanailakis **E** p289
Compilation of process algebra expressions into delay-insensitive circuits. C.R. Jesshope, I.M. Nedelchev and C.G. Huang **E** p261
Guaranteeing the period of linear recurring sequences (mod 2^n). A.D. Barnard, J.R. Silvester and W.G. Chambers **E** p243
Implementation issues of 2-dimensional polynomial multipliers for signal processing using residue arithmetic. A. Skavantzos and N. Mitash **E** p45

DIGITAL FILTERS

Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski **C** p477
Implementation of real coefficient two-dimensional denominator-separable digital filters based on decomposition techniques. D. Raghuramireddy and R. Unbehauen **G** p23
Improved design of digital filters satisfying a combined loss and delay specification. S. Lawson and T. Wicks **G** p223
Systolic realisation of delayed two-path linear phase FIR digital filters. H.K. Kwan **G** p75

DIODES

Beam scanning microstrip arrays using diodes. J.R. James, G.D. Evans and A. Fray **H** p43
Theoretical analysis of air bridging and back etching techniques on the shunt capacitance of planar subharmonic mixer diodes. J.A. Wells and N.J. Cronin **H** p474

EDDY CURRENTS

Geometrical approach to eddy-current systems. D. Baldomir and P. Hammond **A** p166
Low-frequency generalised solution for the shielding effectiveness of a multicoated system of coaxial cylindrical shells. Th.K. Liotopoulos, C.S. Antonopoulos and E.E. Kriezis **A** p257
Three-dimensional finite-element formulation for problems involving time-varying fields, relative motion, and magnetic saturation. S. Williamson and E.K.C. Chan **A** p121

EDUCATION AND TRAINING

The Electrical Association for Women, 1924–1986. L. Symons **A** p215

ELECTRICAL MACHINES

Induced current impedance imaging. W.R. Purvis, R.C. Tozer, D.K. Anderson and I.L. Freeston **A** p135
Method of magnetic sources applied to the basic configuration of a rotating electrical machine. R.L. Stoll, B. Bodner and A.H.N. Al-Khoury **B** p217
Twin rotor drive for an electric vehicle. D. Platt and B.H. Smith **B** p131

ELECTROMAGNETIC THEORY

Alternative derivation of the cascaded cylinder diffraction model. D.E. Eliades **H** p279
Computation of magnetic flux density and iron losses by Fourier-Bessel and Fourier-Laurent series in an electromagnetic vibration damper. F. Bernot, J.M. Kauffmann and M.T. Guichet **B** p18
Coupling of electromagnetic fields to coplanar striplines with discontinuities. S. Sali **H** p481
Explicit formulas for currents at branching long lines and for maximum of current amplitudes. N.G. Dokuchaev **A** p249
Field and energy distribution of a dielectric tube inside a split cylinder. D. Kajfez and Y. Wu **H** p29
Geometrical approach to eddy-current systems. D. Baldomir and P. Hammond **A** p166
Global geometry of electromagnetic systems. D. Baldomir and P. Hammond **A** p142
Hybrid technique for analysing scattering from periodic structures. G. Pelosi, A. Freni and R. Coccioli **H** p65
Numerical solutions of TM scattering using an obliquely Cartesian finite difference time domain algorithm. J.-F. Lee **H** p23
PPP method for analysis of electromagnetic fields in inhomogeneous media. B.D. Popović and B.M. Notaroš **H** p36
Spinning electric dipole model of ball lightning. V.G. Endean **A** p474

ENERGY CONVERSION AND STORAGE

Electricity generation in Central Europe. A.G. Wito, D.E. Macpherson and H.W. Whittington **C** p365

Energy, electricity and the environment. A.E. Wheldon and C.E. Gregory A p2
Environmental impacts of electricity generation: fuel cells. M.R. Fry A p40
Harmonic elimination by DC ripple reinjection in generator–convertor units operating at variable speeds. J. Arrillaga, L. Yonghe, C.S. Crimp and M. Villablanca C p57
Wind energy: an option for the UK?. J.A. Halliday A p53

ERRORS AND ERROR ANALYSIS

Analysis of floating point roundoff errors in the estimation of higher-order statistics. D. Hatzinakos F p371
Systematic errors in ground referenced geometric height monitoring. D.E. Manolakis and C.C. Lefas F p138

FAULT DETECTION

High-impedance fault detection system using an adaptive element model. C.J. Kim and B.D. Russell C p153
Structural technique for fault-masking in asynchronous interfaces. A. Yakovlev E p81
Travelling-wave-based protection of double-circuit lines. M.H.J. Bollen C p37

FAULT LOCATION

Self-purging redundancy with automatic threshold adjustment. H.M. Razavi G p233

FEEDBACK

High-gain stabiliser for a multimachine power system. M. Hanmandlu and N.V. Suryanarayana D p293
Output feedback variable structure controllers and state estimators for uncertain/nonlinear dynamic systems. S.H. Żak and S. Hui D p41
QR-decomposition decision feedback equalisation and finite-precision results. A.B. Sesay and M. Patton F p89
Stabilisation of time-varying infinite delay control systems. A.S.C. Sinha D p60

FERRITES AND FERROMAGNETICS

Effect of transient demagnetisation fields on coherent magnetic switching in ferrites. J.E. Dolan A p294

FILTERS AND FILTERING

Analysis of the digital MTI filter with random PRI. L. Vergara-Domínguez F p129
Applications of thin film reflecting coating technology to tungsten filament lamps. R.S. Bergman and T.G. Parham A p418
Chebyshev phase of IIR networks for pulse expanding. B.M. Djurich G p285
Design of biquad filters with a single current follower. S.-I. Liu, J.-J. Chen, H.-W. Tsao and J.-H. Tsay G p165
Digital signal processing for optimum wideband channel estimation in the presence of noise. T. Felhauer F p179
Discrete approximation of continuous-time systems: a survey. Z Kowalczuk G p264
Efficient computational procedure for the design of FIR digital filters using WLS technique. R.H. Yang and Y.C. Lim G p355
Electronically tunable filtering networks: theory, analysis and simulation. M.-Y. He, C. Wen and R.E. Bogner G p367
High-speed realisation of adaptive linear phase FIR digital filters. H.K. Kwan and Q.P. Li F p48
Improved parallel realisation of IIR adaptive filters. P.S.R. Diniz, J.E. Cousseau and A. Antoniou G p322
Insensitive voltage-mode and current-mode filters from commercially available transimpedance opamps. A. Fabre G p319
Log-domain filtering: an approach to current-mode filtering. D.R. Frey G p406
Low loss quasitransversal microwave filters with specified amplitude and phase characteristics. F. Huang H p433
Manoeuvre detection and track correction by input estimation. Y.T. Chan and F. Couture F p21
Measurement preprocessing for nonlinear target tracking. T.C. Wang and P.K. Varshney F p316
Model-matching approach to H^{∞} filtering. Y.S. Hung D p133
Novel approach to nonlinear/non-Gaussian Bayesian state estimation. N.J. Gordon, D.J. Salmond and A.F.M. Smith F p107
Odd-degree elliptic-function lower-sideband polylithic crystal filters. S.K.S. Lu G p91
Optimal convolution filters and an algorithm for the detection of wide linear features. M. Petrou I p331
Performance of output-modulator-structured linear almost periodically time-varying adaptive filter. H. Ding and M.M. Fahmy I p114
SME filter approach to multiple target tracking with radar measurements. C.R. Sastry and E.W. Kamen F p251
Spectral characteristics of coupled-waveguide Bragg-reflection tunable optical filter. J.-P. Weber J p275
Theory and design of multidimensional QMF sub-band filters from 1-D filters and polynomials using transforms. I.A. Shah and A.A.C. Kalker I p67
Very high sample rate digital filters using the δ operator. R.M. Goodall and B.J. Donoghue G p199

GENERATORS

Analysis of series-connected wound-rotor self-excited induction generator. A.S. Mostafa, A.L. Mohamadein and E.M. Rashad B p329
Comparative study on the performance of a commercially designed induction generator with induction motors operating as self excited induction generators. S.P. Singh, B. Singh and M.P. Jain C p374
Design optimisation of a superconducting AC generator. S.K. Safi and J.R. Bumby B p267
Excitation of isolated three-phase induction generator by a single capacitor. Y.H.A. Rahim B p44
High-performance reluctance generator. I. Boldea, Z.X. Fu and S.A. Nasar B p124
Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold C p503
Optimal coordination of shunt reactors to enhance system performance at light load operation. Z. Elrazaz and A.A. Al-Ohaly C p293
Partial discharges in HV machines; initial considerations for a PD specification. J.W. Wood, H.G. Sedding, W.K. Hogg, I.J. Kemp and H. Zhu A p409
Series self-excited HVDC generation. J. Arrillaga, S. MacDonald, N.R. Watson and S. Watson C p141
Steady-state analysis of parallel-operated self-excited induction generators. A.H. Al-Bahrani and N.H. Malik C p49

GRAPH THEORY AND TOPOLOGY

Probability, graphs and electrical networks. J.J. Narraway G p347

HAZARDS

Comparative health risks of electricity generating systems. D.J. Ball A p81
Developments in, and environmental impacts of, electricity generation from municipal solid waste and landfill gas combustion. A. Porteous A p86
Environmental costs of photovoltaics. R. Hill and A.E. Baumann A p76
SIMD matrix methods for detecting hazards in logic circuits. B.W. Heal and R.M.R. Page E p201

HISTORY

Andrew Crosse: Early nineteenth-century amateur of electrical science. R.F. Pocock A p187
Early history of the proximity fuze (1937–1940). R.W. Burns A p224
History of a single-phase high-voltage distribution system. G. Woodward A p207
Impact of electronic devices on electrical measurement. A.C. Lynch A p221
Telpherage and problems of innovation. C.A. Hempstead A p197
The 'Italian Navy coherer' affair: a turn-of-the-century scandal. V.J. Phillips A p175
The Electrical Association for Women, 1924–1986. L. Symons A p215
The code-breaking computers of 1944:. A p237

HYDROELECTRIC POWER GENERATION

Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold C p503

HYSTERESIS

Prediction of hysteresis losses produced by distorted flux in low-loss silicon–iron transformer core laminations. S. Ray C p229

IMAGE PROCESSING

3-D motion estimation of human head for model-based image coding. T. Fukuhara and T. Murakami I p26
Adaptive filter for two-dimensional Gabor transformation and its implementation. A. Teuner and B.J. Hosticka I p2
Classifying images using goal-seeking neural network architectures. A. de Carvalho, M.C. Fairhurst and D.L. Bisset I p12
Colour quantisation for colour texture analysis. J. Scharcanski, H.C. Shen and A.P. Alves da Silva E p109
Distributed propagation of a-priori constraints in a Bayesian network of Markov random fields. C.S. Regazzoni, V. Murino and G. Vernazza I p46
Fast lattice-based gain-shape vector quantisation for image-sequence coding. D. Sampson and M. Ghanbari I p56
Finite state vector quantisation with neural network classification of states. C.N. Manikopoulos F p153
Frame replenishment coding over noisy channels. L. Zhang, S. Panchanathan and M. Goldberg I p144
Image processing and its applications. M.C. Fairhurst I p1
Improved fractal geometry based texture segmentation technique. B.B. Chaudhuri, N. Sarkar and P. Kundu E p233
Moments of a crack coded blob. G.R. Wilson and B.G. Batchelor E p54
Neural model of Karhunen–Loève transform with application to adaptive image compression. H.M. Abbas and M.M. Fahmy I p135
Optimal convolution filters and an algorithm for the detection of wide linear features. M. Petrou I p331
Predictive image coding using multiresolution multiplicative autoregressive models. S. Burgett and M. Das I p127
Recognition of polyhedral objects using triangle pair features. K.C. Wong, Y. Cheng and J. Kittler I p72
Signal-processing based method for acquiring very high resolution images with multiple cameras and its theoretical analysis. T. Komatsu, K. Aizawa, T. Igarashi and T. Saito I p19
Skeletonisation as model-based feature detection. M.W. Wright and F. Fallside I p7
State space based adaptive control with pole restriction. M.S. Ahmed D p380
Subcodebook searching algorithm for efficient VQ encoding of images. K.-T. Lo and W.-K. Cham I p327
Theory and design of multidimensional QMF sub-band filters from 1-D filters and polynomials using transforms. I.A. Shah and A.A.C. Kalker I p67

INDUCTION MOTORS

Analysis of series-connected wound-rotor self-excited induction generator. A.S. Mostafa, A.L. Mohamadein and E.M. Rashad B p329
Analysis of the naturally commutated, convertor-fed induction motor drive system using a flux vector method. H.S. Chikwanda and H.R. Bolton B p401
Autocommissioning for voltage-referenced voltage-fed vector-controlled induction motor drives. M. Sumner and G.M. Asher B p187
Calculation of the impedance of rotor cage end rings. S. Williamson and M.A. Mueller B p51
Comparative study on the performance of a commercially designed induction generator with induction motors operating as self excited induction generators. S.P. Singh, B. Singh and M.P. Jain C p374
Design and implementation of a high performance induction motor servo drive. C.M. Liaw, F.J. Lin and Y.S. Kung B p241
Excitation of isolated three-phase induction generator by a single capacitor. Y.H.A. Rahim B p44
Numerical simulation for induction coil launcher using FE–BE method with hybrid potentials. J.H. Chang, E.B. Becker and M.D. Driga A p501
PWM-rectifier/voltage-source inverter without DC link components for induction motor drive. Y. Minari, K. Shinohara and R. Ueda B p363

Performance and simulation of a single-phase-to-2-phase cycloconvertor motor drive. V.S. Ramsden, G.P. Hunter and J. Zhang **B** p341
Selection of the excitation capacitor for dynamic braking of induction machines. A.H. Al-Bahrani and N.H. Malik **B** p1
Steady-state analysis of parallel-operated self-excited induction generators. A.H. Al-Bahrani and N.H. Malik **C** p49

INSTRUMENTATION AND MEASURING SCIENCE

Classical taxonomy: An holistic perspective of temperature measuring systems and instruments. I.A. Henderson and J. McGhee **A** p263
Comparison of open-field test sites used for radiated emission measurements. A.C. Marvin and J. Ahmadi **A** p161
Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski **C** p477
Electro-optical target system for position and speed measurement. S.-T. Lu, C. Chou, M.-C. Lee and Y.-P. Wu **A** p252
Impact of electronic devices on electrical measurement. A.C. Lynch **A** p221
Instrumental effects on spectrum measurement from a semiconductor diode biased below threshold. J. Chen, B. Luo, L. Wu and Y. Lu **J** p243
Lossless transmission and the measurement of insertion loss. J.R.G. Twisleton **H** p390
Measurements on birefringent fibres: COST 217 interlaboratory measurement campaign. H.H. Gilgen, N. Gisin, J. Pelayo, F. Villuendas, J.W. Burgmeijer, J. Vobian, U. Röpke, D. Bonnedal, P. Kiiveri and B. Walker **A** p479
Optical fibre current measurement system using liquid crystals and chromatic modulation. N.A. Pilling, R. Holmes and G.R. Jones **C** p351
Systematic errors in ground referenced geometric height monitoring. D.E. Manolakis and C.C. Lefas **F** p138
Theory of a novel high sensitivity optical fibre gyroscope. A. Yu and A.S. Siddiqui **J** p150
Timing sensitivity of (MMSE) linear and DF equalisation for digital magnetic recording channels. S. Roy and S.A. Raghavan **I** p169
Traceable dielectric measurements by resonance methods in the frequency range 1–30 MHz. G.J. Hill **A** p382

INSULATORS AND INSULATION

Charge deposition in gas filled channels with insulating walls. D.W. Auckland, S.M.F. Kabir and B.R. Varlow **A** p509
Electrokinetic properties of metal–dielectric interfaces. T.J. Lewis, J.P. Llewellyn and M.J. van der Sluijs **A** p385
Location of the prebreakdown region in a cross-linked polyethylene insulated cable. R.D. Naybour **A** p363
Practical life-assessment technique for aged transformer insulation. D.M. Allan **A** p404
Surface flashover sustained by electrostatic surface charge on epoxy resin insulator in SF_6. C.X. Wang, A. Wilson and M.W. Watts **A** p346
Ultrasonic agitation: Is it detrimental to the electrical properties of insulating oils. C. Vincent, J.-P. Crine and R.G. Olivier **A** p269
Water tree inception and its dependence upon electric field, voltage and frequency. J.C. Fothergill, A. Eccles, J.A. Houlgreave and L.A. Dissado **A** p397
Water treeing and dielectric loss of WTR-XLPE cable insulation. H. Faremo and E. Ildstad **A** p393

INTEGRATED CIRCUITS

Effective heuristic algorithms for VLSI circuit partition. L. Tao and Y.C. Zhao **G** p127
Event-driven incremental timing fault simulator. S.-J. Jou, S.-H. Chiou, Y.-S. Tao and W.-Z. Shen **G** p45
Methodology for efficiently inserting and condensing test points. M. Youssef, Y. Savaria and B. Kaminska **E** p154
Optimal tile partition for space region of integrated circuits geometry. P.-Y. Hsiao, C.-Y. Lin and P.-W. Shew **E** p145
Power dissipation models and performance improvement techniques for CMOS inverters with RC line and tree interconnections. H.-C. Tang and M.-C. Shiau **G** p437
Statistical and behavioural modelling of analogue integrated circuits. T. Koskinen and P.Y.K. Cheung **G** p171

LASERS

Effect of external reflectors on radiation profile of grating coupled surface emitting lasers. S.F. Yu, L.M. Zhang, R.G.S. Plumb and J.E. Carroll **J** p30
Effect of laser diode characteristics on the performance of an SCM–OFDM direct detection system. L. Chao **J** p392
Effect of phase noise on the evaluation of coherence of laser beam propagating through turbid medium. K. Arora and T.J. Harrison **J** p172
Frequency modulation characteristics of three-section DBR lasers. T. Sphicopoulos, A. Anastassiadou, I. Orfanos and C. Caroubalos **J** p201
Multimode analysis of self locked FM operation in laser diodes. W.M. Yee and K.A. Shore **J** p21
Optical switching in the twin-guide travelling-wave laser amplifier. D.M. Atkin and M.J. Adams **J** p296
Progress in optical functional devices using two-section laser diodes/amplifiers. H. Kawaguchi **J** p3
Quantum-mechanical model for realistic Fabry–Perot lasers. D.D. Marcenac and J.E. Carroll **J** p157
Radiative performance of strained-layer lasers. G. Jones, A. Ghiti, M. Silver, E.P. O'Reilly and A.R. Adams **J** p85

LIGHTING

Applications of electronic circuits in lighting. E.J.P. Mascarenhas **A** p435
Applications of thin film reflecting coating technology to tungsten filament lamps. R.S. Bergman and T.G. Parham **A** p418
Compact fluorescent lamps. A. Heidemann, S. Hien, E. Panofski and U. Roll **A** p429
Electrodeless lamps for lighting: a review. D.O. Wharmby **A** p465
Progress in high pressure sodium lamp technology. R. Geens and E. Wyner **A** p450
Review of metal-halide discharge-lamp development 1980–1992. M. Sugiura **A** p443
Spinning electric dipole model of ball lightning. V.G. Endean **A** p474

LIGHTNING AND LIGHTNING PROTECTION

Losses in tubular cylindrical conductors due to current surges, taking skin effect into account. J.L. Maksiejewski **A** p496
Shielding of field produced by lightning type current pulse through metallic cylinders. B.N. Das, N.V.S. Narasimha Sarma and B.K. Sinha **A** p517
Thermal response of bimetallic conductors under surge currents taking the skin effect into account. J.L. Maksiejewski **A** p338

LINEAR MOTORS

Dimensional analysis of the linear induction motor. D.J. de Groot **B** p273

LOAD AND VOLTAGE REGULATION

Decision tree approaches to voltage security assessment. T. Van Cutsem, L. Wehenkel, M. Pavella, B. Heilbronn and M. Goubin **C** p189
Fuzzy control of SMES for levelling load power fluctuation based on Lukasiewicz logic. S. Funabiki and T. Fujii **C** p91
New decomposition for 3-phase currents in power systems. J.L. Willems and D. Aeyels **C** p307
New technique for adaptive-frequency load shedding suitable for industry with private generation. M.M. ElKateb and M.F. Dias **C** p411
Voltage stability analysis of electric power systems with frequency dependent loads. M. Brucoli, M. la Scala, R. Sbrizzai and M. Trovato **C** p1
Voltage stability as affected by static load characteristics. C.D. Vournas and N.D. Krassas **C** p221
Voltage stability: analysis needs, modelling requirement, and modelling adequacy. M.K. Pal **C** p279

LOGIC

Canonical restricted mixed-polarity exclusive-OR sums of products and the efficient algorithm for their minimisation. L. Csanky, M.A. Perkowski and I. Schäfer **E** p69
Cellular logic bus arbitration. E.D. Adamides, P. Iliades, I. Argyrakis, Ph. Tsalides and A. Thanailakis **E** p289
Design of frequency-mode set-valued logic networks. T. Aoki, Y. Yuminaka and T. Higuchi **G** p191
Efficient output phase assignment algorithm for PLAs. W.-J. Hsu and W.-Z. Shen **G** p360
Event-driven logic (EDL) approach to digital systems representation and related design processes. D.A. Pucknell **E** p119
Fault effects in asynchronous sequential logic circuits. M.-D. Shieh, C.-L. Wey and P.D. Fisher **E** p327
Multilevel logic synthesis for PAL devices. M. Pearce **E** p313
Reed–Muller universal logic module networks. L. Xu, A.E.A. Almaini, J.F. Miller and L. McKenzie **E** p105
SIMD matrix methods for detecting hazards in logic circuits. B.W. Heal and R.M.R. Page **E** p201
Synthesis for Reed–Muller directed acyclic graph network. H. Wu, N. Zhuang and M.A. Perkowski **E** p357
Two-level logic circuits using EXOR sums of products. J. Saul, B. Eschermann and J. Froessl **E** p348

LONG-TERM PLANNING

Environmental impacts of electricity generation: some public policy dimensions. J. Chesshire **A** p47

MAGNETIC DEVICES AND PROPERTIES

Discrete modelling of magnetic cores including hysteresis, eddy current and anomalous losses. J.G. Zhu, S.Y.R. Hui and V.S. Ramsden **A** p317
Fast null steering algorithm for arbitrary two-dimensional power inversion arrays. C.C. Ko and J. Wen **H** p469
Major design parameters of a solid canned permanent magnet motor with skewed magnets. K.J. Binns, F.B. Chaaban and A.A.K. Hameed **B** p161
Saturated permeance of identically, doubly-slotted magnetic structures. G. Qishan and Z. Jimin **B** p323

MAGNETIC FIELDS

First-generation SQUID-based nondestructive testing system. A. Cochran, G.B. Donaldson, S. Evanson and R.J.P. Bain **A** p113

MANUFACTURING

Digitally tunable MOS-current mirrors for high precision applications. J. Ramírez-Angulo **G** p145

MATHEMATICAL TECHNIQUES

Accuracy of high-order Yule–Walker methods for frequency estimation of complex sine waves. T. Söderström and P. Stoica **F** p71
Algorithms for operation scheduling in VLSI circuit design. P. Civera, G. Masera, G. Piccinini and M. Zamboni **G** p339
Alleviation of line overloads and voltage violations by corrective rescheduling. P.R. Bijwe, D.P. Kothari and L.D. Arya **C** p249
Analytical algorithm for constraint relaxation in LP-based optimal power flow. S. Zhang and M.R. Irving **C** p326
Blind deconvolution of coloured signals based on higher-order cepstra and data fusion. A.P. Petropulu and C.L. Nikias **F** p356
Compilation of process algebra expressions into delay-insensitive circuits. C.R. Jesshope, I.M. Nedelchev and C.G. Huang **E** p261
Concurrent simulation of reactor core dynamics. A.W. Burton and K. Malinowski **D** p205
DSP-based algorithm for electric power measurement. J.-C. Montaño, A. López, M. Castilla and J. Gutierrez **A** p485
Decomposed three-phase power flow solution using the sequence component frame. K.L. Lo and C. Zhang **C** p181
Decomposition method for minimisation of Reed–Muller polynomials in mixed polarity. A. Tran and J. Wang **E** p65
Differential delay-Doppler estimation using second- and higher-order ambiguity functions. A.V. Dandawaté and G.B. Giannakis **F** p410
Discrete optimal control with aggregative pole placement. G. Enea, J. Duplaix and M. Franceschi **D** p309
Distributed parameter analysis of dark *I–V* characteristics of the solar cell: estimation of equivalent lumped series resistance and diode quality factor. A. Vishnoi, R. Gopal, R. Dwivedi and S.K. Srivastava **G** p155
Distributions of particle displacements via higher-order moment functions. D.R. Brillinger **F** p390
Efficient multiplication algorithm over the finite fields $GF(q^m)$ where $q = 3, 5$. T.K. Truong, I.S. Reed and M.T. Shih **E** p92

Efficient output phase assignment algorithm for PLAs. W.-J. Hsu and W.-Z. Shen **G** p360
Fast AC train emergency rescheduling using an event driven approach. C.S. Chang, S.L. Ho, T.T. Chan and K.K. Lee **B** p281
Fast algorithm for solving hybrid integral equations. C.C. Lu and W.C. Chew **H** p455
Fast null steering algorithm for arbitrary two-dimensional power inversion arrays. C.C. Ko and J. Wen **H** p469
Faster line detection algorithms on enhanced mesh connected arrays. Y. Pan and H.Y.H. Chuang **E** p95
Flow control methodology for virtual-circuit networks. S. Dey and P.K. Varshney **I** p494
General-purpose parallel hardware approach to the routing problem of VLSI layout. V.K. Sagar and R.E. Massara **G** p294
Generalisation of tri-state map and a composition method for minimisation of Reed–Muller polynomials in mixed polarity. A. Tran and E Lee **E** p59
Genetic algorithm for node partitioning problem and applications in VLSI design. R. Chandrasekharam, S. Subhramanian and S. Chaudhury **E** p255
Homotopy methods for the solution of general modified algebraic Riccati equations. S. Richter, A.S. Hodel and P.G. Pruett **D** p449
Hybrid learning algorithm for Gaussian potential function networks. C.-L. Chen, W.-C. Chen and F.-Y. Chang **D** p442
Implementation issues of 2-dimensional polynomial multipliers for signal processing using residue arithmetic. A. Skavantzos and N. Mitash **E** p45
Improvement on state formulation, stratification and estimation in Monte Carlo production cost simulation. S.L. Chen and S.R. Huang **C** p439
Innovations system representation in the optimal LQG regulation problem. A. Casavola and E. Mosca **D** p79
Low-angle radar tracking using radial basis function neural network. T. Wong, T. Lo, H. Leung, J. Litva and E. Bosse **F** p323
Mapping single and multiple multilevel structures onto the hypercube. S.G. Ziavras **E** p115
Measurement preprocessing for nonlinear target tracking. T.C. Wang and P.K. Varshney **F** p316
Minimal realisation of recursive and nonrecursive three-dimensional systems. P.N. Paraskevopoulos and K.H. Kiritsis **G** p187
Model conversions of uncertain linear systems using the pade and inverse-pade method. L.S. Shieh, J. Gu and Y.L. Bao **D** p455
Model reduction of linear continuous systems using weighted impulse response Gramians. V. Sreeram and P. Agathoklis **D** p345
Modelling a push–pull parallel resonant convertor using generalised state-space averaging. A.W. Green **B** p350
New algorithm for multitarget angle tracking. C.R. Rao, L. Zhang and L.C. Zhao **F** p335
New algorithms for hyperbolic radionavigation. A.J. Fisher **F** p145
New high-speed prime-factor algorithm for discrete Hartley transform. P.K. Meher, J.K. Satapathy and G. Panda **F** p63
Noniterative computation of infimum in H_∞ optimisation for plants with invariant zeros on the $j\omega$-axis. B.M. Chen and A. Saberi **D** p298
Nonuniform sampling specifically for finite-length data. M.R. Belmont **F** p55
Note on Prony's method. D.B. Choate and J.B.Y. Tsui **F** p103
Novel decoupled load flow method. M.H. Haque **C** p199
Optimal convolution filters and an algorithm for the detection of wide linear features. M. Petrou **I** p331
PID autotuning algorithm based on relay feedback. A. Leva **D** p328
Performance analysis of the l_2 norm back propagation algorithm for adaptive equalisation. S. Siu and C.F.N. Cowan **F** p43
Radar cross-section of dielectric-coated conducting cylinder loaded with periodic metallic strips using mixed SDM, CGM and FFT : TE incidence. W. Hong and Z. Zhu **H** p373
Recursive technique for computation of Gramians. V. Sreeram **D** p160
Reed–Muller universal logic module networks. L. Xu, A.E.A. Almaini, J.F. Miller and L. McKenzie **E** p105
Robust estimation of third-order cumulants in applications of higher-order statistics. A.K. Nandi **F** p380
Roll loop design for bank-to-turn guidance by polynomial methods. N.E. Parkes, A.P. Roberts and H. Wilson **D** p435
Sensitive differential method for the extraction of the mobility variation in uniformly degraded MOS transistors. O. Roux-dit-Buisson, G. Ghibaudo and J. Brini **G** p123
Simplified adaptive noise subspace algorithms for robust direction tracking. J.-F. Yang, H.-T. Wu and F.-K. Chen **F** p329
Simulated annealing based economic dispatch algorithm. K.P. Wong and C.C. Fung **C** p509
Solution of linear systems of equations in the presence of two transient hardware faults. P. Fitzpatrick and C.C. Murphy **E** p247
Steady-state mathematical models of convertors with biparametric regulation. G. Carpinelli, F. Gagliardi, A. Sturchio and M. Russo **C** p105
Subcodebook searching algorithm for efficient VQ encoding of images. K-T. Lo and W-K. Cham **I** p327
Synthesis of the general linear stationary stochastic process. J.M. De Freitas and M.A. Player **F** p187
Systolic MVDR beamforming with inverse updating. M. Moonen **F** p175
Three-layer router for channels with constrained terminals. R.J. Detry and A.P. Jayasumana **E** p333
Two-dimensional angle-of-arrival estimation for uniform planar arrays with sensor position errors. Y.-M. Chen, J.-H. Lee and C.-C. Yeh **F** p37
Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material. N. Mohsenian, T.J. Delph and D.M. Bolle **H** p219
Two-level decoding of (32, 16, 8) quadratic residue code. J. Yuan, C.S. Chen and S. Ma **I** p409
Two-level logic circuits using EXOR sums of products. J. Saul, B. Eschermann and J. Froessl **E** p348
Use of linear and nonlinear algorithms in the acceleration of doubly infinite Green's function series. S. Singh and R. Singh **H** p452
Useful path-independent integrals associated with TEM-mode transmission lines and a procedure for computation of rate of variation of capacitance with a cross-sectional dimension. K.D. Patil, S.K. Maiti and S. Mahapatra **H** p107
Using Weibull density function in importance sampling for digital communication system simulation. Y.-Y. Wang and C.-C. Lu **I** p163
Windowed Huffman coding algorithm with size adaptation. H.-C. Huang and J.-L. Wu **I** p109

MICROPROCESSORS

Cellular logic bus arbitration. E.D. Adamides, P. Iliades, I. Argyrakis, Ph. Tsalides and A. Thanailakis **E** p289
Datapath synthesis using onchip multiport memories. I. Ahmad and C.Y.R. Chen **E** p227
Testing check bits at no cost in RAMs with on-chip ECC. P. Ramanathan, K.K. Saluja and M. Franklin **E** p304

MICROSTRIP AND STRIPLINE

Analysis of quadrifilar resonant printed helical antenna for mobile communications. A. Sharaiha and C. Terret **H** p269
Analysis of the effects of septum thickness on impedance and fields of TEM mode inside an asymmetric TEM cell. S.K. Das and B.N. Das **H** p347
Hybrid quasistatic analysis of multilayer microstrip lines. C.N. Chang and J.F. Cheng **H** p79
Studies of edge current densities in regular and superconducting microstrip lines of finite thickness. S. Safavi-Naeini, R. Faraji-Dana and Y.L. Chow **H** p361
Synthesis of eight-port comparator circuits using Dicke's methods. G.P. Riblet **H** p274
Useful path-independent integrals associated with TEM-mode transmission lines and a procedure for computation of rate of variation of capacitance with a cross-sectional dimension. K.D. Patil, S.K. Maiti and S. Mahapatra **H** p107

MICROWAVE ACTIVE COMPONENTS

Unified small-signal-noise model for active microwave devices. Z.R. Hu, Z.M. Yang, V.F. Fusco and J.A.C. Stewart **G** p55

MICROWAVE CIRCUITS AND NETWORKS

CAD oriented method for noise analysis of microwave circuits described by the nodal admittance matrix. J.A. Dobrowolski **H** p321
Concurrent global optimisation for microwave-device parameter estimation. P.A. Linden and V.F. Fusco **H** p71
Frequency-domain-continuation intermodulation-balance method for the analysis of nonlinear microwave circuits with multifrequency excitations. X. Zeng **H** p259
Nonreciprocal electromagnetic properties of composite chiral-ferrite media. C.M. Krowne **H** p242
RACE R2005: microwave optical duplex antenna link. J.J. O'Reilly, P.M. Lane, M.H. Capstick, H.M. Salgado, R. Heidemann, R. Hofstetter and H. Schmuck **J** p385

MICROWAVE PASSIVE COMPONENTS

Tchebyshev approximation method for Salisbury screen design. J.-C. Liu, S.-S. Ho, S.-S. Bor and P.-C. Lu **H** p414

MILLIMETRE WAVE DEVICES AND COMPONENTS

Admittance characteristics of narrow radiating slots in nonradiating dielectric waveguide. C.J. Reddy, A. Ittipiboon and M. Cuhaci **H** p407
Nonreciprocal electromagnetic properties of composite chiral-ferrite media. C.M. Krowne **H** p242

MODULATION

Analogue intensity modulation schemes for optical fibre HDTV transmission. J.M. Senior, D.T. Lambert and D.W. Faulkner **J** p417
Cascade pseudomultibit noise shaping modulators. V.F. Dias and V. Liberali **G** p237
Effect of laser diode characteristics on the performance of an SCM–OFDM direct detection system. L. Chao **J** p392
Effects of modulator deficiencies and amplifier nonlinearities on the phase accuracy of GMSK signalling. A.E. Jones, T.A.H. Wilkinson and J.G. Gardiner **I** p157
Efficient simulation of multilevel and coded transmission systems. S. Bellini and C. Molinari **I** p365
Error performance of coded SFH/DPSK in tone interference and AWGN. Q. Chen, Q. Wang, V.K. Bhargava and L.J. Mason **I** p262
Measurement of low frequency electric field using Ti : $LiNbO_3$ optical modulator. Y.-K. Choi, M. Sanagi and M. Nakajima **J** p137
New multibit delta–sigma modulator structure with reduced sensitivity to the D/A conversion error. N. Tan and S. Eriksson **G** p444
Novel broadband travelling wave light intensity modulator. T. Chattopadhyay, M. Bhattacharya and M. Nakajima **J** p189
Optimal and suboptimal detection of optical fibre digital PPM. R.A. Cryan and R.T. Unwin **J** p367
Performance evaluation of concatenated coding schemes on multilevel QAM signalling in non-Gaussian products environment. C.E. Dimakis, S.S. Kouris and S.K. Avramis **I** p269
Phase distributions of Rayleigh faded signal with selection diversity reception. F. Adachi and T.T. Tjhung **I** p308
Pulse time modulation techniques for optical communications: a review. B. Wilson and Z. Ghassemlooy **J** p347
Soliton pulse-position modulation. J.M. Arnold **J** p359
Temperature drift of modulation characteristics in semiconductor lasers. D.F. Zaitsev **J** p227
Triple modulation technique applicable to microwave spectrometers with cavity gas cell. Z. Zhu, C. Gibson, A.H. Samuel and I.P. Matthews **H** p141

MOTORS

Ball-bearing motors. D.B. Watson, M.R. Williams and C.S. Crimp **A** p281
Design of brushless DC position servo systems using integral variable structure approach. T.-L. Chern and Y.-C. Wu **B** p27
Design of currents to reduce torque ripple in brushless permanent magnet motors. J.Y. Hung and Z. Ding **B** p260
Partial discharges in HV machines; initial considerations for a PD specification. J.W. Wood, H.G. Sedding, W.K. Hogg, I.J. Kemp and H. Zhu **A** p409
Torque computation by mean and difference potentials. E.S. Hamdi, A.F. Licariao-Nogueira and P.P. Silvester **A** p151

MULTIVARIABLE CONTROL SYSTEMS

H_∞ multivariable-control-law synthesis. M.J. Grimble **D** p353
Multivariable stable generalised predictive control. B. Kouvaritakis and J.A. Rossiter **D** p364
Singular-value-decomposition approach to multivariable generalised predictive control. B. Kouvaritakis, J.A. Rossiter and A.O.T. Chang **D** p145

NETWORKS

Asymptotic stability of equilibrium points in dynamical neural networks. R. Perfetti **G** p401
Bit-serial systolic array implementation of a multilayer perceptron. P. Murtagh, A.C. Tsoi and N. Bergmann **E** p277
CSMA/CD protocol for time-constrained communication on bus networks. R.-H. Jan and Y.-J. Yeh **I** p197
Classifying images using goal-seeking neural network architectures. A. de Carvalho, M.C. Fairhurst and D.L. Bisset **I** p12
Design of frequency-mode set-valued logic networks. T. Aoki, Y. Yuminaka and T. Higuchi **G** p191
Finite state vector quantisation with neural network classification of states. C.N. Manikopoulos **F** p153
Flow control methodology for virtual-circuit networks. S. Dey and P.K. Varshney **I** p494
HiMA: a hierarchical and modular ATM switch with partially shared output buffer. Z. Tsai, K. Yu and F. Lai **I** p429
Hybrid learning algorithm for Gaussian potential function networks. C.-L. Chen, W.-C. Chen and F.-Y. Chang **D** p442
Minimising the energy of active contour model using a Hopfield network. C.-T. Tsai, Y.-N. Sun and P.-C. Chung **E** p297
Multilayer perceptron based decision feedback equalisers for channels with intersymbol interference. M. Meyer and G. Pfeiffer **I** p420
Neural network approach to spectral estimation of harmonic processes. G. Martinelli and R. Perfetti **G** p95
On simulation of the cathodic protection of extended buried conductor networks. H.-J. Haubrich and W. Machczyński **B** p337
Performance analysis of a dynamic priority scheduling method in ATM networks. T.-Y. Huang and J.-L.C. Wu **I** p285
Trans: a reliable broadcast protocol. P.M. Melliar-Smith and L.E. Moser **I** p481
Unidirectional cube connected cycles. S. Bhattacharya, Y.-H. Choi and W.-T. Tsai **E** p191
Using self-organising feature maps for the control of artificial organisms. N.R. Ball and K. Warwick **D** p176

NOISE AND INTERFERENCE

Carrier wave interference and Loran-C receiver performance. D. Last and Y. Bian **F** p273
Error performance of coded SFH/DPSK in tone interference and AWGN. Q. Chen, Q. Wang, V.K. Bhargava and L.J. Mason **I** p262
Estimation of fundamental frequencies. F.M. Dommermuth **F** p162
Excess noise in heterodyne receivers. M. Schiess and B.S. Johansson **J** p217
Gaussian noise: prediction based on its value and *N* derivatives. N.M. Blachman **F** p98
Multichannel adaptive forward error-correction system. M.A. Kousa and L.F. Turner **I** p357
Optimum memoryless bandpass nonlinearities. N.M. Blachman **I** p436

NONDESTRUCTIVE TESTING

First-generation SQUID-based nondestructive testing system. A. Cochran, G.B. Donaldson, S. Evanson and R.J.P. Bain **A** p113

NONLINEAR OPTICS

Propagation characteristics of TE_0 waves in three-layer optical waveguides with self focusing and self defocusing nonlinear layers. S. Okafuji **J** p127
Soliton ultrafast all-optical mesh networks. A. Bononi, F. Forghieri and P.R. Prucnal **J** p285

NONLINEAR SYSTEMS

Direct adaptive output tracking control using multilayered neural networks. L. Jin, P.N. Nikiforuk and M.M. Gupta **D** p393
Global output tracking of polynomial reference signals for a class of single-input single-output nonlinear systems. A. Tornambè **D** p93
On designing controllers for a class of uncertain sampled-data nonlinear systems. L. Xie, P. Shi and C.E. de Souza **D** p119
Orthogonalised frequency domain Volterra model for non-Gaussian inputs. S.B. Kim and E.J. Powers **F** p402
Output feedback variable structure controllers and state estimators for uncertain/nonlinear dynamic systems. S.H. Żak and S. Hui **D** p41
Steady-state sinusoidal response of circuits with a nonlinear inductive element. S.R. Naidu and B.A. Souza **A** p287

NUMERICAL ANALYSIS

Discrete approximation of continuous-time systems: a survey. Z Kowalczuk **G** p264
Three-dimensional finite-element formulation for problems involving time-varying fields, relative motion, and magnetic saturation. S. Williamson and E.K.C. Chan **A** p121

OPTICAL AMPLIFIERS

Practical method for modelling the nonlinear behaviour of a travelling wave semiconductor optical amplifier. S. Ruiz-Moreno and J. Guitart **J** p39
Use of optical amplifiers to increase distribution capacity of optical analogue video systems. M.J. Pettitt **J** p404

OPTICAL CABLES

Arc control devices for use on all-dielectric self-supporting, optical cables. C.N. Carter **A** p357

OPTICAL SWITCHING

All-optical clock extraction using two-contact devices. P. Barnsley **J** p325
Architecture for large dilated optical TDM switching networks. D.K. Hunter, P.J. Legg and I. Andonovic **J** p337
Carrier-induced MESFET optical switches for photonic integration. D.K. Gautam and K. Ishida **J** p317
InP digital optical switch: key element for guided-wave photonic switching. J.-F. Vinchant, M. Renaud, M. Erman, J.L. Peyre, P. Jarry and P. Pagnod-Rossiaux **J** p301
Novel approaches to polarisation-independent switches. P. Granestrand **J** p291
Optical TDM switching architectures with reduced control complexity. D.K. Hunter and D.G. Smith **I** p220
Optical switching in the twin-guide travelling-wave laser amplifier. D.M. Atkin and M.J. Adams **J** p296
Properties of optical switching networks with passive or active space switches. L. Gillner **J** p309
Soliton ultrafast all-optical mesh networks. A. Bononi, F. Forghieri and P.R. Prucnal **J** p285

OPTICAL WAVEGUIDES

Highly accurate vector correction for optical waveguide propagation constants. T.M. Benson, P.C. Kendall, M.A. Matin and M.S. Stern **J** p93
Orthogonality relations for the eigenmodes of lossy anisotropic waveguides (fibres). A.B. Manenkov **J** p206
Propagation characteristics of TE_0 waves in three-layer optical waveguides with self focusing and self defocusing nonlinear layers. S. Okafuji **J** p127
Spectral characteristics of coupled-waveguide Bragg-reflection tunable optical filter. J.-P. Weber **J** p275

OPTICS

Acoustic monitoring of partial discharges in gas insulated substations using optical sensors. J.A. Cosgrave, A. Vourdas, G.R. Jones, J.W. Spencer, M.M. Murphy and A. Wilson **A** p369
Analysis of an optical code division multiple access scheme employing Gold sequences. S. Benedetto and G. Olmo **I** p211
Carrier-induced MESFET optical switches for photonic integration. D.K. Gautam and K. Ishida **J** p317
Electrical ageing and testing of dielectric self-supporting cables for overhead power lines. S.M. Rowland and F. Easthope **A** p351
Holographic prediction of ground multipath parameters from range gain patterns. K.H. Sayidmarie and A.A. Abbosh **H** p367
InP digital optical switch: key element for guided-wave photonic switching. J.-F. Vinchant, M. Renaud, M. Erman, J.L. Peyre, P. Jarry and P. Pagnod-Rossiaux **J** p301
Measurement of low frequency electric field using Ti : $LiNbO_3$ optical modulator. Y.-K. Choi, M. Sanagi and M. Nakajima **J** p137
Measurements on birefringent fibres: COST 217 interlaboratory measurement campaign. H.H. Gilgen, N. Gisin, J. Pelayo, F. Villuendas, J.W. Burgmeijer, J. Vobian, U. Röpke, D. Bonnedal, P. Kiiveri and B. Walker **A** p479
Monolithically integrated DWDM receiver. C. Cremer, N. Emeis, M. Schier, G. Heise and G. Ebbinghaus **J** p71
Multiplexing of fibre gyroscopes with square wave bias modulation. W. Jin and B. Culshaw **J** p213
Novel approaches to polarisation-independent switches. P. Granestrand **J** p291
Optimal and suboptimal detection of optical fibre digital PPM. R.A. Cryan and R.T. Unwin **J** p367
Optimised integrated CMOS optical receiver for optical interconnects. Y.-T. Huang **J** p107
Optimum beam launching conditions for graded index optical fibres: theory and practice. D. Su, A.A.B. Boechat and J.D.C. Jones **J** p221
Performance assessment of FM broadcast subcarrier-multiplexed optical systems. H.M. Salgado and J.J. O'Reilly **J** p397
Pulse propagation in a nonlinear optical fibre of parabolic index profile by direct numerical solution of the Gel'fand–Levitan integral equations. P.V. Frangos, D.J. Frantzeskakis and C.N. Capsalis **J** p141
Pulse time modulation techniques for optical communications: a review. B. Wilson and Z. Ghassemlooy **J** p347
RACE R2005: microwave optical duplex antenna link. J.J. O'Reilly, P.M. Lane, M.H. Capstick, H.M. Salgado, R. Heidemann, R. Hofstetter and H. Schmuck **J** p385
Soliton pulse-position modulation. J.M. Arnold **J** p359
Spectral characteristics of coupled-waveguide Bragg-reflection tunable optical filter. J.-P. Weber **J** p275
Theory of a novel high sensitivity optical fibre gyroscope. A. Yu and A.S. Siddiqui **J** p150

OPTIMAL CONTROL

Hybrid state-space self-tuning control of uncertain linear systems. L.S. Shieh, Y.J. Wang and J.W. Sunkel **D** p99

OPTIMISATION

Improved design of digital filters satisfying a combined loss and delay specification. S. Lawson and T. Wicks **G** p223
Multiple objective optimisation in a behavioural synthesis system. K.R. Baker, A.J. Currie and K.G. Nichols **G** p253
Noniterative computation of infimum in H_∞ optimisation for plants with invariant zeros on the $j\omega$-axis. B.M. Chen and A. Saberi **D** p298

OPTOELECTRONICS

Carrier-induced MESFET optical switches for photonic integration. D.K. Gautam and K. Ishida **J** p317
Complementary transistor technology for use in optoelectronic integrated circuits. P.A. Kiely, G.W. Taylor, D.P. Docter, P.A. Evaldsson, T.A. Vang, B. Tell and K.F. Brown-Goebeler **G** p279
Properties of optical switching networks with passive or active space switches. L. Gillner **J** p309
Soliton ultrafast all-optical mesh networks. A. Bononi, F. Forghieri and P.R. Prucnal **J** p285
Spectral characteristics of coupled-waveguide Bragg-reflection tunable optical filter. J.-P. Weber **J** p275

PHASING AND PHASE CONTROL

Effect of phase noise on the evaluation of coherence of laser beam propagating through turbid medium. K. Arora and T.J. Harrison **J** p172
New algorithms for hyperbolic radionavigation. A.J. Fisher **F** p145

PHYSICAL PROPERTIES

Fundamental topologies of three-phase LC resonators and their applications for oscillators. R. Rabinovici, B.Z. Kaplan and D. Yardeni **G** p148

PICTURE PROCESSING AND PATTERN RECOGNITION

3-D motion estimation of human head for model-based image coding. T. Fukuhara and T. Murakami **I** p26

Adaptive filter for two-dimensional Gabor transformation and its implementation. A. Teuner and B.J. Hosticka I p2
Graph–theoretical approach to colour picture segmentation and contour classification. T. Vlachos and A.G. Constantinides I p36
Image processing and its applications. M.C. Fairhurst I p1
New technique for 3D artery modelling by noninvasive ultrasound. M.S. Nixon and T.K. Hames I p86
Recognition of polyhedral objects using triangle pair features. K.C. Wong, Y. Cheng and J. Kittler I p72

PLASMAS

Behaviour of electromagnetically rotated arcs in gas heaters and circuit interrupters. J.W. Spencer, G.R. Jones, B.E. Djakov and V. Bakardjiev A p271

POWER ELECTRONICS

Analysis of LCI synchronous motor drives with finite DC link inductance. R.S. Colby, M.D. Otto and J.T. Boys B p379
Class D voltage-switching inverter with tapped resonant inductor. M.K. Kazimierczuk and T. Nandakumar B p177
Class E resonant low *di/dt* rectifier. A. Ivaşcu, M.K. Kazimierczuk and Ş. Birca-Galateanu G p417
New approach to switch modelling in the analysis of power electronic systems. S.A. Sudha, A. Chandrasekaran and V. Rajagopalan B p115
PWM-rectifier/voltage-source inverter without DC link components for induction motor drive. Y. Minari, K. Shinohara and R. Ueda B p363
Phase-shifting transformers in load flow and short-circuit analysis: modelling and control. R.D. Youssef C p331
Review of resonant link topologies for inverters. S.J. Finney, T.C. Green and B.W. Williams B p103
Solid-state medium voltage contactor. D. Gufflet and P. Malkin B p147
Theoretical spectra for narrow-band random PWM waveforms. J.T. Boys B p393
Vector analysis and control of advanced static VAR compensators. C. Schauder and H. Mehta C p299

POWER SYSTEM PROTECTION

Constrained frequency domain algorithms for determination of parameters of fundamental sinewave of signals. K.Fr. Eichhorn, T. Łobos and P. Ruczewski C p477
Design of variable structure power system stabilisers with desired eigenvalues in the sliding mode. M.L. Kothari, J. Nanda and K. Bhattacharya C p263
Estimation of equivalent models for emergency state control of interconnected power systems based on multistage recursive least-squares identification. X.-Y. Li and O.P. Malik C p319
Method for generation rescheduling and load shedding to alleviate line overloads using local optimisation. A. Shandilya, H. Gupta and J. Sharma C p337
New technique for adaptive-frequency load shedding suitable for industry with private generation. M.M. ElKateb and M.F. Dias C p411
Prediction of harmonic voltage distortion when a nonlinear load is connected to an already distorted supply. E. Duggan and R.E. Morrison C p161
Prediction of power system frequency response after generator outages using neural nets. M.B. Djukanovic, D.P. Popovic, D.J. Sobajic and Y.-H. Pao C p389
Small battery energy storage system. C.M. Liaw, T.H. Chen, S.J. Chiang, C.M. Lee and C.T. Wang B p7
Transient stability margin prediction using equal-area criterion. Y. Dong and H.R. Pota C p96

POWER SYSTEMS AND PLANT

Application of Newton optimal power flow to assessment of VAR control sequences on voltage security: case studies for a practical power system. Y.-Y. Hong, C.-M. Liao and T.-G. Lu C p539
Comparative health risks of electricity generating systems. D.J. Ball A p81
Critical-cluster identification in transient stability studies. Y. Xue and M. Pavella C p481
Decoupled power flow solution method for well-conditioned and ill-conditioned power systems. M.M.M. El-Arini C p7
Developments in, and environmental impacts of, electricity generation from municipal solid waste and landfill gas combustion. A. Porteous A p86
Distribution of zero sequence currents for earth faults occurring along a transmission line and proximity effects. J. Nahman and V. Dordević C p427
Electricity generation in Central Europe. A.G. Wito, D.E. Macpherson and H.W. Whittington C p365
Environmental assessment of combined heat and power projects. P. Mahi A p29
Environmental effects of hydropower schemes. T.L. Shaw A p20
Environmental impacts of electricity generation: fuel cells. M.R. Fry A p40
Estimation of equivalent models for emergency state control of interconnected power systems based on multistage recursive least-squares identification. X.-Y. Li and O.P. Malik C p319
Ferroresonance in power systems: chaotic behaviour. A.E.A. Araujo, A.C. Soudack and J.R. Marti C p237
Linear-programming-based decomposition method for optimal planning of transmission network investments. V.A. Levi and M.S. Calović C p516
Method for reliability analysis of industrial distribution systems. M.H.J. Bollen C p497
Modelling multiple injection bus in power system state estimation. C.N. Lu, R.C. Leou, C.L. Cheng and T.S. Rai C p455
Monte Carlo simulation model for multiarea generation system reliability studies. R. Billinton and L. Gan C p532
New contingency ranking technique incorporating a voltage stability criterion. G.B. Jasmon and L.H.C.C. Lee C p87
Online transient stability evaluation of interconnected power systems using pattern recognition strategy. C.S. Chang C p115
Operating characteristics of unit and group connected generator-HVDC converter schemes. J. Arrillaga, J.R. Camacho, S.J. MacDonald and C.P. Arnold C p503
Optical fibre current measurement system using liquid crystals and chromatic modulation. N.A. Pilling, R. Holmes and G.R. Jones C p351
Period-doubling route to chaos in an electrical power system. B. Lee and V. Ajjarapu C p490
Phase co-ordinate model for analysis of isolated power systems. N.R. Fahmi and R.C. Johnson C p123
Prediction of harmonic voltage distortion when a nonlinear load is connected to an already distorted supply. E. Duggan and R.E. Morrison C p161
Robust load–frequency controller design for power systems. Y. Wang, R. Zhou and C. Wen C p11
Role of fossil fuels in electricity generation and their environmental impact. A. Williams A p8
Role of the town and country planning system in controlling the development of electricity generating installations. J.E. Kellett A p94
Series self-excited HVDC generation. J. Arrillaga, S. MacDonald, N.R. Watson and S. Watson C p141
Small battery energy storage system. C.M. Liaw, T.H. Chen, S.J. Chiang, C.M. Lee and C.T. Wang B p7
Three phase harmonic modelling of power system loads. E.W. Palmer and G.F. Ledwich C p206
Two-stage power system distribution planning algorithm. V.H. Quintana, H.K. Temraz and K.W. Hipel C p17
Unsupervised/supervised learning concept for 24-hour load forecasting. M. Djukanovic, B. Babic, D.J. Sobajic and Y.-H. Pao C p311
Voltage stability analysis of electric power systems with frequency dependent loads. M. Brucoli, M. la Scala, R. Sbrizzai and M. Trovato C p1

POWER TRANSMISSION AND DISTRIBUTION

Decomposed three-phase power flow solution using the sequence component frame. K.L. Lo and C. Zhang C p181
Dispatch of capacitors on distribution system using dynamic programming. Y.-Y. Hsu and H.-C. Kuo C p433
Electrical ageing and testing of dielectric self-supporting cables for overhead power lines. S.M. Rowland and F. Easthope A p351
Environmental assessment of combined heat and power projects. P. Mahi A p29
Generating unit commitment in composite generation and transmission systems. M.E. Khan and R. Billinton C p404
High-impedance fault detection system using an adaptive element model. C.J. Kim and B.D. Russell C p153
History of a single-phase high-voltage distribution system. G. Woodward A p207
Monte Carlo approach to substation reliability evaluation. R. Billinton and G. Lian C p147
Pricing reactive power conveyance. Y.Z. Li and A.K. David C p174
Role of the town and country planning system in controlling the development of electricity generating installations. J.E. Kellett A p94
Vector analysis and control of advanced static VAR compensators. C. Schauder and H. Mehta C p299

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Energy, electricity and the environment. A.E. Wheldon and C.E. Gregory A p2
Environmental impacts of electricity generation: some public policy dimensions. J. Chesshire A p47
Pricing reactive power conveyance. Y.Z. Li and A.K. David C p174

PROCESS CONTROL

Area and performance comparison of pipelined RISC processors implementing different precise interrupt methods. C.-J. Wang and F. Emnett E p196
Hybrid signed digit logarithmic number system processor. T. Stouraitis and C. Chen E p205
PID autotuning algorithm based on relay feedback. A. Leva D p328

PROPAGATION IN RANDOM MEDIA

Calculation of absorption and dispersion spectra of atmospheric gases at millimetre-wavelengths. A.D. Papatsoris and P.A. Watson H p461
Effect of multipath fading on millimetre wave propagation: a field study. A.A. Ali and M.A. Alhaider H p343
Experimental characterisation of UHF radiowave propagation through forests. U.S. Şeker and A. Schneider H p329
Fourier transform path integral method: numerical technique for scalar scattering in inhomogeneous regions. R.D. Nevels, C. Huang and Z. Wu H p488
Propagation in eccentrically cladded anisotropic guides. P.G. Cottis J p119

PULSE-CODE MODULATION

Method for block synchronisation in optical PPM. H. Sugiyama J p377

QUANTUM ELECTRONICS

Logic design based on negative differential resistance characteristics of quantum electronic devices. S. Mohan, P. Mazumder, G.I. Haddad, R.K. Mains and J.P. Sun G p383

RADAR AND RADIONAVIGATION

Analysis of the digital MTI filter with random PRI. L. Vergara-Dominguez F p129
Carrier wave interference and Loran-C receiver performance. D. Last and Y. Bian F p273
Differential delay-Doppler estimation using second- and higher-order ambiguity functions. A.V. Dandawaté and G.B. Giannakis F p410
Fractal characterisation of sea-scattered signals and detection of sea-surface targets. T. Lo, H. Leung, J. Litva and S. Haykin F p243
ICA-based technique for radiating sources estimation: application to airport surveillance. E. Chaumette, P. Comon and D. Muller F p395
Integrated model for simulation of dual linear polarisation radar measurement fields. D. Giuli, L. Facheris and A. Freni F p223
Low-angle radar tracking using radial basis function neural network. T. Wong, T. Lo, H. Leung, J. Litva and E. Bosse F p323
Measurement preprocessing for nonlinear target tracking. T.C. Wang and P.K. Varshney F p316
Monopulse estimation with adaptive arrays. U. Nickel F p303
Moving ordered statistics CFAR detection for nonhomogeneous backgrounds. C.-M. Cho and M. Barkat F p284
New algorithms for hyperbolic radionavigation. A.J. Fisher F p145
Nonbiased geometric centroid for high resolution radar angle tracking. Y.A. Alsaka, L.A. Young and M. Hamid F p297
Performance of order-statistics CFAR detector with noncoherent integration in homogeneous situations. C.H. Lim and H.S. Lee F p291
Radar target scattering matrix measurement through orthogonal signals. D. Giuli, M. Fossi and L. Facheris F p233

Resolving revolutions: imaging and mapping by modern radar. R. Voles **F** p1
SME filter approach to multiple target tracking with radar measurements. C.R. Sastry and E.W. Kamen **F** p251
Short-range sea clutter in horizon search radar systems: antenna pattern effects. J.P. Reilly and W.E. Snelling **F** p309
Synthesis of eight-port comparator circuits using Dicke's methods. G.P. Riblet **H** p274
Systematic errors in ground referenced geometric height monitoring. D.E. Manolakis and C.C. Lefas **F** p138
Tchebyshev approximation method for Salisbury screen design. J.-C. Liu, S.-S. Ho, S.-S. Bor and P.-C. Lu **H** p414
Time-frequency analysis of backscattered signals from diffuse radar targets. O.P. Kenny and B. Boashash **F** p198
Trihedral twist-grid polarimetric reflector. A. Macikunas and S. Haykin **F** p216
Use of the Wigner–Ville distribution to compensate for ionospheric layer movement in high-frequency sky-wave radar systems. P.E. Howland and D.C. Cooper **F** p29
Utilisation of surface magnetoplasmons in the millimetre wavelength range. D.M. Bolle **H** p173

RADIATION

Conception of an ionising radiation detection scheme based on controlled light induced annealing of silica fibres. C. Vassilopoulos, A. Kourtis and C. Mantakas **J** p267
Effect of external reflectors on radiation profile of grating coupled surface emitting lasers. S.F. Yu, L.M. Zhang, R.G.S. Plumb and J.E. Carroll **J** p30

RADIO-WAVE PROPAGATION (GROUND WAVE)

ELF, VLF and LF radiation from a very large loop antenna with a mountain core. R. Barr, W. Ireland and M.J. Smith **H** p129

RADIO-WAVE PROPAGATION (IONOSPHERIC)

Modelling high-latitude ionosphere for time-varying plasma convection. M. Lockwood **H** p91

RADIO-WAVE PROPAGATION (MICROWAVE)

Application of the spectral domain method for the study of surface slow waves in nonreciprocal planar structures with a multilayered gyroelectric substrate. F. Mesa and M. Horno **H** p193
Modelling of radio transmissions into and within multistorey buildings at 900, 1800 and 2300 MHz. A.M.D. Turkmani and A.F. de Toledo **I** p462

RADIO-WAVE PROPAGATION (TERRAIN EFFECTS)

Alternative derivation of the cascaded cylinder diffraction model. D.E. Eliades **H** p279
Experimental characterisation of UHF radiowave propagation through forests. U.S. Şeker and A. Schneider **H** p329
Neural network approach to prediction of terrestrial wave propagation for mobile radio. K.E. Stocker, B.E. Gschwendtner and F.M. Landstorfer **H** p315
Quadruple-site diversity experiment in Austria using 12 GHz radiometers. N. Witternigg, E. Kubista, W.L. Randeu, W. Riedler, B. Arbesser-Rastburg and J.E. Allnutt **H** p354
Terrain simulation for the cascaded cylinder diffraction model. D.E. Eliades **H** p285

RADIO-WAVE PROPAGATION (TROPOSPHERIC)

The 'Italian Navy coherer' affair: a turn-of-the-century scandal. V.J. Phillips **A** p175
Use of the Wigner–Ville distribution to compensate for ionospheric layer movement in high-frequency sky-wave radar systems. P.E. Howland and D.C. Cooper **F** p29

RADIOCOMMUNICATION

Comparison of pitch prediction and adaptation algorithms in forward and backward adaptive CELP systems. H. Chen, W.C. Wong and C.C. Ko **I** p240
Effects of modulator deficiencies and amplifier nonlinearities on the phase accuracy of GMSK signalling. A.E. Jones, T.A.H. Wilkinson and J.G. Gardiner **I** p157
Error performance of coded SFH/DPSK in tone interference and AWGN. Q. Chen, Q. Wang, V.K. Bhargava and L.J. Mason **I** p262
Estimating the impulse response of indoor radio channels using signal subspace techniques. T. Lo, J. Litva and H. Leung **I** p203
Header detection in a centralised packet radio system with common DS/BPSK spread-spectrum modulation. D.I. Kim **I** p291
Modelling of radio transmissions into and within multistorey buildings at 900, 1800 and 2300 MHz. A.M.D. Turkmani and A.F. de Toledo **I** p462
Multipath fading effects on carrier recovery of BPSK signal in digital radio. G.-S. Liu and C.-H. Wei **I** p381
Multiple-capture performance of DS–SS packet radio systems with common spreading code. D.I. Kim **I** p471
Optimum memoryless bandpass nonlinearities. N.M. Blachman **I** p436
Phase distributions of Rayleigh faded signal with selection diversity reception. F. Adachi and T.T. Tjhung **I** p308
Radio capacity of direct sequence code division multiple access mobile radio systems. A.O. Fapojuwo **I** p402
Statistics of short time and spatial variations measured in wideband indoor radio channels. R. Ganesh and K. Pahlavan **H** p297
Successive-erasure decoding of RS-coded MPSK schemes in a Rayleigh fading channel. S.H. Jamali and T. Le-Ngoc **I** p152
Waveform division multiple-access. A.B. Sesay, P.C. Yip and K.M. Wong **I** p176

RADOMES

Analysis of triangular patch antennas including radome effects (correspondence). J.P. Damiano **H** p144
Scattering from two-layer FSS with dissimilar lattice geometries. J.C. Vardaxoglou, A. Hossainzadeh and A. Stylianou **H** p59
Wideband filters employing multilayer gratings. P.W.B. Au, E.A. Parker and R.J. Langley **H** p292

RAILWAY ELECTRIFICATION AND TRANSPORTATION

AC train emergency fuzzy logic control using an event driven approach. C.S. Chang **B** p307
AI applications and solution techniques for AC-railway-system control and simulation. C.S. Chang, T.T. Chan, S.L. Ho and K.K. Lee **B** p166

RECEIVERS

Carrier wave interference and Loran-C receiver performance. D. Last and Y. Bian **F** p273
Optimised integrated CMOS optical receiver for optical interconnects. Y.-T. Huang **J** p107

RELAYS

Three terminal line protection based on a superimposed component impedance relay. J.S. Daniel, R.K. Aggarwal and A.T. Johns **C** p447

RELIABILITY

Method for reliability analysis of industrial distribution systems. M.H.J. Bollen **C** p497
Monte Carlo simulation model for multiarea generation system reliability studies. R. Billinton and L. Gan **C** p532
New tool for reactive power planning. A. Losi, F. Rossi, M. Russo and P. Verde **C** p256

RELUCTANCE MOTORS

Computation and experimental determination of running torque waveforms in switched-reluctance motors. J. Corda, S. Mašić and J.M. Stephenson **B** p387
Fully pitched-winding switched-reluctance and stepping-motor arrangements. B.C. Mecrow **B** p61
Performance enhancement of single-phase switched-reluctance motor by DC link voltage boosting. S. Chan and H.R. Bolton **B** p316
Waveform detection technique for indirect rotor-position sensing of switched-reluctance motor drives. Part 2: Experimental results. S.K. Panda and G.A.J. Amaratunga **B** p89

REMOTE SENSING

Improved fractal geometry based texture segmentation technique. B.B. Chaudhuri, N. Sarkar and P. Kundu **E** p233

REVIEWS OF PROGRESS

Electricity in the global energy scene. H. Khatib **A** p24
Energy, electricity and the environment. A.E. Wheldon and C.E. Gregory **A** p2
Environmental impacts of electricity generation: some public policy dimensions. J. Chesshire **A** p47
Environmental impacts of nuclear power: past experience and future prospects. P.R. Maul, W. Turner and I. Glendenning **A** p13

SATELLITE LINKS AND SPACE COMMUNICATION

Design method for an offset dual-shaped reflector antenna with high efficiency and an elliptical beam. K. Aoki, S. Makino, T. Katagi and K. Kagoshima **H** p121
Hybrid antenna synthesis for reconfigurable contoured beams. A.D. Searle and B.S. Westcott **H** p263
Original multilayer microstrip disc antenna for dual-frequency band operation: theory and experiment. J. Bennegueouche, J.P. Damiano and A. Papiernik **H** p441
Packet reservation protocols for multichannel satellite networks. V.C.M. Leung **I** p453
Performance evaluation of concatenated coding schemes on multilevel QAM signalling in non-Gaussian products environment. C.E. Dimakis, S.S. Kouris and S.K. Avramis **I** p269
Shielding of single- and double-reflector earth station antennas: a near- and far-field approach. G.A.J. van Dooren and H.J.F.G. Govaerts **H** p309

SEMICONDUCTOR DEVICES AND MATERIALS

Analysis of lossy mode cut-off conditions in planar waveguides with semiconductor guiding layer. M. Marciniak, J. Grzegorzewski and M. Szustakowski **J** p247
Analytical design formulation for minority-carrier well-type guard rings in CMOS circuits. M.-J. Chen, C.-Y. Huang and P.-N. Tseng **G** p182
Application of the spectral domain method for the study of surface slow waves in nonreciprocal planar structures with a multilayered gyroelectric substrate. F. Mesa and M. Horno **H** p193
Capacitance–time transient characteristics of pulsed MOS capacitor application in measurement of semiconductor parameters. X. Zhang and K. Ding **G** p449
Complementary transistor technology for use in optoelectronic integrated circuits. P.A. Kiely, G.W. Taylor, D.P. Docter, P.A. Evaldsson, T.A. Vang, B. Tell and K.F. Brown-Goebeler **G** p279
Damping torsional oscillations using a SIMO static VAR controller. S. Lee and C.-C. Liu **C** p462
Electron drift velocity model for simulation of InGaAs JFETs. N. Cordero, K. McCarthy, C. Lyden and W.M. Kelly **G** p261
Liquid-helium temperature hot-carrier degradation of Si *p*-channel MOSTs. E. Simoen and C. Claeys **G** p431
Optimised integrated CMOS optical receiver for optical interconnects. Y.-T. Huang **J** p107
Perpendicular transport properties of a *p*-GaAs/δ-doped superlattice/n^+-GaAs structure. W.-C. Liu, C.-Y. Sun, D.-F. Guo and R.-C. Liu **G** p81
Practical method for modelling the nonlinear behaviour of a travelling wave semiconductor optical amplifier. S. Ruiz-Moreno and J. Guitart **J** p39
Semiconductor laser facet reflectivities using free-space radiation modes. P.C. Kendall, D.A. Roberts, P.N. Robson, M.J. Adams and M.J. Robertson **J** p49
Utilisation of surface magnetoplasmons in the millimetre wavelength range. D.M. Bolle **H** p173
Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimetre-wave propagation. C.M. Krowne **H** p147

SEMICONDUCTOR LASERS

All-optical clock extraction using two-contact devices. P. Barnsley **J** p325
Analysis of spontaneous emission and noise in self-pulsing laser diodes. E.A. Avrutin **J** p16
Carrier–carrier scattering effects in InGaAs–GaAs strained layer lasers. P. Rees, R.A.H. Hamilton, P. Blood and S.V. Burke **J** p81
Conversion efficiency and bandwidth of THz optical frequency conversion in a semiconductor laser. L. Li and K. Petermann **J** p260
Instrumental effects on spectrum measurement from a semiconductor diode biased below threshold. J. Chen, B. Luo, L. Wu and Y. Lu **J** p243
Multimode analysis of self locked FM operation in laser diodes. W.M. Yee and K.A. Shore **J** p21
Progress in optical functional devices using two-section laser diodes/amplifiers. H. Kawaguchi **J** p3
Pseudorandom word modulation of single-mode semiconductor lasers at GHz rates. C.R. Mirasso, P. Colet and M. San Miguel **J** p26
Simple reliable processing technique for low-threshold high-power strained InGaAs-AlGaAs GRINSCH SQW laser diodes. F. Vermaerke, I. Moerman, G. Vermeire, L. Buydens, P. Van Daele and P. Demeester **J** p75
Solution to the wave equation in the numerical simulation of buried heterostructure lasers. M. Gault, P.A. Mawby and M.S. Towers **J** p44
Temperature drift of modulation characteristics in semiconductor lasers. D.F. Zaitsev **J** p227
Transient multimode statistics in almost single-mode semiconductor lasers. A. Valle, P. Colet, L. Pesquera and M. San Miguel **J** p237

SERVOMOTORS

Controller design for a sensorless permanent-magnet synchronous drive system. T.-H. Liu and C.-P. Cheng **B** p369
Current measurement in three-phase brushless DC drives. P.P. Acarnley **B** p71
Intelligent supervision of servo control. M.H. Perng and H.H. Chang **D** p405
Robust servo design with applications. M. Saif **D** p87

SIGNAL PROCESSING

Accuracy of high-order Yule–Walker methods for frequency estimation of complex sine waves. T. Söderström and P. Stoica **F** p71
Adaptive filtering incorporating a local mean estimation substructure. J.-N. Lin and R. Unbehauen **G** p16
Analysis of floating point roundoff errors in the estimation of higher-order statistics. D. Hatzinakos **F** p371
Applications of higher order statistics. J.M. Mendel and A.K. Nandi **F** p341
Area-efficient diminished-1 multiplier for Fermat number-theoretic transform. S. Sunder, F. El-Guibaly and A. Antoniou **G** p211
Blind beamforming for non-Gaussian signals. J.F. Cardoso and A. Souloumiac **F** p362
Blind deconvolution of coloured signals based on higher-order cepstra and data fusion. A.P. Petropulu and C.L. Nikias **F** p356
Combination of data sets for system identification. D.J. Leith, D.J. Murray-Smith and R. Bradley **D** p11
Contour-integral analysis of microstrip sectorial power divider (with arbitrary sector angle). S.P. Yeo, M.S. Leong, P.S. Kooi, T.S. Yeo and X.D. Zhou **H** p62
Current-mode oscillator realisation using a voltage-to-current transducer in CMOS technology. R. Raut and N.S. Daoud **G** p462
Design and optimisation of a fully integrated GaAs tuned receiver preamplifier MMIC for optical SCM applications. P.M.R.S. Moreira, I.Z. Darwazeh and J.J. O'Reilly **J** p411
Designing distributed detection systems. R. Srinivasan **F** p191
Digital filters implementation using DPCM video signal processing. A. Aggoun and M.K. Ibrahim **G** p453
Digital signal processing for optimum wideband channel estimation in the presence of noise. T. Felhauer **F** p179
Distributions of particle displacements via higher-order moment functions. D.R. Brillinger **F** p390
Efficient systolic solution for a new prime factor discrete Hartley transform algorithm. P.K. Meher, J.K. Satapathy and G. Panda **G** p135
Enhancing testability of VLSI arrays for fast Fourier transform. S.-K. Lu, C.-W. Wu and S.-Y. Kuo **E** p161
Estimation of fundamental frequencies. F.M. Dommermuth **F** p162
Gaussian noise: prediction based on its value and *N* derivatives. N.M. Blachman **F** p98
High-speed realisation of adaptive linear phase FIR digital filters. H.K. Kwan and Q.P. Li **F** p48
ICA-based technique for radiating sources estimation: application to airport surveillance. E. Chaumette, P. Comon and D. Muller **F** p395
Localisation and separation of simultaneous voices with two microphones. D. Banks **I** p229
Modular architecture for high performance implementation of 2-dimensional fast Fourier transform. D.V. Korchev **E** p167
New high-speed prime-factor algorithm for discrete Hartley transform. P.K. Meher, J.K. Satapathy and G. Panda **F** p63
Nonuniform sampling specifically for finite-length data. M.R. Belmont **F** p55
Note on Prony's method. D.B. Choate and J.B.Y. Tsui **F** p103
Optimum memoryless bandpass nonlinearities. N.M. Blachman **I** p436
Orthogonalised frequency domain Volterra model for non-Gaussian inputs. S.B. Kim and E.J. Powers **F** p402
Performance analysis of the l_p norm back propagation algorithm for adaptive equalisation. S. Siu and C.F.N. Cowan **F** p43
Processor arrays for two-dimensional discrete Fourier transform. D.V. Korchev and Ju. S. Kanevsky **E** p101
QR-decomposition decision feedback equalisation and finite-precision results. A.B. Sesay and M. Patton **F** p89
Robust estimation of third-order cumulants in applications of higher-order statistics. A.K. Nandi **F** p380
Second-order properties of MUSIC and ESPRIT estimates of sinusoidal frequencies in high SNR scenarios. A. Eriksson, P. Stoica and T. Söderström **F** p266
Short-time Hartley transform. J.-C. Liu and T.P. Lin **F** p171
Simple method of selective harmonic tracking (SHT) of signals in an integrated AC–DC power system. K.G. Narendra and H.S. Chandrasekharaiah **C** p399
Single sensor detection and classification of multiple sources by higher-order spectra. M.C. Doğan and J.M. Mendel **F** p350
Synthesis of the general linear stationary stochastic process. J.M. De Freitas and M.A. Player **F** p187
Theoretical performance of a complex cross-correlator with Gaussian signals. K. Milne **F** p81
Two-channel tests for common non-Gaussian signal detection. J.K. Tugnait **F** p343

SIMULATION

Analytical DC model for p-type QW-HEMTs for CAD applications. D.C. Yu and I.M. Abdel-Motaleb **G** p7
Binary-tree timing simulation with consideration of internal charges. J.J.H. Wang, M. Chang and W.S. Feng **E** p211
Calculation of absorption and dispersion spectra of atmospheric gases at millimetre-wavelengths. A.D. Papatsoris and P.A. Watson **H** p461
Calculation of the impedance of rotor cage end rings. S. Williamson and M.A. Mueller **B** p51
Contour-integral analysis of microstrip sectorial power divider (with arbitrary sector angle). S.P. Yeo, M.S. Leong, P.S. Kooi, T.S. Yeo and X.D. Zhou **H** p62
Coupling of electromagnetic fields to coplanar striplines with discontinuities. S. Sali **H** p481
Decoupled power flow solution method for well-conditioned and ill-conditioned power systems. M.M.M. El-Arini **C** p7
Design of brushless DC position servo systems using integral variable structure approach. T.-L. Chern and Y.-C. Wu **B** p27
Electron drift velocity model for simulation of InGaAs JFETs. N. Cordero, K. McCarthy, C. Lyden and W.M. Kelly **G** p261
Electronically tunable filtering networks: theory, analysis and simulation. M.-Y. He, C. Wen and R.E. Bogner **G** p367
Event-driven incremental timing fault simulator. S.-J. Jou, S.-H. Chiou, Y.-S. Tao and W.-Z. Shen **G** p45
Fast AC train emergency rescheduling using an event driven approach. C.S. Chang, S.L. Ho, T.T. Chan and K.K. Lee **B** p281
Finite element modelling of multielectrode capacitive systems for flow imaging. S.H. Khan and F. Abdullah **G** p216
Generalised transformer model based on the analysis of its magnetic core circuit. N.D. Hatziargyriou, J.M. Prousalidis and B.C. Papadias **C** p269
Integrated model for simulation of dual linear polarisation radar measurement fields. D. Giuli, L. Facheris and A. Freni **F** p223
Long-time operation of high breaking capacity fuses. D.A. Beaujean, P.G. Newbery and M.G. Jayne **A** p331
Model conversions of uncertain linear systems using the pade and inverse-pade method. L.S. Shieh, J. Gu and Y.L. Bao **D** p455
Modelling a push–pull parallel resonant convertor using generalised state-space averaging. A.W. Green **B** p350
Modelling and analysis of a three phase PWM AC–DC convertor without current sensor. C.-T. Pan and T.-C. Chen **B** p201
Monte Carlo approach to substation reliability evaluation. R. Billinton and G. Lian **C** p147
Multiple-capture performance of DS–SS packet radio systems with common spreading code. D.I. Kim **I** p471
Neural network approach to prediction of terrestrial wave propagation for mobile radio. K.E. Stocker, B.E. Gschwendtner and F.M. Landstorfer **H** p315
New approach to switch modelling in the analysis of power electronic systems. S.A. Sudha, A. Chandrasekaran and V. Rajagopalan **B** p115
Numerical solutions of TM scattering using an obliquely Cartesian finite difference time domain algorithm. J.-F. Lee **H** p23
Power dissipation models and performance improvement techniques for CMOS inverters with RC line and tree interconnections. H.-C. Tang and M.-C. Shiau **G** p437
Real time modelling of multimachine power systems. T. Berry, L.A. Dale, A.R. Daniels and R.W. Dunn **C** p241
SEESIM: a fast synchronous sequential circuit fault simulator with single-event equivalence. C.P. Wu, C.L. Lee and W.Z. Shen **G** p101
Sample rejection and importance sampling in the simulation of multidimensional signalling systems. N.C. Beaulieu, E. Biglieri and M. Lai **I** p445
Steady-state mathematical models of convertors with biparametric regulation. G. Carpinelli, F. Gagliardi, A. Sturchio and M. Russo **C** p105
Three phase harmonic modelling of power system loads. E.W. Palmer and G.F. Ledwich **C** p206
Unified small-signal-noise model for active microwave devices. Z.R. Hu, Z.M. Yang, V.F. Fusco and J.A.C. Stewart **G** p55
Voltage stability as affected by static load characteristics. C.D. Vournas and N.D. Krassas **C** p221

SOCIAL RESPONSIBILITY

Environmental impacts of electricity generated by developing countries: issues, priorities and carbon dioxide emissions. P.J.G. Pearson **A** p100
Environmental impacts of nuclear power: past experience and future prospects. P.R. Maul, W. Turner and I. Glendenning **A** p13

SOLAR CELLS

Distributed parameter analysis of dark *I–V* characteristics of the solar cell: estimation of equivalent lumped series resistance and diode quality factor. A. Vishnoi, R. Gopal, R. Dwivedi and S.K. Srivastava **G** p155

SOLAR POWER

Environmental costs of photovoltaics. R. Hill and A.E. Baumann **A** p76

SONAR

Differential delay-Doppler estimation using second- and higher-order ambiguity functions. A.V. Dandawaté and G.B. Giannakis **F** p410
Generalised algorithm for DOA estimation in a passive sonar. J.S. Thompson, P.M. Grant, B. Mulgrew and R. Rajagopal **F** p339
Generalised algorithm for DOA estimation in a passive sonar. R. Rajagopal and P.R. Rao **F** p12
Reduced sampling rate beamforming technique and its hardware implementation. D.G. Powell and A.G.J. Holt **F** p209

SONICS AND ULTRASONICS

New technique for 3D artery modelling by noninvasive ultrasound. M.S. Nixon and T.K. Hames **I** p86
Ultrasonic echo responses from targets in solid media using finite difference methods. R. Stacey and J.P. Weight **A** p303

SOUND BROADCASTING AND AUDIO

Timing sensitivity of (MMSE) linear and DF equalisation for digital magnetic recording channels. S. Roy and S.A. Raghavan **I** p169

SPEECH SYNTHESIS

Comparison of pitch prediction and adaptation algorithms in forward and backward adaptive CELP systems. H. Chen, W.C. Wong and C.C. Ko **I** p240
Cryptanalysis of frequency domain analogue speech scramblers. B. Goldburg, S. Sridharan and E. Dawson **I** p235
Localisation and separation of simultaneous voices with two microphones. D. Banks **I** p229
New LSP encoding method based on two-dimensional linear prediction. C.-C. Kuo, F.-R. Jean and H.-C. Wang **I** p415
Orthogonal transformations of stacked feature vectors applied to HMM speech recognition. M.J. Flaherty and D.B. Roe **I** p121
Speech modelling using cepstral-time feature matrices in hidden Markov models. S.V. Vaseghi, P.N. Conner and B.P. Milner **I** p317
Trellis in-loop PARCOR coefficients quantiser for speech signals. K.W. Law and C.F. Chan **I** p321

STABILITY

Application of polynomial array method to discrete-time system stability. K. Premaratne and E.I. Jury **D** p198
Decision tree approaches to voltage security assessment. T. Van Cutsem, L. Wehenkel, M. Pavella, B. Heilbronn and M. Goubin **C** p189
Discrete mode power system stabilisers. M.L. Kothari, J. Nanda and K. Bhattacharya **C** p523
Online transient stability evaluation of interconnected power systems using pattern recognition strategy. C.S. Chang **C** p115
Phase co-ordinate model for analysis of isolated power systems. N.R. Fahmi and R.C. Johnson **C** p123

STEPPING MOTORS

Saturated permeance of identically, doubly-slotted magnetic structures. G. Qishan and Z. Jimin **B** p323

SUPERCONDUCTIVITY

Design optimisation of a superconducting AC generator. S.K. Safi and J.R. Bumby **B** p267
Fuzzy control of SMES for levelling load power fluctuation based on Lukasiewicz logic. S. Funabiki and T. Fujii **C** p91
Temperature control of radar cross-section using electrically small high T_c superconducting antenna elements for stealth applications. G.G. Cook and S.K. Khamas **H** p326

SWITCHES AND SWITCHING THEORY

Analysis of backpressure-type packet switches with input and output buffering. Y.C. Jung and C.K. Un **I** p277
Efficient fast packet switch fabric with shared input buffers. E. Del Re and R. Fantacci **I** p372
Greatly enhanced logical functionality of the S-SEED for use in optical switching systems. R.J. Grindle and J.E. Midwinter **J** p98
HiMA: a hierarchical and modular ATM switch with partially shared output buffer. Z. Tsai, K. Yu and F. Lai **I** p429
Measurements on stationary metal contacts under high charge injection rates. C.T. Dervos, C.G. Karagiannopoulos, P.D. Bourkas and C.A. Kagarakis **C** p167
Optical TDM switching architectures with reduced control complexity. D.K. Hunter and D.G. Smith **I** p220
State feedback sliding mode control of a class of uncertain time delay systems. N. Luo and M. de la Sen **D** p261

SWITCHGEAR

Short-circuit tests on current-limiting fuses: modelling of the test circuit. R. Wilkins, T. Saengsuwan and L. O'Shields **C** p30

SYNCHRONOUS MOTORS

Cascaded harmonic synchronous machine. L.L. Freris, J. Meisel and R. Chedid **C** p131
Controller design for a sensorless permanent-magnet synchronous drive system. T.-H. Liu and C.-P. Cheng **B** p369
Major design parameters of a solid canned permanent magnet motor with skewed magnets. K.J. Binns, F.B. Chaaban and A.A.K. Hameed **B** p161
Maximising the saliency ratio of the synchronous reluctance motor. D.A. Staton, T.J.E. Miller and S.E. Wood **B** p249
Optimal torque operation of digitally controlled permanent magnet synchronous motor drives. C. Marchand and A. Razek **B** p232

SYSTEM PROTECTION

Analysis of a rectangular earthing plate. E.K.N. Yung, R.S.K. Wong and W.W.S. Lee **C** p381
Experimental investigations of overvoltages in neutral isolated networks. P.I. Vukelja, R.M. Naumov, M.M. Vučinić and P.B. Budišin **C** p343
Practical method for the analysis of earthing systems with long external electrodes. Lj.M. Popović **C** p213

TELECOMMUNICATION

Efficient fast packet switch fabric with shared input buffers. E. Del Re and R. Fantacci **I** p372
Pulse time modulation techniques for optical communications: a review. B. Wilson and Z. Ghassemlooy **J** p347

TELEPHONE EXCHANGES AND NETWORKS

Neural network approach to prediction of terrestrial wave propagation for mobile radio. K.E. Stocker, B.E. Gschwendtner and F.M. Landstorfer **H** p315
Study of the behaviour of Hubnet. H.S. Hassanein and A.E. Kamal **E** p134

TELEVISION

Analogue intensity modulation schemes for optical fibre HDTV transmission. J.M. Senior, D.T. Lambert and D.W. Faulkner **J** p417

THYRISTORS

Capacitor switched gate-turnoff thyristor. Q. Huang and G.A.J. Amaratunga **G** p85
Solid-state medium voltage contactor. D. Gufflet and P. Malkin **B** p147

TIDAL POWER

Environmental implications of tidal power generation. D.M. Parker **A** p71

TOLERANCE ANALYSIS

Trade-offs in developing fault tolerant software. N.H. Vaidya, A.D. Singh and C.M. Krishna **E** p320

TRANSDUCERS

Readout systems for linear transducers. R.M. Parkin and B.S. Dalay **A** p491

TRANSFORMERS

Analyses of static and dynamic characteristics of practical step-up nine-switch matrix convertor. W.H. Kwon and G.H. Cho **B** p139
Generalised transformer model based on the analysis of its magnetic core circuit. N.D. Hatziargyriou, J.M. Prousalidis and B.C. Papadias **C** p269
Modular DC–DC convertor for high-output voltage applications. S.N. Manias and G. Kostakis **B** p97
Multielement transformers for switched-mode power supplies: toroidal designs. R. Williams, D.A. Grant and J. Gowar **B** p152
Phase-shifting transformers in load flow and short-circuit analysis: modelling and control. R.D. Youssef **C** p331
Power digital to analogue conversion using pulse width modulation and digital signal processing. R.E. Hiorns and M.B. Sandler **G** p329
Practical life-assessment technique for aged transformer insulation. D.M. Allan **A** p404
Prediction of hysteresis losses produced by distorted flux in low-loss silicon–iron transformer core laminations. S. Ray **C** p229
Series self-excited HVDC generation. J. Arrillaga, S. MacDonald, N.R. Watson and S. Watson **C** p141
Synthesis of series STUB-R complex gyrator circuits using halfwave long impedance transformers. R. Levy and J. Helszajn **H** p426
Theoretical spectra for narrow-band random PWM waveforms. J.T. Boys **B** p393
Use of multielement transformers in quasiresonant convertors. R. Williams, D.A. Grant and J. Gowar **B** p357

TRANSISTORS

Analytical DC model for p-type QW-HEMTs for CAD applications. D.C. Yu and I.M. Abdel-Motaleb **G** p7
Digitally tunable MOS-current mirrors for high precision applications. J. Ramírez-Angulo **G** p145
Effect of irradiation and annealing conditions on power transistor performance. A.Y. Usenko **G** p373
Sensitive differential method for the extraction of the mobility variation in uniformly degraded MOS transistors. O. Roux-dit-Buisson, G. Ghibaudo and J. Brini **G** p123
Theoretical and experimental results for the inversion channel heterostructure field effect transistor. G.W. Taylor and P.A. Kiely **G** p392

TRANSMISSION LINES

Alleviation of line overloads and voltage violations by corrective rescheduling. P.R. Bijwe, D.P. Kothari and L.D. Arya **C** p249
Analysis of the effects of septum thickness on impedance and fields of TEM mode inside an asymmetric TEM cell. S.K. Das and B.N. Das **H** p347
Explicit formulas for currents at branching long lines and for maximum of current amplitudes. N.G. Dokuchaev **A** p249
Ion mobility scanning ion chamber. D.R. Cockbaine **A** p155
Lossless transmission and the measurement of insertion loss. J.R.G. Twisleton **H** p390
Variable time step technique for transmission line modelling. S.Y.R. Hui, K.K. Fung, M.Q. Zhang and C. Christopoulos **A** p299

VERY LARGE SCALE INTEGRATION

Area-efficient diminished-1 multiplier for Fermat number-theoretic transform. S. Sunder, F. El-Guibaly and A. Antoniou **G** p211
Binary-tree timing simulation with consideration of internal charges. J.J.H. Wang, M. Chang and W.S. Feng **E** p211
Datapath synthesis using onchip multiport memories. I. Ahmad and C.Y.R. Chen **E** p227
Design of frequency-mode set-valued logic networks. T. Aoki, Y. Yuminaka and T. Higuchi **G** p191
I_{DDQ} testing of oscillating bridging faults in CMOS combinational circuits. M. Roca, E. Sicard and A. Rubio **G** p39
Multiple objective optimisation in a behavioural synthesis system. K.R. Baker, A.J. Currie and K.G. Nichols **G** p253
Synthesis for Reed–Muller directed acyclic graph network. H. Wu, N. Zhuang and M.A. Perkowski **E** p357
Time domain algorithms and architectures for Reed–Solomon decoding. S. Choomchuay and B. Arambepola **I** p189
Unidirectional cube connected cycles. S. Bhattacharya, Y.-H. Choi and W.-T. Tsai **E** p191

VOICE COMMUNICATION

Error control for low-bit-rate speech communication systems. S.A. Atungsiri, A.M. Kondoz and B.G. Evans **I** p97

WAVE POWER

Wave energy devices and the marine environment. T.W. Thorpe and M.J. Picken **A** p63

WAVEGUIDES AND WAVEGUIDE COMPONENTS

'Free space radiation mode' method for the analysis of propagation in optical waveguide devices. C.J. Smartt, T.M. Benson and P.C. Kendall **J** p56
Admittance characteristics of narrow radiating slots in nonradiating dielectric waveguide. C.J. Reddy, A. Ittipiboon and M. Cuhaci **H** p407
Analysis of a strip loaded resonant longitudinal slot in the broad wall of a rectangular waveguide. A. Datta, A. Chakraborty and B.N. Das **H** p135

Analysis of biaxially anisotropic dielectric waveguides with Gaussian–Gaussian index of refraction profiles by the finite-difference method. C.L. da Silva Souza Sobrinho and A.J. Giarola **H** p224
Analysis of lossy mode cut-off conditions in planar waveguides with semiconductor guiding layer. M. Marciniak, J. Grzegorzewski and M. Szustakowski **J** p247
Analytic solution for TE-mode radiation from a flanged parallel-plate waveguide. T.J. Park and H.J. Eom **H** p387
Characteristic mode analysis of electromagnetic coupling through multiple slots in a connecting plane. A. El-Hajj, K.Y. Kabalan and R.F. Harrington **H** p421
Compact broadband TE_{01}-mode generator. A.M. Bøifot **H** p339
Effect of parasitic dielectric resonators on CPW/aperture-coupled dielectric resonator antennas. R.N. Simons and R.Q. Lee **H** p336
Equipartition method for the analysis of two nonidentical closely separated rib waveguides. T.M. Benson and P.C. Kendall **J** p62
Full wave analysis for the description of electromagnetic fields in planar waveguides with anisotropic substrates. D. Köther, A. Beyer and J. Borkes **H** p231
Method of lines for the analysis of multilayered gyrotropic waveguide structures. R. Pregla **H** p183
Modifications to the theory of waveguide horns. D.C. Hawkins and F. Thompson **H** p381
Monolithic integration of a waveguide InGaAs/InP pin photodiode with a locally ion implanted JFET for receiver OEIC applications. J.G. Bauer, C. Lauterbach, D. Römer, N. Emeis, L. Hoffmann and G. Ebbinghaus **J** p66
Optimisation of the coupled-mode method for the analysis of waveguides partially filled with dielectrics of high permittivity: application to the study of discontinuities. A. Vegas, A. Prieto and M.A. Solano **H** p401
Propagation characteristics of a slow surface wave in a 70 GHz solid-plasma waveguide containing an *n*-InSb slab carrying an applied current. T. Obunai **H** p201
Propagation characteristics of circular chirowaveguides periodically loaded with metal gratings. Y. Rong **H** p254
Regular solution of singular integral equation for finlines. Y.-F. Huang and S.-L. Lai **H** p11
Some recent developments in circular overmoded waveguide. W.A. Huting, J.W. Warren and J.A. Krill **H** p447
Spherical wave expansion technique (correspondence). S.R. Rengarajan **H** p511
Synthesis of eight-port comparator circuits using Dicke's methods. G.P. Riblet **H** p274
TM_{mn} modes in transversely magnetised semiconductor-filled coaxial waveguide and parallel plates. L.E. Davis, R. Sloan and D.K. Paul **H** p211
Transverse radiation pattern of a slotted waveguide array radiating between finite height baffles in terms of a spectrum of two-dimensional solutions. K. Forooraghi and P.-S. Kildal **H** p52
Two-dimensional finite-element analysis of planar dielectric waveguides with embossed isotropic *n*-type semiconductor material. N. Mohsenian, T.J. Delph and D.M. Bolle **H** p219
Various aspects of nonreciprocal devices using magnetised semiconductors. C. Cavalli, J-L. Amalric and H. Baudrand **H** p165
Vectorial finite difference scheme for isotropic dielectric waveguides: transverse electric field representation. A.P. Ansbro and I. Montrosset **J** p253
Wave propagation in integrated acoustooptical anisotropic waveguides. U. Hempelmann and L. Bersiner **J** p193
Waveguiding structures employing the solid-state magnetoplasma effect for microwave and millimetre-wave propagation. C.M. Krowne **H** p147